Cucumber Report

Start : Feb 08, 11:02:50.808 PM	*End : Feb 08, 11:05:10.153 PM*	*Duration : 2 m 19.345 s*
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 21 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	ACCOUNTS PAYABLE	1	1	0	0	2 m 19.345 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	ACCOUNTS PAYABLE	Bill(invoice) Booking	21	21	0	0	2 m 19.339 s

(F)- ACCOUNTS PAYABLE

PASSED	DURATION - 2 m 19.345 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 11:02:50.808 PM // 11:05:10.153 PM /		Pass - 1	**1**	Pass - 21	**21**
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Bill(invoice) Booking

PASSED	DURATION - 2 m 19.339 s		Steps	
/ 11:02:50.814 PM // 11:05:10.153 PM /			Total - 21	
ACCOUNTS PAYABLE			Pass - 21	**21**
@KUBS_INV_MGMT_UAT_001_005			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	35.128 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.420 s
	screenshot		
	+		
2	And user should navigate to accounts payable menu	PASSED	2.266 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	When click on eye button of invoice booking	PASSED	1.102 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.604 s
	screenshot		
4	And click on add button for invoice booking	PASSED	0.522 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.897 s
	screenshot		
5	And Fill the required fields for invoice booking	PASSED	26.487 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.278 s
	screenshot		
6	Then Save and submit the invoice billing	PASSED	6.234 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And User should go to the kubs url and login as a reviewer user	PASSED	9.900 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.114 s
	screenshot		
8	Then Click on notification button in reviewer	PASSED	0.167 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.394 s
	screenshot		
9	And approve the record by the reviewer user	PASSED	3.908 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
10	Given User should go to the kubs url and login as a checker user	PASSED	10.443 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.110 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	And Click on security management in checker	PASSED	0.091 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot		
12	Then Click on open pool in checker	PASSED	0.190 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		
13	And Click on claim button in checker	PASSED	0.073 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
	screenshot		
14	And capture claimed status	PASSED	0.240 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	Then click on notification in checker	PASSED	0.277 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.408 s
	screenshot		
16	Then checker should approved the invoice billing	PASSED	6.573 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		
17	Given User should go to the kubs url and login as a maker user	PASSED	9.401 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.217 s
	screenshot		
18	And user should navigate to accounts payable menu	PASSED	0.938 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
	screenshot		

#	Step / Hook Details	Status	Duration
19	When click on eye button of invoice booking	PASSED	0.226 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.542 s
	screenshot		
20	Then click on first eye button to get the system invoice number	PASSED	2.162 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
	screenshot		
21	And maker should logout	PASSED	0.310 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)


(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Bill(invoice) Booking	
(F) ACCOUNTS PAYABLE	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Bill(invoice) Booking	
(F) ACCOUNTS PAYABLE	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

| ☰ | 🌐 Kastle Universal Banking (Beta) | 03-Oct-2022 English ⌄ Azentio Software ⌄ (A |

Record is available in CHECKER's Open Pool with status PENDING ✕

No Module Mapped ⌄

🔧 ⬛ 📋

AP Invoice Booking   AP Invoice Against Expense

← Invoice Booking

* Entity Branch
Azentio Main Branch   ✕ ⌄

* Invoice Type
Expense   ⌄

Invoice Sub Type
Employee Reimbursement Expense   ✕ ⌄

BP Name
Mehta   ✕ ⌄

Transaction Date
09-Feb-2022   📅

System Invoice Number

Cost Center
FINANCE   ✕ ⌄

* Supplier Reference Number
842135446

*Invoice Date
12-Oct-2022   📅

Total Invoice Amount
100.000 INR

Tax/Vat/GST Amount
0.000 INR

* Flat Discount On Invoice
1.000 INR

Early Payment Discount Type
% Basis   ✕ ⌄

Early Payment Discount %
2

Early Payment Discount Amount
2.000 INR

Early Payment Discount Days
1

* Mode Of Payment
Cheque   ✕ ⌄

* Invoice Currency
INR   ✕ ⌄

* Invoice Payment Currency
INR   ✕ ⌄

*Payment Date
20-Oct-2022   📅

Rounding Adjustment
0.000 INR

22 Appro... ✕   11 Messa... ✕

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

| ☰ | 🌐 Kastle Universal Banking (Beta) | 03-Oct-2022 English ⌄ Azentio Software ⌄ (AZENTMAIN) 🔔 >_ 👤 CHECKER |

Configuration ⌄

🔧 ⬛ 📋

⊙ Security management

Welcome, Checker

22 Appro... ✕   11 Messa... ✕

⠿ Home   ➤ Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Bill(invoice) Booking	
(F) ACCOUNTS PAYABLE	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Bill(invoice) Booking	
(F) ACCOUNTS PAYABLE	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Bill(invoice) Booking	
(F) ACCOUNTS PAYABLE	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Bill(invoice) Booking	
(F) ACCOUNTS PAYABLE	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Bill(invoice) Booking	
(F) ACCOUNTS PAYABLE	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Bill(invoice) Booking	
(F) ACCOUNTS PAYABLE	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE