

Cucumber Report

Mar 2, 2022, 10:30:34 AM

Start : Mar 02, 10:29:54.193 AM

End : Mar 02, 10:30:31.225 AM

Duration : 37.032 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 7


FAILED - 1

SKIPPED - 4







#	Feature Name	T	P	F	S	Duration
1	ACCOUNTS RECEIVABLE	1	0	1	0	37.032 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	ACCOUNTS RECEIVABLE	Cancel receipt appropriation through Online Mode	12	7	1	4	37.028 s


(F)- ACCOUNTS RECEIVABLE



FAILED	DURATION - 37.032 s	Scenarios		Steps	
/ 10:29:54.193 AM // 10:30:31.225 AM /		Total - 1		Total - 12	
		Pass - 0		Pass - 7	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	


(S)- Cancel receipt appropriation through Online Mode

<div>FAILED</div> <div>DURATION - 37.028 s</div>		<div></div>	<div>Steps</div> <div>Total - 12</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
<div>/ 10:29:54.197 AM // 10:30:31.225 AM /</div>				
<div>ACCOUNTS RECEIVABLE</div>				
<div>@KUBS_AR/AP_UAT_011_002_TC_02</div>				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	13.078 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.321 s
	screenshot		
			
2	And user should navigate to accounts receivable menu	PASSED	1.064 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.316 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	When click on eye button of receipts	PASSED	0.461 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.929 s
	screenshot 		
4	Then get the txn number	PASSED	6.137 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.314 s
	screenshot 		
5	When click on eye button of receipts reversals	PASSED	0.812 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
	screenshot 		
6	And click on add button for cancel receipt	PASSED	0.632 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.508 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	And Fill the required fields to cancel the receipts through online mode	PASSED	0.874 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.220 s
	screenshot 		
8	Then save the record to cancel the receipts <pre>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" class="ion-color ion-color-primary md button button-clear in-toolbar ion-activatable ion-focusable hydrated button-disabled" ng-reflect-disabled="true" aria-disabled="true" disabled="">...</ion-button> is not clickable at point (1413, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [86e479af43afb78e0cb6617e612a84cf, clickElement {id=9a23b410-cd03-4035-81c6-f0f63df9082a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\NINDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:58970}}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58970/devtoo..., se.cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (86e479af43afb78e0cb6617e612a84cf)] -> xpath: (//ion-buttons[2]/ion-button[1])[2]] Session ID: 86e479af43afb78e0cb6617e612a84cf at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</pre>	FAILED	1.146 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.AccountsReceivable_ReceiptsReversals. save_the_record_to_cancel_the_receipts(AccountsReceivable_ReceiptsReversals.java:108) at ?.save the record to cancel the receipts(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/ AccountsReceivable_ReceiptsReversals.feature:13) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.163 s
9	And select the record actions button	SKIPPED	0.000 s
10	Then click on initiate the record	SKIPPED	0.001 s
11	And record status	SKIPPED	0.000 s
12	And select the record pencil icon	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancel receipt appropriation through
Online Mode


(F) ACCOUNTS RECEIVABLE



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancel receipt appropriation through
Online Mode

(F) ACCOUNTS RECEIVABLE



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancel receipt appropriation through
Online Mode

(F) ACCOUNTS RECEIVABLE

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Receipts View

Actions	Branch Code - Name	Txn No	Receipt Number	Receipt Type	Receipt Amount	Receipt Date	Payer
	AZENTMAIN - Azentio N	REC_75_2822022	RRN2802202214	Wire	5000	19-Oct-2022	SRK
	AZENTMAIN - Azentio N	REC_74_2822022	RRN2802202213	Cheque	5000	19-Oct-2022	SRK
	AZENTMAIN - Azentio N	REC_73_2822022	RRN2802202212	Cheque	100	19-Oct-2022	Anand
	AZENTMAIN - Azentio N	REC_72_2822022	RRN2802202211	Cheque	100	19-Oct-2022	Anand
	AZENTMAIN - Azentio N	REC_71_2822022	RRN2802202210	Cheque	100	19-Oct-2022	Anand
	AZENTMAIN - Azentio N	REC_70_2822022	RRN2802202208	Cheque	100	19-Oct-2022	Anand
	AZENTMAIN - Azentio N	REC_69_2822022	RRN2802202207	Cheque	100	19-Oct-2022	Anand
	AZENTMAIN - Azentio N	REC_68_2822022	RRN2802202206	Cheque	100	19-Oct-2022	Anand

75 total

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancel receipt appropriation through
Online Mode

(F) ACCOUNTS RECEIVABLE

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Receipts View

Actions	Branch Code - Name	Txn No	Receipt Number	Receipt Type	Receipt Amount	Receipt Date	Payer
	Search Branch Co	Search Txn No	RRN_100	Wire	Search Receipt Ar	Search Receipt De	Search Pay
	AZENTMAIN - Azentio N	REC_4_3122021	RRN_100	Wire	5000	08-Sep-2021	Ravi

1 total

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancel receipt appropriation through
Online Mode

(F) ACCOUNTS RECEIVABLE

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Receipts Reversals

Actions	Branch Code - Name	Txn Number	Receipt Type	Receipt Number	Receipt Amount	Receipt Date	Payer
	AZENTMAIN - Azentio N	RECAN_12_2422022	Cheque	REC_10_21122021	7000	24-Feb-2022	Anant
	AZENTMAIN - Azentio N	RECAN_11_2422022	Cheque	REC_5_3122021	20000	24-Feb-2022	Rani
	AZENTMAIN - Azentio N	RECAN_10_2422022	Cheque	REC_34_2422022	100	24-Feb-2022	xyzyzy
	AZENTMAIN - Azentio N	RECAN_9_29122021	Wire	REC_23_29122021	3500	29-Dec-2021	Suraj
	AZENTMAIN - Azentio N	RECAN_8_29122021	Wire	REC_22_29122021	20000	29-Dec-2021	Raj
	AZENTMAIN - Azentio N	RECAN_7_29122021	Wire	REC_6_6122021	10000	29-Dec-2021	Shashee
	AZENTMAIN - Azentio N	RECAN_6_29122021	Wire	REC_21_29122021	8500	29-Dec-2021	Shashee
	AZENTMAIN - Azentio N	RECAN_5_22122021	Wire	REC_15_22122021	742	22-Dec-2021	Ravi Anna

13 total

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancel receipt appropriation through
Online Mode

(F) ACCOUNTS RECEIVABLE

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Receipts Reversal

Entity Branch x Txn Number * Receipt Reference Number

Receipt Amount Txn Date

Txt Status

* Cancellation Remarks

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancel receipt appropriation through
Online Mode

(F) ACCOUNTS RECEIVABLE

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Accounts receivable (Advances)
Receipts
Receipts reversals
Cheque deposit
Update cheque status
Appropriation
Appropriation reversals
Fixed assets
Inventory management
Petty cash
Bank recon

22 Appro... 11 Messa...

Home Preference

Receipts Reversal

Entity Branch: Azentio Main Branch x Txn Number: * Receipt Reference Number: REC_4_3122021 x

Receipt Amount: Txn Date: No items found
ok

Txn Status

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancel receipt appropriation through
Online Mode

(F) ACCOUNTS RECEIVABLE

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Accounts receivable (Advances)
Receipts
Receipts reversals
Cheque deposit
Update cheque status
Appropriation
Appropriation reversals
Fixed assets
Inventory management
Petty cash
Bank recon

22 Appro... 11 Messa...

Home Preference

Receipts Reversal

Entity Branch: Azentio Main Branch x Txn Number: * Receipt Reference Number: REC_4_3122021 x

Receipt Amount: Txn Date: No items found
ok

Txn Status