Cucumber Report

| Start : Mar 02, 10:50:14.991 PM	End : Mar 02, 10:50:43.938 PM	Duration : 28.947 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 11 FAILED - 1 SKIPPED - 9

Features: 1

Scenarios: 1

Steps: 21

Pass % (Features): 0 %

Pass % (Scenarios): 0 %

Pass % (Steps): 52 %

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	1	0	1	0	28.947 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	Check inventory stock confirmation	21	11	1	9	28.940 s

(F)- Check the Functionality of Inventory

FAILED	DURATION - 28.947 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	Steps Total - 21 Pass - 11 Fail - 1 Skip - 9
/ 10:50:14.991 PM // 10:50:43.938 PM /			

(S)- Check inventory stock confirmation

FAILED	DURATION - 28.940 s		Steps Total - 21 Pass - 11 Fail - 1 Skip - 9
/ 10:50:14.998 PM // 10:50:43.938 PM /			
Check the Functionality of Inventory			
@KUBS_INV_MGMT_UAT_004_StockConfirm			

#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	12.496 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
	screenshot		
2	Then Inventory Second direction icon	PASSED	0.337 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Inventory Management Module	PASSED	0.241 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		
4	Then Click on Stock issue eye icon	PASSED	0.215 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	screenshot		
5	And Click on First record eye icon	PASSED	0.679 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.439 s
	screenshot		
6	Then Get the New Request Referance No	PASSED	0.249 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.111 s
	screenshot		

| #	Step / Hook Details	Status	Duration
7	Then Click on Inventory stock confirmation eye icon	PASSED	0.191 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	screenshot		
8	And Sub module Inventory stock confirmation click Add icon	PASSED	0.497 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
	screenshot		
9	Then Enter Request Referance Number	PASSED	0.760 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
	screenshot		
10	And Enter Item code Number	PASSED	0.259 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then Accept the status in checkbox	PASSED	0.163 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.311 s
	screenshot		
12	And click the save icon for StockConfirm	FAILED	1.187 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" class="ion-color ion-color-primary md button button-clear in-toolbar ion-activatable ion-focusable hydrated button-disabled" ng-reflect-disabled="true" aria-disabled="true" disabled="">...</ion-button> is not clickable at point (1413, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [16cc09d4c9f58c0d905fb47270672d00, clickElement {id=11db7a8c-fb5f-4987-bc07-6a48eaa84698}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55389}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55389/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (16cc09d4c9f58c0d905fb47270672d00)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: 16cc09d4c9f58c0d905fb47270672d00
	
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.InventoryManagament.click_the_save_icon_for_stockconfirm(InventoryManagament.java:1054) at ?.click the save icon for StockConfirm(file:///C:/Users/inindc00082/git/repository2/Tushar_AzentioFramework/src/test/java/features/InventoryManagement.feature:247) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.126 s
13	And goto maker Notification icon	SKIPPED	0.000 s
14	Then Click Submit button to Inventory Record	SKIPPED	0.001 s
15	And Give Remark and submit to reviewer	SKIPPED	0.000 s
16	Then Open Reviewer account	SKIPPED	0.001 s
17	And Click on notification	SKIPPED	0.000 s
18	Then Approve the record which we submitted from maker stage	SKIPPED	0.000 s
19	Then Go to Checker account	SKIPPED	0.001 s
20	And Clam the record	SKIPPED	0.000 s
21	Then Click on notification and approve the record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check inventory stock confirmation

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check inventory stock confirmation

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check inventory stock confirmation	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check inventory stock confirmation	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check inventory stock confirmation	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check inventory stock confirmation	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check inventory stock confirmation	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check inventory stock confirmation	
(F) Check the Functionality of Inventory	