Cucumber Report

| Start : Jan 25, 5:27:07.466 PM	End : Jan 25, 5:28:17.867 PM	Duration : 1 m 10.401 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 12

Features: 1 — 0 %

Scenarios: 1 — 0 %

Steps: 20 — 35 %

#	Feature Name	T	P	F	S	Duration
1	To check the functionalities of bank recon	1	0	1	0	1 m 10.401 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check the functionalities of bank recon	Select a matched record and click on unmatch button	20	7	1	12	1 m 10.394 s

(F)- To check the functionalities of bank recon

FAILED	DURATION - 1 m 10.401 s	Scenarios		Steps	
	/ 5:27:07.466 PM // 5:28:17.867 PM /	Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 20 Pass - 7 Fail - 1 Skip - 12	20

(S)- Select a matched record and click on unmatch button

FAILED	DURATION - 1 m 10.394 s		Steps	
	/ 5:27:07.473 PM // 5:28:17.867 PM /		Total - 20 Pass - 7 Fail - 1 Skip - 12	20
	To check the functionalities of bank recon			
	@KUBS_TAX_UAT_003_001TC_001			

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	49.350 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.784 s
	screenshot		
	+		
2	Then Choose the second Tab Segment	PASSED	1.749 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.374 s
	screenshot		
	+		

#	Step / Hook Details	Status	Duration
3	And user click bank recon module	PASSED	0.200 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.406 s
	screenshot		
4	And user click eye icon in bank recon module	PASSED	0.536 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.665 s
	screenshot		
5	And user click add icon in bank recon	PASSED	0.943 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.450 s
	screenshot		
6	And user select bank name in bank recon Module for csv file	PASSED	0.466 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.275 s
	screenshot		
7	And user select bank account Number in bank recon Module	PASSED	1.350 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.252 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	And user click bank recon from date and select the date for csv file	FAILED	1.695 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//td[@aria-label='March 14, 2023']"} (Session info: chrome=108.0.5359.126) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.226', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [defc722a0bc46259d93113ef75e523e9, findElement {using=xpath, value=//td[@aria-label='March 14, 2023']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:50873}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50873/devtoo..., se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: defc722a0bc46259d93113ef75e523e9
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)
	  at stepdefinitions.Bank_ReconModule.user_click_bank_recon_from_date_and_select_the_date_for_csv_file(Bank_ReconModule.java:419)
	  at ?.user click bank recon from date and select the date for csv file(file:///C:/Users/ININDC00073/git/KamalaPriya_ExcelUpdated_KUBS/AzentioAutomationFramework_ExcelKUBS_Kamalapriya2/src/test/java/features/BankReconExcel.feature:11)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
	screenshot		

#	Step / Hook Details	Status	Duration
9	And user click bank recon to date and select the date for csv file	SKIPPED	0.001 s
10	And user click choose file and upload the bank statement for csv	SKIPPED	0.000 s
11	And user click save button in bank recon	SKIPPED	0.000 s
12	And user click process button in bank recon	SKIPPED	0.000 s
13	And user click the unmatched data in bank recon process	SKIPPED	0.000 s
14	And user match the records in unmached tab	SKIPPED	0.000 s
15	And user click matched data tab	SKIPPED	0.000 s
16	And user unmatch the matched records in matched tab	SKIPPED	0.000 s
17	And user click the unmatched data in bank recon process	SKIPPED	0.000 s
18	Then user verify System must unmatch a matched record and now the both the records to be displayed on Unmatched Tab under Unmatched transactions from Bank statement and Book	SKIPPED	0.000 s
19	And user click matched data tab	SKIPPED	0.000 s
20	Then user verify Same records should not be displayed in Matched Tab	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Select a matched record and click on
unmatch button

(F) To check the functionalities of bank
recon

AZENTIO ONEBanking

26-Nov-2022 English ▾   Azentio Software ▾   (AZENTMAIN)   ANANT

Finance ▾

- Business partner setup
- General ledger configuration
- Accounting setup
- Expense/AR & AP configuration
- Budget configuration
- Fixed assets configuration
- Inventory maintenance
- Bank recon
- Petty cash configuration

22 Appro...   11 Mess...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Select a matched record and click on
unmatch button

(F) To check the functionalities of bank
recon

AZENTIO ONEBanking

26-Nov-2022 English ▾   Azentio Software ▾   (AZENTMAIN)   ANANT

Finance ▾

- General ledger transaction
- Budget
- Accounts payable
- Adjustments (AR and AP)
- Accounts receivable
- Fixed assets
- Inventory management
- Petty cash
- Bank recon

22 Appro...   11 Mess...

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Select a matched record and click on unmatch button	
(F) To check the functionalities of bank recon	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Select a matched record and click on unmatch button	
(F) To check the functionalities of bank recon	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Select a matched record and click on unmatch button

(F) To check the functionalities of bank recon

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Select a matched record and click on unmatch button

(F) To check the functionalities of bank recon

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Select a matched record and click on unmatch button

(F) To check the functionalities of bank recon

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Select a matched record and click on unmatch button

(F) To check the functionalities of bank recon