# Cucumber Report

| Start : Jan 11, 10:24:17.766 AM | End : Jan 11, 10:24:31.964 AM | Duration : 14.198 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 4<br>FAILED - 1<br>SKIPPED - 6 |

**Features:** 1

**Scenarios:** 1

**Steps:** 11

**Features Pass %:** 0 %

**Scenarios Pass %:** 0 %

**Steps Pass %:** 36 %

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | To check BudgetDefinition moduel feature | 1 | 0 | 1 | 0 | 14.198 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | To check BudgetDefinition moduel feature | To verify user can able to see modification history of updated budget code | 11 | 4 | 1 | 6 | 14.192 s |

## (F)- To check BudgetDefinition moduel feature

| *FAILED* | *DURATION - 14.198 s* | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 | | Steps<br>Total - 11<br>Pass - 4<br>Fail - 1<br>Skip - 6 | |
|---|---|---|---|---|---|
| */ 10:24:17.766 AM // 10:24:31.964 AM /* | | | | | |

## (S)- To verify user can able to see modification history of updated budget code

| *FAILED* | *DURATION - 14.192 s* | | Steps<br>Total - 11<br>Pass - 4<br>Fail - 1<br>Skip - 6 | |
|---|---|---|---|---|
| */ 10:24:17.772 AM // 10:24:31.964 AM /* | | | | |
| To check BudgetDefinition moduel feature | | | | |
| @Modification_history | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given navigate to URL and login as a maker and choose finance option | PASSED | 9.392 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.324 s |
| | screenshot | | |
| | | | |
| 2 | Then click on budget configuration Menu | PASSED | 0.324 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.235 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 3 | And click on action button in budget configuration | PASSED | 0.162 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.423 s |
| | screenshot  | | |
| 4 | And Find the budet code in the list | PASSED | 0.172 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.236 s |
| | screenshot  | | |
| 5 | Then verify system should display the status of the record | FAILED | 0.029 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'BGD95')]/ancestor::datatable-body-cell/following-sibling::datatable-body-cell[3]//span"} (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2bef31ae38d7458b48707b4df834f156, findElement {using=xpath, value=//span[contains(text(),'BGD95')]/ancestor::datatable-body-cell/following-sibling::datatable-body-cell[3]//span}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:65257}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65257/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2bef31ae38d7458b48707b4df834f156 <br> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) <br> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) <br> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)<br>at stepdefinitions.BUDGET_BudgetCreation.verify_system_should_display_the_status_of_the_record(BUDGET_BudgetCreation.java:291)<br>at ?.verify system should display the status of the record(file:///C:/Users/inindc00076/git/<br>AzentioAutomationFramework2/AzentioAutomationFramework/src/test/java/features/KUBS_BudgetDefinition.feature:416)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.156 s |
| 6 | And verify system should display the name or id who created the record | SKIPPED | 0.000 s |
| 7 | And verify system should display record created date | SKIPPED | 0.001 s |
| 8 | And verify system should display the name or id who made changes the record at last | SKIPPED | 0.000 s |
| 9 | And verify system should display record modified date | SKIPPED | 0.000 s |
| 10 | Then verify system should display name or id of the authorized person of that record | SKIPPED | 0.000 s |
| 11 | And verify system should diplay the authorized date | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to see
modification history of updated budget
code

(F) To check BudgetDefinition moduel
feature

| | |
|---|---|
| ☰  🌐  Kastle Universal Banking | 21-Oct-2021  English ⌄   Azentio Software ⌄   (AZENT-MAIN) 🔔 ⬛ 👤 ANANT |
| Finance ⌄ | Welcome, anant |
| Configuration ⬛ 📄 ◉ | |
| Finance ⊙ | |
| 22 Appro... ⊗   11 Messa... ⊗ | ⬛ Home      ➤ Preference |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to see
modification history of updated budget
code

(F) To check BudgetDefinition moduel
feature

| | |
|---|---|
| ☰  🌐  Kastle Universal Banking | 21-Oct-2021  English ⌄   Azentio Software ⌄   (AZENT-MAIN) 🔔 ⬛ 👤 ANANT |
| Finance ⌄ | Welcome, anant |
| 🔧   ⬛   📄 | |
| ⊙ Business partner setup | |
| ⊙ Accounting setup | |
| ⊙ General ledger configuration | |
| ⊙ Expense/AR & AP configurati... | |
| ⊙ Budget configuration | |
| ▶ Budget definition  ✏ 👁 | |
| ⊙ Fixed assets configuration | |
| ⊙ Inventory maintenance | |
| ⊙ Bank recon | |
| ⊙ Petty cash configuration | |
| 22 Appro... ⊗   11 Messa... ⊗ | ⬛ Home      ➤ Preference |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |
| (S) To verify user can able to see modification history of updated budget code |
| (F) To check BudgetDefinition moduel feature |



| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |
| (S) To verify user can able to see modification history of updated budget code |
| (F) To check BudgetDefinition moduel feature |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user can able to see modification history of updated budget code

(F) To check BudgetDefinition moduel feature

| | Kastle Universal Banking | | | | 21-Oct-2021 | English ▾ | Azentio Software ▾ | (AZENT-MAIN) | | | ANANT |

Finance

### Budget Definition

| Actions | | Budget Code | Budget Name | Budget Type | Status | Created By | Create date | Modified By |
|---------|---|-------------|-------------|-------------|--------|-----------|-------------|-------------|
| ✎ | | BUD987Test | Test | YEARLY | Active | 1002435 | 04-Jan-2022 | 1002435 |
| ✎ | | BUD987Test | Test | YEARLY | Active | 1002435 | 04-Jan-2022 | 1002435 |
| ✎ | | 12 | Test | YEARLY | Active | 1002435 | 03-Jan-2022 | 1002435 |
| ✎ | | 12 | Test | YEARLY | Active | 1002435 | 03-Jan-2022 | 1002435 |
| ✎ | | BUD987Test | Test | YEARLY | Active | 1002435 | 31-Dec-2021 | 1002435 |
| ✎ | | gh | Test | YEARLY | Active | 1002435 | 30-Dec-2021 | 1002435 |
| ✎ | | BDG0 | Test | YEARLY | Active | 1002435 | 30-Dec-2021 | 1002435 |
| ✎ | | BGD_012 | Shopping | QUARTERLY | Active | 1002435 | 30-Dec-2021 | 1002435 |

94 total

| 1 **2** 3 4 5 |

- Business partner setup
- Accounting setup
- General ledger configuration
- Expense/AR & AP configurati...
- Budget configuration
  - ▶ Budget definition ✎ 👁
- Fixed assets configuration
- Inventory maintenance
- Bank recon
- Petty cash configuration

22 Appro... ✖    11 Messa... ✖

Home    Preference