

Cucumber Report

12 Jan 2023, 2:06:16 PM

Start : Jan 12, 2:03:02.275 PM

End : Jan 12, 2:06:12.723 PM

Duration : 3 m 10.448 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 14
FAILED - 1
SKIPPED - 2







#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	3 m 10.448 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	verify Receivable Report post payment Approval for debit note	17	14	1	2	3 m 10.433 s




(F)- AR/AP Module





FAILED	DURATION - 3 m 10.448 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 17 Pass - 14 Fail - 1 Skip - 2	
/ 2:03:02.275 PM // 2:06:12.723 PM /					




(S)- verify Receivable Report post payment Approval for debit note

<div>FAILED</div>	<div>DURATION - 3 m 10.433 s</div>	<div></div>	<div>Steps</div> <div>Total - 17</div> <div>Pass - 14</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 2:03:02.290 PM // 2:06:12.723 PM /</div>				
<div>AR/AP Module</div>				
<div>@AR/AP @KUBS_AR/AP_UAT_004_004_TC_07</div>				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	1 m 46.728 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.541 s
	screenshot		
			
2	Then Click on the Direction	PASSED	4.630 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.458 s
	screenshot		
			


#	Step / Hook Details	Status	Duration
3	When click Account receivable Main module	PASSED	1.493 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.302 s
	screenshot		
			
4	And click debit note eye icon	PASSED	0.827 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.977 s
	screenshot		
			
5	And user update the data set ID for debit note	PASSED	0.020 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.544 s
	screenshot		
			
6	And click search button and then click debit note status search	PASSED	0.320 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.545 s
	screenshot		
			
7	And click first eye icon in list view	PASSED	0.548 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.511 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
8	And get buisness partner name and invoice number	PASSED	3.097 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.288 s
	screenshot		
			
9	And click the notes option in top	PASSED	11.523 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.542 s
	screenshot		
			
10	And click the Reports Sub Module	PASSED	0.274 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.313 s
	screenshot		
			
11	And click the Account Receivable Report	PASSED	0.990 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.443 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
12	And user update the data set ID for Account Receivable Report	PASSED	0.004 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.275 s
	screenshot		
			
13	And select the vendor name	PASSED	0.775 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
	screenshot		
			
14	And select the Receivable status based on we get from Debit note	PASSED	0.439 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.304 s
	screenshot		
			
15	And select the date	FAILED	22.815 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.146', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [928814fff0178bc852a8a17b41e887d5, findElement {using=xpath, value="//span[contains(text(),'null null')]]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.22 (ec46c90f5938..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:57009}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57009/devtoo..., se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 928814fff0178bc852a8a17b41e887d5 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.ARAP_AccountReceivableReport.select_the_date(ARAP_AccountReceivableReport.java:106) at ?.select the date(file:///C:/Users/ININDC00089/git/AzentioAutomationFramework/ArAp/AzentioAutomationFramework_ARAP_Excel/src/ test/java/features/ArAp4.feature:132) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.146', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [928814fff0178bc852a8a17b41e887d5, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.22 (ec46c90f5938..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:57009}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57009/devtoo..., se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 928814fff0178bc852a8a17b41e887d5 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42) </pre>	FAILED	0.008 s

#	Step / Hook Details	Status	Duration
16	And click the view icon	SKIPPED	0.001 s
17	Then verify the debit note is available in Receivable Report	SKIPPED	0.000 s
	<p>AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.WebDriverException: disconnected: unable to send message to renderer (failed to check if window was closed: disconnected: unable to connect to renderer) (Session info: chrome=108.0.5359.125) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.146', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [928814fff0178bc852a8a17b41e887d5, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.22 (ec46c90f5938..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:57009}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57009/devtoo..., se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 928814fff0178bc852a8a17b41e887d5 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52) </pre>	FAILED	17.134 s

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) verify Receivable Report post payment Approval for debit note</u></p>	
<p><u>(F) AR/AP Module</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) verify Receivable Report post payment Approval for debit note</u></p>	
<p><u>(F) AR/AP Module</u></p>	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Receivable Report post
payment Approval for debit note

(F) AR/AP Module

The screenshot shows the AZENTIO ONEBanking interface. The top navigation bar includes the date 14-Nov-2022, language English, application name Azentio Software, user (AZENTMAIN), and a profile icon for ANANT. The left sidebar is a dark blue menu with the 'Finance' section selected. The menu items under Finance are: General ledger transaction, Budget, Accounts payable, Adjustments (AR and AP), Accounts receivable (which is checked), Accounts receivable (Debit notes), and Credit notes on. At the bottom of the sidebar, there are two items: '22 Appro...' and '11 Mess...'. The main content area is a light blue rectangle.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Receivable Report post
payment Approval for debit note

(F) AR/AP Module

The screenshot shows the AZENTIO ONEBanking interface with the 'Debit Note View' screen. The top navigation bar is the same as the previous screenshot. The left sidebar is the same as the previous screenshot. The main content area displays a table of debit notes. The table has the following columns: Actions, Branch Code - Name, Receivable Name, Debit Number, Debit Date, Legal Entity Code, and Branch ID. There are five rows of data, each with a 'view' icon and a 'edit' icon in the Actions column. The data rows are:

Actions	Branch Code - Name	Receivable Name	Debit Number	Debit Date	Legal Entity Code	Branch ID
	AZENTMAIN - Azentio M	Return	DN-5-11102022	10-Sep-2023	Azentio_Soft	3
	AZENTMAIN - Azentio M	Return	DN-4-11102022	10-Sep-2023	Azentio_Soft	3
	AZENTMAIN - Azentio M	SOA	DN-3-6102022	10-Sep-2023	Azentio_Soft	3
	AZENTMAIN - Azentio M	SOA	DN-2-6102022	10-Sep-2023	Azentio_Soft	3
	AZENTMAIN - Azentio M	SOA	DN-1-6102022	10-Sep-2023	Azentio_Soft	3

At the bottom of the table, it says '5 total'. There is a blue circular button with a white plus sign in the bottom right corner of the main content area.

(F) AR/AP Module

AZENTIO
ONEBanking

14-Nov-2022 English ▾ Azentio Software ▾ (AZENTMAIN)
 ANANT

- General ledger transaction
- Budget
- Accounts payable
- Adjustments (AR and AP)
- Accounts receivable

Accounts receivable (Debit notes)

← Debit Note View

Actions	Branch Code - Name	Receivable Name	Debit Number	Debit Date	Legal Entity Code	Branch ID
	AZENTMAIN - Azentio I	Return	DN-5-11102022	10-Sep-2023	Azentio_Soft	3
	AZENTMAIN - Azentio I	Return	DN-4-11102022	10-Sep-2023	Azentio_Soft	3
	AZENTMAIN - Azentio I	SOA	DN-3-6102022	10-Sep-2023	Azentio_Soft	3
	AZENTMAIN - Azentio I	SOA	DN-2-6102022	10-Sep-2023	Azentio_Soft	3
	AZENTMAIN - Azentio I	SOA	DN-1-6102022	10-Sep-2023	Azentio_Soft	3

5 total

+

(F) AR/AP Module

14-Nov-2022
English ▾
Azentio Software ▾
(AZENTMAIN)

 ANANT

Finance ▾

- General ledger transaction
- Budget
- Accounts payable
- Adjustments (AR and AP)
- Accounts receivable

Accounts receivable (Debit notes)

← Debit Note View ✕

Actions	Branch Code - Name <small>Search Branch Code</small>	Receivable Name <small>Search Receivable</small>	Debit Number <small>Search Debit Number</small>	Debit Date <small>Search Debit Date</small>	Legal Entity Code <small>Search Legal Entity</small>	Branch ID <small>Search Branch</small>
	AZENTMAIN - Azentio I	Return	DN-5-11102022	10-Sep-2023	Azentio_Soft	3
	AZENTMAIN - Azentio I	Return	DN-4-11102022	10-Sep-2023	Azentio_Soft	3
	AZENTMAIN - Azentio I	SOA	DN-3-6102022	10-Sep-2023	Azentio_Soft	3
	AZENTMAIN - Azentio I	SOA	DN-2-6102022	10-Sep-2023	Azentio_Soft	3
	AZENTMAIN - Azentio I	SOA	DN-1-6102022	10-Sep-2023	Azentio_Soft	3
5 total						

+

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Receivable Report post
payment Approval for debit note

(F) AR/AP Module

AZENTIO
ONEBanking

Finance

General ledger transaction

Budget

Accounts payable

Adjustments (AR and AP)

Accounts receivable

Accounts receivable (Debit notes)











Credit notes on

22 Appro... 11 Mess...

14-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Debit Note Debit Note Tax

Debit Note View

Actions	Branch Code - Name Search Branch Code	Receivable Name Search Receivable	Debit Number Search Debit Number	Debit Date Search Debit Date	Legal Entity Code Search Legal Entity	Branch ID Search Branch ID
 	AZENTMAIN - Azentio M	Return	DN-5-11102022	10-Sep-2023	Azentio_Soft	3
 	AZENTMAIN - Azentio M	Return	DN-4-11102022	10-Sep-2023	Azentio_Soft	3
 	AZENTMAIN - Azentio M	SOA	DN-3-6102022	10-Sep-2023	Azentio_Soft	3
 	AZENTMAIN - Azentio M	SOA	DN-2-6102022	10-Sep-2023	Azentio_Soft	3
 	AZENTMAIN - Azentio M	SOA	DN-1-6102022	10-Sep-2023	Azentio_Soft	3

5 total

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Receivable Report post
payment Approval for debit note

(F) AR/AP Module

AZENTIO
ONEBanking

Finance

General ledger transaction

Budget

Accounts payable

Adjustments (AR and AP)

Accounts receivable

Accounts receivable (Debit notes)

Credit notes on

22 Appro... 11 Mess...

14-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Debit Note Debit Note Tax

Debit Notes

* Entity Branch
Azentio Main Branch

* Receivable Name
Purchase Return

* Bp Name
Bonton Agency

Debit Note Number
DN-5-11102022

Debit Note Date
14-Nov-2022

Asset code

Invoice Number

Grn Rejection Number

Quantity Returned

* Debit Note Amount
4,000.00 INR

Total Tax Amount
0.00 INR

Total Amount
4,000.00 INR

* Shipped From(Location)
INDIA - Maharastra - Azentio Main Bra...

* Delivery Location
INDIA - Punjab

* Cost Center
FINANCE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Receivable Report post
payment Approval for debit note

(F) AR/AP Module

AZENTIO[™]

ONEBanking

Finance

⚙️

↔️

🕒

🕒 Reports

🕒 Financial reporting

🕒 Enquiry

🕒 Petty cash

🕒 Master reports

🕒 Transaction reports

22 Appro...

×

11 Mess...

×

14-Nov-2022English▼Azentio Software▼(AZENTMAIN)📧📅👤ANANT

Debit NoteDebit Note Tax

← Debit Notes

* Entity BranchAzentio Main Branch×▼

* Receivable NamePurchase Return×▼

* Bp NameBonton Agency×▼

Debit Note NumberDN-5-11102022

Debit Note Date14-Nov-2022📅

Asset code

Invoice Number

Grn Rejection Number

Quantity Returned

* Debit Note Amount4,000.00INR×▼

Total Tax Amount0.00 INR

Total Amount4,000.00 INR

* Shipped From(Location)INDIA - Maharastra - Azentio Main Bra...×▼

* Delivery LocationINDIA - Punjab×▼

* Cost CenterFINANCE×▼

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Receivable Report post
payment Approval for debit note

(F) AR/AP Module

AZENTIO[™]

ONEBanking

Finance

⚙️

↔️

🕒

🕒 Reports

GRN report🕒

Account receivable report🕒

PO report🕒

Payout report🕒

Contract report🕒

Asset contract🕒

Asset sale🕒

22 Appro...

×

11 Mess...

×

14-Nov-2022English▼Azentio Software▼(AZENTMAIN)📧📅👤ANANT

Debit NoteDebit Note Tax

← Debit Notes

* Entity BranchAzentio Main Branch×▼

* Receivable NamePurchase Return×▼

* Bp NameBonton Agency×▼

Debit Note NumberDN-5-11102022

Debit Note Date14-Nov-2022📅

Asset code

Invoice Number

Grn Rejection Number

Quantity Returned

* Debit Note Amount4,000.00INR×▼

Total Tax Amount0.00 INR

Total Amount4,000.00 INR

* Shipped From(Location)INDIA - Maharastra - Azentio Main Bra...×▼

* Delivery LocationINDIA - Punjab×▼

* Cost CenterFINANCE×▼

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Receivable Report post
payment Approval for debit note

(F) AR/AP Module

The screenshot displays the Azentio ONEBanking application. The top navigation bar includes the date '14-Nov-2022', language 'English', application name 'Azentio Software', user '(AZENTMAIN)', and a user profile icon for 'ANANT'. A sidebar menu on the left shows the 'Finance' section expanded, with 'Reports' selected. Under 'Reports', the 'Account receivable report' is highlighted. The main content area is titled 'Account Receivable Report' and features a 'VIEW' button. Below the title is a form with three input fields: 'Vendor/Employee Name', 'Date As On', and 'Receivable Status', each with a dropdown arrow. At the bottom of the sidebar, there are two notification items: '22 Appro...' and '11 Mess...'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Receivable Report post
payment Approval for debit note


(F) AR/AP Module

This screenshot is identical to the one above, showing the Azentio ONEBanking application with the 'Account Receivable Report' page. The interface elements, including the navigation bar, sidebar menu, and main content area, are the same as in the first image.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Receivable Report post
payment Approval for debit note

(F) AR/AP Module



14-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Account Receivable Report VIEW

Vendor/Employee Name suvarana Pvt Ltd Date As On Receivable Status

GRN report

Account receivable report

PO report

Payout report

Contract report

Asset contract


Asset sale

22 Appro... 11 Mess...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Receivable Report post
payment Approval for debit note

(F) AR/AP Module



14-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Account Receivable Report VIEW

Vendor/Employee Name suvarana Pvt Ltd Date As On Receivable Status All

GRN report

Account receivable report

PO report

Payout report

Contract report

Asset contract

Asset sale

22 Appro... 11 Mess...