Cucumber Report

Start : Jan 12, 1:55:51.684 PM	*End : Jan 12, 1:56:59.959 PM*	*Duration : 1 m 8.275 s*
Features	Scenarios	Steps

Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 8 FAILED - 0 SKIPPED - 0
1	1	8

#	Feature Name	T	P	F	S	Duration
1	user create the patty cash login details	1	1	0	0	1 m 8.275 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	user create the patty cash login details	Check report for petty cash register	8	8	0	0	1 m 8.268 s

(F)- user create the patty cash login details

PASSED	DURATION - 1 m 8.275 s	Scenarios		Steps	
/ 1:55:51.684 PM // 1:56:59.959 PM /		Total - 1	1	Total - 8	8
		Pass - 1		Pass - 8	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Check report for petty cash register

PASSED	DURATION - 1 m 8.268 s		Steps	
/ 1:55:51.691 PM // 1:56:59.959 PM /			Total - 8	8
user create the patty cash login details			Pass - 8	
@KUBS_PC_UAT_006_003			Fail - 0	
			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	50.350 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.765 s
	screenshot		
2	Then click on report icon	PASSED	3.178 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And user should navigate to reports menu	PASSED	0.305 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
	screenshot		
4	Then user update the Excel sheet testdata for Pettycashss	PASSED	0.008 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.323 s
	screenshot		
5	Then click on temp grid button of petty cash register report	PASSED	0.303 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.319 s
	screenshot		
6	And select the date to check the petty cash register details are displaying	PASSED	0.972 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.241 s
	screenshot		
7	Then click in the view button to check	PASSED	0.210 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.320 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	Then the report is displaying all the petty cash register details	PASSED	3.674 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.327 s
	screenshot		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)


(S) Check report for petty cash register

(F) user create the patty cash login details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check report for petty cash register

(F) user create the patty cash login details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check report for petty cash register

(F) user create the patty cash login details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check report for petty cash register

(F) user create the patty cash login details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check report for petty cash register

(F) user create the patty cash login details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check report for petty cash register

(F) user create the patty cash login details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check report for petty cash register

(F) user create the patty cash login details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check report for petty cash register

(F) user create the patty cash login details