


FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | Check the Functionality of AR/AP Module | 1 | 0 | 1 | 0 | 22.622 s |

SCENARIOS SUMMARY




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|----------------------------------|--------------------------------------|----|----|---|---|----------|
| 1 | Check the Functionality of AR/AP | Record a receipt through cheque mode | 12 | 11 | 1 | 0 | 22.616 s |
| | Module | | | | | | |

DETAILED SECTION -- 4 --

(F)- Check the Functionality of AR/AP Module

| FAILED | DURATION - 22.622 s | Scenarios | | Steps | |
|------------------|------------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 12 | |
| / 12:43:32.074 p | m // 12:43:54.696 pm / | Pass - 0 | 1 | Pass - 11 | 12 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 0 | |

(S)- Record a receipt through cheque mode



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Navigate The Azentio Url | PASSED | 12.451 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.158 s |
| | screenshot | | |
| | The Control of Control | | |
| 2 | Then Choose the second Tab Segment | PASSED | 0.333 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.174 s |
| | screenshot | | |

| 3 And Click On Main module Accounts Receivable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot O.116 s PASSED O.116 s O.192 s |
|--|
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.192 s |
| screenshot |
| |
| S CALLESTON STATE AND ADDRESS OF THE PARTY O |
| |
| 4 Then Click on the Receipt Eye Icon PASSED 0.343 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.266 s |
| Screenshot |
| 5 And Click Add icon button PASSED 0.312 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.300 s |
| screenshot |
| |
| 6 Then Enter Receipt type as cheque PASSED 0.281 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.156 s |
| screenshot |


| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | * O STATE OF THE S | | |
| 7 | And Enter Receipt Ref Number | PASSED | 0.190 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.138 s |
| | screenshot | | |
| | The state of the s | | |
| 8 | Then Enter Receipt Amount | PASSED | 0.235 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.165 s |
| | screenshot | | |
| | The state of the s | | |
| 9 | And Enter Bank Account Number | PASSED | 0.600 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.126 s |
| | screenshot | | |
| | ** ** ** ** ** ** ** * | | |
| 10 | Then Enter Receipt payer | PASSED | 0.171 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.160 s |
| | screenshot | 1 | |
| | | | |

| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| | | | |
| 11 | Then Choose value date as System current date | PASSED | 1.066 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.124 s |
| | | | |
| 12 | And Enter Remarks for Receipt | FAILED | 1.078 s |
| | org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input aria-labelledby="ion-input-5-lbl" autocapitalize="off" autocomplete="off" autocorrect="off" class="native-input sc-ion-input-md" name="remarks" placeholder="" type="text"/> is not clickable at point (479, 432). Other element would receive the click: <id>clickable at point (479, 432). Other element would receive the click: <id>clickable at point (479, 432). Other element would receive the click: <id>click class="cdk-overlay-backdrop cdk-overlay-transparent-backdrop (background-color:#00;) cdk-overlay-backdrop-showing"> // or vision: 'bc5511cbda' System info: host: 'lNMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [7215ded8038d10b0e4f1622a0cb4303, clickElement (id=9b04731c-730f-4d5c-aad6-e5f7343ef3ae]) Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\NiNDC-1\AppData\L) goog:chromeOptions: (debuggerAddress: localhost:56641), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56641/devtoo, se:cdp/version: 98.0.4758.102, setWindowRect: true, strictFilenteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true) Element: [[ChromeDriver: chrome on WINDOWS (7215ded80638d10b0e4f1622a0cb4303)] -> xpath: (//ion-col[11]//input[1])[1]] Session ID: 7215ded80638d10b0e4f1622a0cb4303] at java.base/java.lang.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at</id></id></id> | | |


DETAILED SECTION -- 8 --

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.ARAP_CancellationOfGRN.enter_remarks_for_receipt(ARAP_CancellationOfGRN.java:1054) at ?.Enter Remarks for Receipt(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ ARAP_GrnCancellation.feature:229) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.116 s |


EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

