Cucumber Report

Start : Mar 02, 10:20:50.794 AM	End : Mar 02, 10:21:32.133 AM	Duration : 41.339 s
Features	Scenarios	Steps
PASSED - 0	PASSED - 0	PASSED - 4
FAILED - 1	FAILED - 1	FAILED - 1
SKIPPED - 0	SKIPPED - 0	SKIPPED - 7

1

1

12

Pass % 0 %

Pass % 0 %

Pass % 33 %

#	Feature Name	T	P	F	S	Duration
1	ACCOUNTS RECEIVABLE	1	0	1	0	41.339 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	ACCOUNTS RECEIVABLE	Cancel receipt appropriation through Online Mode	12	4	1	7	41.329 s

(F)- ACCOUNTS RECEIVABLE

FAILED	DURATION - 41.339 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 10:20:50.794 AM // 10:21:32.133 AM /		Pass - 0	1	Pass - 4	12
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 7	

(S)- Cancel receipt appropriation through Online Mode

FAILED	DURATION - 41.329 s		Steps	
/ 10:20:50.804 AM // 10:21:32.133 AM /			Total - 12	
ACCOUNTS RECEIVABLE			Pass - 4	12
			Fail - 1	
@KUBS_AR/AP_UAT_011_002_TC_02			Skip - 7	

| #	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	17.562 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.151 s
	screenshot		
2	And user should navigate to accounts receivable menu	PASSED	0.878 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.483 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	When click on eye button of receipts	PASSED	0.568 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.798 s
	screenshot		
4	Then get the txn number	PASSED	1.614 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	screenshot		
5	When click on eye button of receipts reversals	FAILED	1.120 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button routerlinkactive="active" color="medium" class="menuicons ion-color ion-color-medium md button button-small button-clear ion-activatable ion-focusable hydrated" ng-reflect-color="medium" tabindex="0" ng-reflect-router-link-active="active" ng-reflect-router-direction="root" ng-reflect-router-link="/tabs/list/datagrid-view/210" ng-reflect-query-params="[object Object]">...</ion-button> is not clickable at point (194, 708). Other element would receive the click: <ion-label _ngcontent-lir-c278="" class="sc-ion-label-md-h sc-ion-label-md-s md hydrated">...</ion-label> (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b4f6eff042315d0da7b3f4535d57a6e1, clickElement {id=5ff5c4ea-57ee-4e90-aa14-ddf965bf5a81}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58548}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58548/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (b4f6eff042315d0da7b3f4535d57a6e1)] -> xpath: //div[5]//ion-menu-toggle[5]//ion-item//ion-buttons//ion-button[2]] Session ID: b4f6eff042315d0da7b3f4535d57a6e1		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.AccountsReceivable_ReceiptsReversals. click_on_eye_button_of_receipts_reversals(AccountsReceivable_ReceiptsReversals.java:82) at ?.click on eye button of receipts reversals(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/AccountsReceivable_ReceiptsReversals.feature:10) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.108 s
6	And click on add button for cancel receipt	SKIPPED	0.001 s
7	And Fill the required fields to cancel the receipts through online mode	SKIPPED	0.000 s
8	Then save the record to cancel the receipts	SKIPPED	0.000 s
9	And select the record actions button	SKIPPED	0.000 s
10	Then click on initiate the record	SKIPPED	0.000 s
11	And record status	SKIPPED	0.000 s
12	And select the record pencil icon	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancel receipt appropriation through
Online Mode

(F) ACCOUNTS RECEIVABLE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancel receipt appropriation through
Online Mode

(F) ACCOUNTS RECEIVABLE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancel receipt appropriation through Online Mode

(F) ACCOUNTS RECEIVABLE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancel receipt appropriation through Online Mode

(F) ACCOUNTS RECEIVABLE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Cancel receipt appropriation through Online Mode

(F) ACCOUNTS RECEIVABLE