Cucumber Report

13 Jan 2023, 5:47:59 PM

Start : Jan 13, 5:46:25.861 PM	End : Jan 13, 5:47:56.910 PM	Duration : 1 m 31.049 s

Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 17 FAILED - 0 SKIPPED - 0









#	Feature Name	T	P	F	S	Duration
1	user create login in to Budget and planning UAT files	1	1	0	0	1 m 31.049 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	user create login in to Budget and planning UAT files	System should able to approve the supplimentary requested budget	17	17	0	0	1 m 31.041 s

(F)- user create login in to Budget and planning UAT files

PASSED	DURATION - 1 m 31.049 s	Scenarios		Steps	
/ 5:46:25.861 PM // 5:47:56.910 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 17 Pass - 17 Fail - 0 Skip - 0	

(S)- System should able to approve the supplimentary requested budget

PASSED	DURATION - 1 m 31.041 s		Steps	
/ 5:46:25.869 PM // 5:47:56.910 PM /			Total - 17 Pass - 17 Fail - 0 Skip - 0	
user create login in to Budget and planning UAT files				
@SupplementaryBudget_KUBS_BP_UAT_005_00-4				

#	Step / Hook Details	Status	Duration
1	Given navigate to given url and login with maker credentials	PASSED	50.127 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.798 s
	screenshot		
	+		
2	And maker should navigate to the budget module UAT	PASSED	1.908 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.410 s
	screenshot		
	 +		

#	Step / Hook Details	Status	Duration
3	And maker click on budget field UAT	PASSED	0.136 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.239 s
	screenshot		
	 +		
4	When maker click on budget supplementary eye icon UAT	PASSED	0.483 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.587 s
	screenshot		
	 +		
5	And click on add button on budget supplementary view page UAT	PASSED	2.191 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.304 s
	screenshot		
	 +		
6	And user update the Excel sheet testdata for Budget and planning Allocation4	PASSED	0.014 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.446 s
	screenshot		
	 +		
7	Then fill the input fields UAT	PASSED	1.993 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.331 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	Then fill apportion amount and save the record UAT	PASSED	2.282 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.334 s
	screenshot		
			
9	And click notification button	PASSED	0.218 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.463 s
	screenshot		
			
10	Then click on the search button	PASSED	0.607 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
	screenshot		
			
11	And serach the budget supplimentory sub module name	PASSED	0.428 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.252 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
12	Then choose first record in the notification record4	PASSED	0.380 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.573 s
	screenshot		
			
13	And click on Submit button	PASSED	0.883 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.322 s
	screenshot		
			
14	Then enter remark in confirmation alertss	PASSED	0.814 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
	screenshot		
			
15	Then click on submit button in alert	PASSED	0.078 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.365 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
16	And user update the Excel sheet testdata for Budget and planning Allocation4	PASSED	0.028 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.367 s
	screenshot		
			
17	And capture the reviewer ID in pop up which is open when we submit our record in maker stagesss	PASSED	1.728 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.328 s
	screenshot		
			

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should able to approve the supplimentary requested budget	
(F) user create login in to Budget and planning UAT files	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should able to approve the supplimentary requested budget	
(F) user create login in to Budget and planning UAT files	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should able to approve the supplimentary requested budget	
(F) user create login in to Budget and planning UAT files	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should able to approve the supplimentary requested budget	
(F) user create login in to Budget and planning UAT files	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files