Cucumber Report

| *Start : Mar 15, 4:00:21.003 pm*	*End : Mar 15, 4:00:47.037 pm*	*Duration : 26.034 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 12 FAILED - 1 SKIPPED - 6

Features: 1

Scenarios: 1

Steps: 19

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 63 %

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	0	1	0	26.034 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	Verify No accounting entry is generated on approval of advances to Employees	19	12	1	6	26.026 s

(F)- Check the Functionality of AR/AP Module

FAILED	DURATION - 26.034 s	Scenarios		Steps	
		Total - 1		Total - 19	
/ 4:00:21.003 pm // 4:00:47.037 pm /		Pass - 0	**1**	Pass - 12	**19**
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	

(S)- Verify No accounting entry is generated on approval of advances to Employees

FAILED	DURATION - 26.026 s		Steps	
/ 4:00:21.011 pm // 4:00:47.037 pm /			Total - 19	
Check the Functionality of AR/AP Module			Pass - 12	**19**
@KUBS_AR_AP_UAT_002_003_TC_02			Fail - 1	
			Skip - 6	

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	12.484 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
	screenshot		
2	Then Choose the second Tab Segment	PASSED	0.392 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Click On Main module Accounts Receivable	PASSED	0.114 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.239 s
4	Then Click on Accounts Receive Advances Eye Icon	PASSED	0.498 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.336 s
5	And Click On Search Icon	PASSED	0.155 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.232 s
6	Then Enter Active Value In Advance Status	PASSED	0.282 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.198 s

#	Step / Hook Details	Status	Duration
7	Then Enter Advance to employee and Active Value In Advance Status	PASSED	0.351 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot 		
8	Then Click on Table Row First Eye Icon	PASSED	0.133 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.444 s
	screenshot 		
9	And Get The Business Partner and Advance Number	PASSED	0.151 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
	screenshot 		
10	Then Third Segment report Icon	PASSED	0.429 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot		

| #	Step / Hook Details	Status	Duration
11	And Choose Enquiry Module	PASSED	0.188 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		
12	Then Click Note iCon near by financial transction	PASSED	0.197 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.245 s
	screenshot		
13	And choose branch code	FAILED	0.374 s
	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //ion-col[1]/app-kub-lov[1]/span[1]/ng-select[1]/div[1]/div[1]/div[2]/input[1] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy46.sendKeys(Unknown Source) at stepdefinitions.ARAP_AccountsReceivable_AccountsPayable.choose_branch_code(ARAP_AccountsReceivable_AccountsPayable.java:876) at ?.choose branch code(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ARAP_AccountsReceivable_AccountsPayable.feature:252)		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	0.082 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [b80dec789460268a7bbb2cf39595514f, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:54689}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54689/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b80dec789460268a7bbb2cf39595514f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
14	And click on transaction from date in calender	SKIPPED	0.002 s
15	Then Select from date in calender	SKIPPED	0.001 s
16	And click on transaction to date in calender icon	SKIPPED	0.001 s
17	Then Select To date in calender	SKIPPED	0.000 s
18	And Click View HyperLink	SKIPPED	0.000 s
19	Then Verify No accounting entry is generated on Active advances to Employees	SKIPPED	0.001 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	4.132 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b80dec789460268a7bbb2cf39595514f, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:54689}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:		

#	Step / Hook Details	Status	Duration

	Proxy(), se:cdp: ws://localhost:54689/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b80dec789460268a7bbb2cf39595514f
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)
	    at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)
	    at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) | |
| (S) Verify No accounting entry is generated on approval of advances to Employees | |
| (F) Check the Functionality of AR/AP Module | |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify No accounting entry is generated on approval of advances to Employees	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Verify No accounting entry is generated on approval of advances to Employees (F) Check the Functionality of AR/AP Module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Verify No accounting entry is generated on approval of advances to Employees (F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify No accounting entry is
generated on approval of advances to
Employees

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta)   26-Oct-2022   English ⌄   Azentio Software ⌄   (AZENTMAIN)   ANANT

Finance

← Advances

Actions	Branch Code - Name	Receivable Name	ADV Number	BP Name	Amount	Date	ADV Status
	Search Branch Co	Search Receivable	Search ADV Numt	Search BP Name	Search Amount	Search Date	Search ADV
👁 ✏	AZENTMAIN – Azentio N	Advance To Employee	ADV_84_1532022	Gangeeta	2000	26-Oct-2022	Closed
👁 ✏	AZENTMAIN – Azentio N	Advance To Employee	ADV_83_1532022	Swapnil Gore	2000	26-Oct-2022	Closed
👁 ✏	AZENTMAIN – Azentio N	Advance To Employee	ADV_82_1532022	Swapnil Gore	10000	26-Oct-2022	Closed
👁 ✏	AZENTMAIN – Azentio N	Advance To Employee	ADV_81_1432022	Swapnil Gore	2000	26-Oct-2022	Closed
👁 ✏	AZENTMAIN – Azentio N	Advance To Employee	ADV_80_1432022	TRM agency	100	26-Oct-2022	Closed
👁 ✏	AZENTMAIN – Azentio N	Advance To Employee	ADV_79_1232022	AAA Salem	1000	26-Oct-2022	Active
👁 ✏	AZENTMAIN – Azentio N	Advance To Employee	ADV_78_1232022	TRM agency	10000	26-Oct-2022	Closed
👁 ✏	AZENTMAIN – Azentio N	Advance Against PO	ADV_77_1132022	Bonton Agency	100	26-Oct-2022	Closed

84 total

General ledger transaction
Budget
Accounts payable
Adjustments (AR and AP)
Accounts receivable
Accounts receivable (Debit notes)
Credit notes on invoice
Accounts receivable (Advances)
Receipts

22 Appro...   11 Messa...

Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify No accounting entry is
generated on approval of advances to
Employees

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta)   26-Oct-2022   English ⌄   Azentio Software ⌄   (AZENTMAIN)   ANANT

Finance

← Advances

Actions	Branch Code - Name	Receivable Name	ADV Number	BP Name	Amount	Date	ADV Status
	Search Branch Co	Search Receivable	Search ADV Numt	Search BP Name	Search Amount	Search Date	ACTIVE
👁 ✏	AZENTMAIN – Azentio N	Advance To Employee	ADV_79_1232022	AAA Salem	1000	26-Oct-2022	Active
👁 ✏	AZENTMAIN – Azentio N	Advance To Employee	ADV_66_132022	TRM agency	65644.44	19-Oct-2022	Active
👁 ✏	AZENTMAIN – Azentio N	Advance To Employee	ADV_65_132022	Swapnil Gore	50000	19-Oct-2022	Active
👁 ✏	AZENTMAIN – Azentio N	Advance Against PO	ADV_64_132022	Bonton Agency	1000	19-Oct-2022	Active
👁 ✏	AZENTMAIN – Azentio N	Advance Against PO	ADV_63_2822022	DELUXE 001	50000	19-Oct-2022	Active
👁 ✏	AZENTMAIN – Azentio N	Advance Against PO	ADV_62_2822022	DELUXE 001	50000	19-Oct-2022	Active
👁 ✏	AZENTMAIN – Azentio N	Advance Against PO	ADV_61_2822022	DELUXE 001	5000	19-Oct-2022	Active
👁 ✏	AZENTMAIN – Azentio N	Advance To Employee	ADV_57_2422022	Swapnil Gore	1000	19-Oct-2022	Active

30 total

General ledger transaction
Budget
Accounts payable
Adjustments (AR and AP)
Accounts receivable
Accounts receivable (Debit notes)
Credit notes on invoice
Accounts receivable (Advances)
Receipts

22 Appro...   11 Messa...

Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify No accounting entry is
generated on approval of advances to
Employees

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify No accounting entry is
generated on approval of advances to
Employees

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify No accounting entry is generated on approval of advances to Employees	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify No accounting entry is generated on approval of advances to Employees	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify No accounting entry is generated on approval of advances to Employees	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify No accounting entry is generated on approval of advances to Employees	
(F) Check the Functionality of AR/AP Module	