
Duration: 23.931 s Start: Mar 21, 11:38:42.852 am End: Mar 21, 11:39:06.783 am Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 9 SKIPPED - 0 SKIPPED - 0 SKIPPED - 20 30 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass% 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 30 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the GL2 Module	1	0	1	0	23.931 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL2	Creation of Accounting Books for custom templet	30	9	1	20	23.922 s
	Module						

DETAILED SECTION -- 4 --

(F)- Check the Functionality of the GL2 Module

FAILED	DURATION - 23.931 s	Scenarios		Steps	
		Total - 1		Total - 30	
/ 11:38:42.852 ai	m // 11:39:06.783 am /	Pass - 0	1	Pass - 9	30
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 20	

(S)- Creation of Accounting Books for custom templet



#	Step / Hook Details	Status	Duration
1	Given Navigate to Azentio Kubs	PASSED	12.271 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.228 s
	screenshot		
	The State of the S		
2	And Click on Accounting Setup module	PASSED	0.150 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
	screenshot		

The Click sub module Accounting book definition	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 And Click on Add icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.360 s 0.304 s 0.296 s 0.316 s 0.316 s 0.318 s 0.323 s 0.323 s 0.323 s 0.323 s 0.325 s 0.325 s 0.325 s 0.325 s 0.326 s				
screenshot 4 And Click on Add icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 5 Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 5 Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefini	3	•	PASSED	
Ad Click on Add icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Creenshot Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Creenshot ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Creenshot ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Creenshot ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Creenshot ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.360 s
And Click on Add icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.304 s PASSED O.304 s PASSED O.304 s PASSED O.316 s O.316 s O.183 s O.183 s O.233 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.233 s O.250 s O		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Enter Another Book Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.296 s 0.316 s PASSED 0.183 s 0.233 s PASSED 0.233 s PASSED 0.150 s		*** ***		
Screenshot Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And Enter Another Book Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.233 s PASSED 0.150 s	4	And Click on Add icon	PASSED	0.304 s
Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Enter Another Book Name AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.233 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.150 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.296 s
Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Enter Another Book Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.233 s PASSED 0.233 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And Enter Another Book Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.183 s PASSED 0.233 s PASSED 0.150 s		Comparation		
Screenshot 6 And Enter Another Book Name AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.233 s 0.150 s	5	Then Choose the Template Type of Custom Template	PASSED	0.316 s
6 And Enter Another Book Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.233 s 0.150 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
6 And Enter Another Book Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.233 s 0.150 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.150 s		Commerce Commerce		
	6	And Enter Another Book Name	PASSED	0.233 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
		screenshot		


#	Step / Hook Details	Status	Duration
7	Then Select system date as Effective date	PASSED	1.591 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot		
	# O ADMINISTRATION OF THE PROPERTY OF THE PROP		
8	And Choose the Book Type what you Need	PASSED	0.375 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot **********************************		
9	Then Enter the Remark	PASSED	0.204 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Ten_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) **Ten_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) **Ten_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
10	And Save the Record	FAILED	1.199 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" color="primary" disabled="" ng-reflect-color="primary" ng-reflect-disabled="true"></ion-button> is not clickable at point (1414, 88). Other element would receive the click: <ion-buttons class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated" slot="end"></ion-buttons> (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.		

#	Step / Hook Details	Status	Duration
	name: Windows 10, os.arch: 'am644', os.version: '10.0', java.version: '17.0.1' Driver into: org.openga.selenium.chrome.ChromeDriver Command: [5346cef91d7be27081a09e40d5064e6f, clickElement (lid=7d9f20ed-06f7-4e6f-bc3c-e134977c130b] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: '99.0.4844.51, chrome: (chromedriverVersion: '98.0.4758.80 (7f0488e8ba0d8, userDataDir: CXUsersiNININDC-1AppDataL), goog:chromeOptions: (debuggerAddress: localhost:59986), giavascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, proxy: Proxy(), se.cdp. ws/flocalhost:59986/devtoo, se.cdpVersion: '99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthensension:credBlob: true, webauthn:virtualAuthenticators: frue) Element. [[ChromeDriver: chrome on WINDOWS (5346cef91d7be27081a09e40d5064e6f)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: 5346cef91d7be27081a09e40d5064e6f] -> xpath: //div[1]/ion-header[1]/ion-buttons[2]/ion-buttons[2]/ion-button[2]/ion-button[2]/ion-buttons[2]/ion-button[2]/ion-button[2]/ion-button[2]/ion-button[2]/ion-button[2]/ion-button[2]/io		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.111 s
	FOR CONTROL OF THE PART OF THE		


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
11	Then Goto The Notification Icon	SKIPPED	0.000 s
12	And Store the Referance Id and Open the Record	SKIPPED	0.000 s
13	Then Click submit button and Enter Remark submit it	SKIPPED	0.000 s
14	Given Navigate as a Reviewer	SKIPPED	0.000 s
15	Then click on Notify icon	SKIPPED	0.000 s
16	And Click First record Action icon	SKIPPED	0.000 s
17	Then Approve the record in Reviewer	SKIPPED	0.000 s
18	And Give Remark and Submit	SKIPPED	0.000 s
19	Given Navigate as a Checker	SKIPPED	0.001 s
20	Then Click module security management	SKIPPED	0.000 s
21	And Claim the Record in Checker	SKIPPED	0.001 s
22	Then Goto the Checker notification Icon	SKIPPED	0.000 s
23	And Click the First Action Icon	SKIPPED	0.000 s
24	Then Approve the Record in checker stage	SKIPPED	0.000 s
25	And Give the Remark and Submit it	SKIPPED	0.000 s
26	Given Navigate to Azentio Kubs	SKIPPED	0.000 s
27	And Click on Accounting Setup module	SKIPPED	0.000 s
28	Then Click sub module Accounting book definition	SKIPPED	0.000 s
29	Then Click on Table Row First Eye Icon	SKIPPED	0.000 s
30	And System should Generate unique code	SKIPPED	0.001 s


EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

