Cucumber Report

| Start : Jan 20, 2:54:55.510 PM	End : Jan 20, 2:55:45.619 PM	Duration : 50.109 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 9 FAILED - 1 SKIPPED - 0

1

1

10

Pass %

0 %

Pass %

0 %

Pass %

90 %

#	Feature Name	T	P	F	S	Duration
1	<u>To create Bank Recon details</u>	1	0	1	0	50.109 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To create Bank Recon details	De-activating an approved record	10	9	1	0	50.102 s

(F)- To create Bank Recon details

| FAILED	DURATION - 50.109 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	Steps Total - 10 Pass - 9 Fail - 1 Skip - 0
	/ 2:54:55.510 PM // 2:55:45.619 PM /		

(S)- De-activating an approved record

FAILED	DURATION - 50.102 s		Steps Total - 10 Pass - 9 Fail - 1 Skip - 0
	/ 2:54:55.517 PM // 2:55:45.619 PM /		
	To create Bank Recon details		
	@KUBS_BRS_UAT_001_001_TC_004 @MultiAuth		

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	29.314 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.901 s
	screenshot		
2	Then Click on Direction Left	PASSED	0.999 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.300 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	Then Click on Bank Recon	PASSED	0.196 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.337 s
	screenshot		
4	Then click on Bank Recon format eye button	PASSED	0.347 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.386 s
	screenshot		
5	Then user update the Excel sheet testdata for BankRecon1	PASSED	0.089 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.928 s
	screenshot		
6	Then select the active record	PASSED	1.127 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.588 s
	screenshot		
7	Then Inactivate the record	PASSED	0.949 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	Then Click on Inventory Item Save button	PASSED	2.224 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		
9	Then Click on Inventory Item Notification	PASSED	0.249 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.560 s
	screenshot		
10	And Select and Submit the records	FAILED	4.451 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'null')]"} (Session info: chrome=108.0.5359.125) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.49', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [be8a08080064e96abb0d66a8fca2cf4c, findElement {using=xpath, value=//span[contains(text(),'null')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:59108}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59108/devtoo..., se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: be8a08080064e96abb0d66a8fca2cf4c
	    at jdk.internal.reflect.GeneratedConstructorAccessor37.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.BankRecons.select_and_submit_the_records(BankRecons.java:594) at ?.Select and Submit the records(file:///C:/Users/ININDC00075/git/Arshath_Excel_AzentioAutomationFramework/ AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/BankRecon.feature:69) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.297 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)


(S) De-activating an approved record

(F) To create Bank Recon details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) De-activating an approved record

(F) To create Bank Recon details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) De-activating an approved record

(F) To create Bank Recon details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) De-activating an approved record

(F) To create Bank Recon details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) De-activating an approved record

(F) To create Bank Recon details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) De-activating an approved record

(F) To create Bank Recon details

Actions		Bank Name	Applicable Account Typ	Upload File Extension	Status	Created By	Created Date	Modified By	Modified Date	Auth By	Auth Date
👁	✏	Bank Of India	SAVINGS ACCOUNT	Text	Active	1002435	20-Jan-2023			1002437	20-Jan-2023
👁	✏	Bank Of India	SAVINGS ACCOUNT	Text	Active	1002435	19-Jan-2023			1002437	20-Jan-2023
👁	✏	Bank Of India	SAVINGS ACCOUNT	CSV	Active	1002435	04-Jan-2023			1002437	04-Jan-2023
👁	✏	YES BANK	SAVINGS ACCOUNT	CSV	Active	1002435	26-Oct-2022	1002435	01-Nov-2022	1002437	01-Nov-2022
👁	✏	ICICIBANK	SAVINGS ACCOUNT	Text	Active	1002435	26-Oct-2022			1002437	26-Oct-2022
👁	✏	HDFC BANK	CURRENT ACCOUNT	CSV	Active	1002435	30-Sep-2022			1002437	30-Sep-2022
👁	✏	HDFC BANK	CURRENT ACCOUNT	Text	Active	1002435	30-Sep-2022	1002435	30-Sep-2022	1002437	30-Sep-2022
👁	✏	STATE BANK OF INDIA	SAVINGS ACCOUNT	Text	Active	1002435	30-Sep-2022	1002435	30-Sep-2022	1002437	20-Jan-2023

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) De-activating an approved record	
(F) To create Bank Recon details	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) De-activating an approved record	
(F) To create Bank Recon details	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) De-activating an approved record

(F) To create Bank Recon details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) De-activating an approved record

(F) To create Bank Recon details