

# Cucumber Report

9 Jan 2023, 1:21:23 PM

Start : Jan 09, 1:20:25.375 PM

End : Jan 09, 1:21:21.225 PM

Duration : 55.850 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 2  
FAILED - 1  
SKIPPED - 4







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	1	0	1	0	55.850 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	<u>Create denomination details</u>	7	2	1	4	55.782 s


**(F)- Check the Functionality of Inventory**

<b>FAILED</b>	<b>DURATION - 55.850 s</b>	Scenarios		Steps	
/ 1:20:25.375 PM // 1:21:21.225 PM /		Total - 1		Total - 7	
		Pass - 0		Pass - 2	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	

**(S)- Create denomination details**

<b>FAILED</b>	<b>DURATION - 55.782 s</b>		Steps	
/ 1:20:25.443 PM // 1:21:21.225 PM /				
Check the Functionality of Inventory				
@KUBS_INV_MGMT_UAT_002_002_01				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	40.831 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.895 s
	screenshot		
			
2	And user should navigate to denomination master menu	PASSED	0.835 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	<p>When click on eye button of denomination master</p> <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "exe" is null     at helper.JavascriptHelper.executeScript(JavascriptHelper.java:27)     at helper.JavascriptHelper.scrollToView(JavascriptHelper.java:49)     at stepdefinitions.INVENTORY_MAINTENANCE_DenominationMaster. click_on_eye_button_of_denomination_master(INVENTORY_MAINTENANCE_DenominationMaster.java:65)     at ?.click on eye button of denomination master(file:///C:/Users/ININDC00089/git/AzentioAutomationFramework/ArAp/ AzentioAutomationFramework_ARAP_Excel/src/test/java/features/InventoryManagement_Testing.feature:7) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.060 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.194 s
4	And click on add button to create denomination details	SKIPPED	0.000 s
5	And user update the data set ID for denomination	SKIPPED	0.000 s
6	And Fill the required fields to create denomination details	SKIPPED	0.000 s
7	Then Save and submit the creation denomination details	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create denomination details


(F) Check the Functionality of Inventory



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create denomination details

(F) Check the Functionality of Inventory



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create denomination details

(F) Check the Functionality of Inventory

AZENTIO<sup>™</sup>

ONEBanking

Finance

Business partner setup

General ledger configuration

Accounting setup

Expense/AR & AP configurat...

Budget configuration

Fixed assets configuration

Inventory maintenance

22 Appro...

11 Mess...