

Cucumber Report

07-Dec-2022, 3:06:27 pm

Start : Dec 07, 3:05:31.651 pm

End : Dec 07, 3:06:26.199 pm

Duration : 54.548 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0



FAILED - 2


SKIPPED - 0

PASSED - 0


FAILED - 2

SKIPPED - 29







| # | Feature Name | T | P | F | S | Duration |
|---|--------------|---|---|---|---|----------|
| 1 | AR/AP Module | 2 | 0 | 2 | 0 | 54.548 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------|---|----|---|---|----|----------|
| 1 | AR/AP Module | Verify cancelled advances is not available for payment settlement | 16 | 0 | 1 | 15 | 25.623 s |
| 2 | AR/AP Module | Verify cancelled advances is not available for payment settlement | 15 | 0 | 1 | 14 | 28.683 s |


(F)- AR/AP Module

| | | | | | |
|--------------------------------------|----------------------------|-----------|---|------------|---|
| FAILED | DURATION - 54.548 s | Scenarios |  | Steps |  |
| / 3:05:31.651 pm // 3:06:26.199 pm / | | Total - 2 | | Total - 31 | |
| | | Pass - 0 | | Pass - 0 | |
| | | Fail - 2 | | Fail - 2 | |
| | | Skip - 0 | | Skip - 29 | |

(S)- Verify cancelled advances is not available for payment settlement



| | | | | |
|--|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 25.623 s</div> | |  | <div>Steps</div> <div>Total - 16</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 15</div> |  |
| / 3:05:31.657 pm // 3:05:57.280 pm / | | | | |
| AR/AP Module | | | | |
| @KUBS_AR_AP_UAT_003_009_TC_02 @AR/AP | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------------|----------|
| 1 | <p>Given Navigate The Azentio Url</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/p[contains(text(),'Otp')]"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8LN', ip: '10.1.47.115', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cd021cb7a21d4d818f284d4c5e487811, findElement {using=xpath, value=/p[contains(text(),'Otp')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:64265}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64265/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cd021cb7a21d4d818f284d4c5e487811 at jdk.internal.reflect.GeneratedConstructorAccessor28.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</pre> | FAILED | 21.583 s |


| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | <pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.getText(Unknown Source) at stepdefinitions.KUBS_Login.loginToAzentioApp(KUBS_Login.java:38) at stepdefinitions.ARAP_AccountsReceivable_AccountsPayable.navigate_the_azentio_url(ARAP_AccountsReceivable_AccountsPayable.java:1054) at ?.Navigate The Azentio Url(file:///C:/Users/inindc00072/git/AzentioAutomationFramework_KUBS/AzentioAutomationFramework/src/test/java/features/ArAp1_Excel.feature:75) * Not displayable characters are replaced by '?'. </pre> | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.340 s |
| | screenshot | | |
| |  | | |
| 2 | Then Choose the second Tab Segment | SKIPPED | 0.000 s |
| 3 | And Click On Main module Accounts Receivable | SKIPPED | 0.000 s |
| 4 | Then Click on Accounts Receive Advances Eye Icon | SKIPPED | 0.000 s |
| 5 | And Click On Search Icon | SKIPPED | 0.001 s |
| 6 | And Updating Testdata Id for cancelled advances | SKIPPED | 0.000 s |
| 7 | Then Enter Cancelled Value In Advance Status | SKIPPED | 0.000 s |
| 8 | Then Click on Table Row First Eye Icon in ARAP | SKIPPED | 0.000 s |
| 9 | And Get The Business Partner and Advance Number | SKIPPED | 0.000 s |
| 10 | And Click On Main module Accounts payable | SKIPPED | 0.000 s |
| 11 | Then Click sub module Payment settlement Eye Icon | SKIPPED | 0.000 s |
| 12 | And Click Add icon button | SKIPPED | 0.001 s |
| 13 | Then Enter payment option | SKIPPED | 0.000 s |
| 14 | And Give stored Business partner Name | SKIPPED | 0.000 s |
| 15 | Then Choose value date as System current date | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| 16 | And find the Advance reference number for cancelled Advances is available at the billing queue | SKIPPED | 0.000 s |

(S)- Verify cancelled advances is not available for payment settlement

| | | | | |
|--|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 28.683 s</div> | | <div></div> | <div>Steps</div> <div>Total - 15</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 14</div> | <div></div> |
| <div>/ 3:05:57.516 pm // 3:06:26.199 pm /</div> | | | | |
| <div>AR/AP Module</div> | | | | |
| <div>@KUBS_AR_AP_UAT_003_009_TC_02 @AR/AP</div> | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | <p>Given Navigate The Azentio Url</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[contains(text(),'Otp')]"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8LN', ip: '10.1.47.115', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [19605fd51ee4feb68dde802eeb37f1e, findElement {using=xpath, value=//p[contains(text(),'Otp')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\NINDC~1\AppData\Local\Temp\goog-chromeOptions: {debuggerAddress: localhost:64299}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:64299/devtools..., se.cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 19605fd51ee4feb68dde802eeb37f1e at java.lang.reflect.GeneratedConstructorAccessor28.newInstance(Unknown Source) at java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)</pre> | FAILED | 22.534 s |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.getText(Unknown Source) at stepdefinitions.KUBS_Login.loginToAzentioApp(KUBS_Login.java:38) at stepdefinitions.ARAP_AccountsReceivable_AccountsPayable.navigate_the_azentio_url(ARAP_AccountsReceivable_AccountsPayable.java:1054) at ?.Navigate The Azentio Url(file:///C:/Users/inindc00072/git/AzentioAutomationFramework_KUBS/AzentioAutomationFramework/src/test/java/features/ArAp3.feature:123) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.260 s |
| | screenshot | | |
| |  | | |
| 2 | Then Choose the second Tab Segment | SKIPPED | 0.000 s |
| 3 | And Click On Main module Accounts Receivable | SKIPPED | 0.000 s |
| 4 | Then Click on Accounts Receive Advances Eye Icon | SKIPPED | 0.000 s |
| 5 | And Click On Search Icon | SKIPPED | 0.000 s |
| 6 | Then Enter Cancelled Value In Advance Status | SKIPPED | 0.000 s |
| 7 | Then Click on Table Row First Eye Icon in ARAP | SKIPPED | 0.000 s |
| 8 | And Get The Business Partner and Advance Number | SKIPPED | 0.000 s |
| 9 | And Click On Main module Accounts payable | SKIPPED | 0.000 s |
| 10 | Then Click sub module Payment settlement Eye Icon | SKIPPED | 0.000 s |
| 11 | And Click Add icon button | SKIPPED | 0.000 s |
| 12 | Then Enter payment option | SKIPPED | 0.000 s |
| 13 | And Give stored Business partner Name | SKIPPED | 0.001 s |
| 14 | Then Choose value date as System current date | SKIPPED | 0.000 s |
| 15 | And find the Advance reference number for cancelled Advances is availabe at the billing queue | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify cancelled advances is not
available for payment settlement

(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify cancelled advances is not
available for payment settlement

(F) AR/AP Module

