


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To check the asset impairement module in fixed asset module	1	0	1	0	28.352 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check the asset impairement	Check the impairement of asset (sale)	43	12	1	30	28.346 s
	module in fixed asset module						

DETAILED SECTION

(F)- To check the asset impairement module in fixed asset module

FAILED	DURATION - 28.352 s	Scenarios		Steps	
	•	Total - 1		Total - 43	
/ 12:28:43.862 P	PM // 12:29:12.214 PM /	Pass - 0	1	Pass - 12	43
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 30	

(S)- Check the impairement of asset (sale)



#	Step / Hook Details	Status	Duration
1	Given Navigate to KUBS URL and login with maker credentials	PASSED	12.601 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.291 s
	screenshot		
	The state of the s		
2	And click on fixed asset main module	PASSED	0.698 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
	screenshot		

#	Step / Hook Details	Status	Duration

3	And goto asset sale module and choose the edit icon	PASSED	0.426 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.346 s
	screenshot		
	*** OF ADMINISTRATION OF ADMIN		
4	And click on search icon	PASSED	0.138 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.336 s
	screenshot		
	*** On the Control of		
5	And get the active reference number in asset Sale module	PASSED	0.895 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	screenshot		
6	And click on view button near by asset impairement module	PASSED	0.176 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.413 s
	screenshot	1	
	•		


7 And click on Add Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 Then Check System shuld display the input fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 Then Check System shuld display the input fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.Ho	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ### AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ### AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io		*** ***		
screenshot Then Check System shuld display the input fields AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Add select asset reference number AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.242 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.180 s	7	And click on Add Icon	PASSED	0.218 s
Then Check System shuld display the input fields AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Sceenshot And select asset reference number AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.242 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.242 s 0.280 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
Then Check System shuld display the input fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.123 s O.175 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 9 And select asset reference number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And choose the asset Item no AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.236 s PASSED 0.242 s PASSED 0.180 s		No.		
screenshot 9 And select asset reference number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And choose the asset Item no AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.242 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.180 s	8	Then Check System shuld display the input fields	PASSED	0.123 s
9 And select asset reference number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 70 And choose the asset Item no AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.242 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.180 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And choose the asset Item no AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.236 s PASSED 0.242 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.180 s		** O footbooks The State State The State State The State	-	
Screenshot 10 And choose the asset Item no AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.242 s 0.180 s	9	And select asset reference number	PASSED	0.800 s
10 And choose the asset Item no AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.242 s 0.180 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
10 And choose the asset Item no AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.242 s 0.180 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.180 s		Note		
	10	And choose the asset Item no	PASSED	0.242 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
		screenshot]	

#	Step / Hook Details	Status	Duration
	*** O SANISATION TO SANISATION		
11	And choose the transcation type as impairment	PASSED	0.316 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
	screenshot		
	■ O tent formatting to the state of the sta		
12	And check the book value of asset	PASSED	0.205 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	Screenshot		
13	Then click on Save Button	FAILED	4.463 s
	java.lang.AssertionError: Save button not able to click at org.junit.Assert.fail(Assert.java:88) at stepdefinitions.FIXEDASSET_AssetImpairement.click_on_save_button(FIXEDASSET_AssetImpairement.java:951) at ?.click on Save Button(file:///C:/Users/inindc00076/git/AzentioAutomationFrameworkMasterNew/AzentioAutomationFramework/src/test/java/features/FIXEDASSET_AssetImpairement.feature:332) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.116 s
	Screenshot ***		


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
14	Then click on notification button	SKIPPED	0.000 s
15	Then choose first record in the notification record	SKIPPED	0.001 s
16	And click on Submit button	SKIPPED	0.000 s
17	Then enter remark in confirmation alert	SKIPPED	0.001 s
18	Then click on submit button in alert	SKIPPED	0.000 s
19	And capture the reviewer ID in pop up which is open when we submit our record in maker stage	SKIPPED	0.000 s
20	Then logout from maker	SKIPPED	0.000 s
21	And login with reviewer credentials	SKIPPED	0.000 s
22	Then click on notification button	SKIPPED	0.000 s
23	And select our record in notification records using reference ID	SKIPPED	0.000 s
24	Then Approve the record from reviewer	SKIPPED	0.000 s
25	And enter the remark in alert	SKIPPED	0.000 s
26	Then click on submit in alert	SKIPPED	0.000 s
27	Then verify the approval status of the record	SKIPPED	0.001 s
28	And logout from reviewer	SKIPPED	0.000 s
29	Then login as a checker	SKIPPED	0.000 s
30	And click on security management menu in checker	SKIPPED	0.000 s
31	Then click on action button under security management menu	SKIPPED	0.000 s
32	And select our record and clime using reference ID	SKIPPED	0.001 s
33	Then click on Notification button	SKIPPED	0.000 s
34	Then select our record in notification records by the help of reference ID	SKIPPED	0.000 s
35	And click on approve button in checker stage	SKIPPED	0.000 s
36	Then give alert remark	SKIPPED	0.000 s
37	Then click on submit button on alert	SKIPPED	0.001 s
38	And verify the record got approved from checker	SKIPPED	0.000 s
39	Then logout from checker	SKIPPED	0.000 s
40	And login with Maker ID	SKIPPED	0.001 s
41	And click on fixed asset main module	SKIPPED	0.000 s
42	And click on view button near by asset impairement module	SKIPPED	0.000 s
43	Then check the approved record is displayed in appeared in maker list view stage	SKIPPED	0.000 s


EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION




EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --

