Cucumber Report

Start : Feb 07, 1:40:30.153 AM	*End : Feb 07, 1:40:59.126 AM*	*Duration : 28.973 s*
Features	*Scenarios*	*Steps*
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 5 FAILED - 1 SKIPPED - 0

Features: 1

Scenarios: 1

Steps: 6

Pass %: 0 %

Pass %: 0 %

Pass %: 83 %

#	Feature Name	T	P	F	S	Duration
1	Checking the Acount Payable functionality	1	0	1	0	28.973 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Acount Payable functionality	Create a purchase order with Unique purchase order number	6	5	1	0	28.970 s

## (F)- Checking the Acount Payable functionality

FAILED	DURATION - 28.973 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 1:40:30.153 AM // 1:40:59.126 AM /		Pass - 0	1	Pass - 5	6
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Create a purchase order with Unique purchase order number

FAILED	DURATION - 28.970 s		Steps	
			Total - 6	
/ 1:40:30.156 AM // 1:40:59.126 AM /			Pass - 5	6
Checking the Acount Payable functionality			Fail - 1	
@KUBS_INV_MGMT_UAT_001_003 @MultiAuth			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.657 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		
	+		
2	Then Click on Direction icon	PASSED	0.100 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.331 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click on Account Payable	PASSED	7.960 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.123 s
	screenshot		
4	Then Click on purchase order Eye Icon	PASSED	0.186 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.372 s
	screenshot		
5	Then Click on purchase order Add button	PASSED	0.211 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		
6	Then Fill purchase order Mandatory fields	FAILED	7.229 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//td[@aria-label='Oct 1, 2022']/span"} (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5c613ba1c619b79a678bad0856d240a5, findElement {using=xpath, value=//td[@aria-label='Oct 1, 2022']/span}] Capabilities		

#	Step / Hook Details	Status	Duration

	{acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:50920}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50920/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5c613ba1c619b79a678bad0856d240a5
	
	   at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)
	   at stepdefinitions.AccountPayable_VendorPurchaseOrder.fill_purchase_order_mandatory_fields(AccountPayable_VendorPurchaseOrder.java:159)
	   at ?.Fill purchase order Mandatory fields(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/AccountPayable_VendorPurchaseOrder.feature:11)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.100 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a purchase order with Unique
purchase order number

(F) Checking the Acount Payable
functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a purchase order with Unique
purchase order number

(F) Checking the Acount Payable
functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a purchase order with Unique purchase order number

(F) Checking the Acount Payable functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a purchase order with Unique purchase order number

(F) Checking the Acount Payable functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a purchase order with Unique
purchase order number

(F) Checking the Acount Payable
functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a purchase order with Unique
purchase order number

(F) Checking the Acount Payable
functionality