


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration	
1	To check BudgetDefinition moduel feature	1	0	1	0	34.971 s	




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel	To Verify Checker can approve the record which is	35	21	1	13	34.963 s
	<u>feature</u>	approved by reviewer					

DETAILED SECTION -- 4 --

## (F)- To check BudgetDefinition moduel feature

FAILED	DURATION - 34.971 s	Scenarios		Steps	
		Total - 1		Total - 35	
/ 5:43:28.078 PN	Л // 5:44:03.049 PM /	Pass - 0	1	Pass - 21	35
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 13	

## (S)- To Verify Checker can approve the record which is approved by reviewer



#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	9.914 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		
	## OF THE PROPERTY OF THE PRO		
2	Then click on budget configuration Menu	PASSED	0.665 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
	screenshot		

#	Step / Hook Details	Status	Duration
	PRODUCTION AND CONTRACT OF THE PRODUCTION OF THE		
3	And click on budget definition sub menu and click on eye icon	PASSED	0.165 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.415 s
	screenshot		
	PARTICIPATION PARTICIPATION OF THE PARTICIPATION OF		
4	Then search the budget code want to update	PASSED	0.790 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.160 s
5	And select the budget code	PASSED	0.093 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  **Ten_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  **Ten_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  **Ten_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.273 s
6	And update the budget code	PASSED	3.183 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot	1	

7 Then update the budget bype PASSED 0.269 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  8 Then update warning percentage AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 Then update budget name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 Then update budget name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 Then update budget name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.268 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.140 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  8 Then update warning percentage  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 Then update budget name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.133 s  0.143 s  0.143 s		The state of the s		
8 Then update warning percentage PASSED 0.133 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 Then update budget name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.268 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.140 s	7	Then update the budget budget type	PASSED	0.269 s
8 Then update warning percentage PASSED 0.133 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 Then update budget name PASSED 0.268 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.268 s  PASSED 0.140 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
8 Then update warning percentage PASSED 0.133 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 Then update budget name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.268 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.140 s		screenshot		
AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  Screenshot  9 Then update budget name  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  PASSED  0.143 s  PASSED  0.268 s  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  PASSED  0.140 s				
Screenshot  Then update budget name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.268 s  0.140 s	8	Then update warning percentage	PASSED	0.133 s
9 Then update budget name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.268 s  0.140 s		Screenshot	PASSED	0.143 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.140 s	9	Then update budget name	PASSED	0.268 s
# Descriptions    The control type   Annahome service		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  Image: Comparison of the C		
10 Then update remark PASSED 0.216 s	10	Then update remark	PASSED	0.216 s
AFTER STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. iava. Scenario)  PASSED 0.169 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
		screenshot	1	

#	Step / Hook Details	Status	Duration
	# Option Contentions   Prince   Contentions   Ell   Contentions		
11	And click on save after update all the details	PASSED	3.175 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.134 s
	screenshot		
	## Q		
12	Then Click on notification icon	PASSED	0.126 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.263 s
	# ©		
13	And select the first record	PASSED	0.717 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.242 s
	To the control of the		
14	Then click on submit button	PASSED	0.712 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
	screenshot		

AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)   PASSED   PASSE	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  Affice And click on submit  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  When click on submit button save the reviewer id  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Bill Given navigate to URL and login as a reviewer  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  6.246 s  PASSED  0.102 s				
screenshot  After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Bill Given navigate to URL and login as a reviewer  After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  After_step - step - st	15	And enter remark in alert tab	PASSED	0.177 s
After_step- stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  70 When click on submit button save the reviewer id  AFTER_step- stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
After Step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  After Step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  After Step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  Screenshot  After Step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  Screenshot  After Step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  Screenshot  After Step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  Screenshot  After Step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  After Step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  After Step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)  PASSED  O.047 s  PASSED  O.646 s  PASSED  O.102 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  17 When click on submit button save the reviewer id  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  18 Given navigate to URL and login as a reviewer  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  6.246 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  6.246 s  O.102 s		# © Management Agent Contained		
screenshot  When click on submit button save the reviewer id  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Biguin	16	And click on submit	PASSED	0.088 s
When click on submit button save the reviewer id  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Biguin and login as a reviewer  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  6.246 s  PASSED  0.102 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
To When click on submit button save the reviewer id PASSED 0.647 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Biguin analyze to URL and login as a reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 6.246 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.102 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  18 Given navigate to URL and login as a reviewer  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.175 s  6.246 s  O.102 s				
Screenshot  Screen	17	When click on submit button save the reviewer id	PASSED	0.647 s
18 Given navigate to URL and login as a reviewer  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario)  PASSED  0.102 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
18 Given navigate to URL and login as a reviewer  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.102 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.102 s		© Summariane    Section		
	18	Given navigate to URL and login as a reviewer	PASSED	6.246 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.102 s
		screenshot		


#	Step / Hook Details	Status	Duration
19	Then click on notification icon	PASSED	0.120 s
10	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.354 s
	screenshot		
	0   100		
20	When click on notification icon to check reviewer can get a record which is submited by maker	PASSED	0.087 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
	Screenshot   *** *** *** *** *** *** *** *** ***		
21	And click on action button	PASSED	0.057 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.213 s
22	Then verify the updated budget record is matched with maker submited record	FAILED	0.062 s
	org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of undefined (reading 'value') (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bc1ee5dfe25c030c24b1cfdf81f993f3, executeScript {script=return document.getElementsByClassName('native-input sc-ion-input-md')[1].value, args=[]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome:		

#	Step / Hook Details	Status	Duration
	(chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L\}, goog:chromeOptions: (debuggerAddress: localhost:53888), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53888/devtoo, se:cdp\Version: 96.0.4664.45, set\WindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:intualAuthenticators: true} Session ID: bc1ee5dfe25c030c24b1cfdf81f993f3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:481) at helper.JavascriptHelper.executeScript(JavascriptHelper.java:21) at stepdefinitions.KUBS_reviewer.verify_the_updated_budget_record_is_matched_with_maker_submited_record(KUBS_reviewer.java:145) at ?verify the updated budget record is matched with maker submited record(file:///C:/Users/inindc00076/git/ AzentioAutomat		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot		
	Page 10 layer   Decided   Decided		
23	And approve the record in reviewer stage	SKIPPED	0.000 s
24	Then enter remark then submit	SKIPPED	0.000 s
25	Given navigate to URL and login as a checker	SKIPPED	0.001 s
26	Then click on security management menu	SKIPPED	0.000 s
27	And click on Action icon in security management	SKIPPED	0.000 s
28	Then clime the record	SKIPPED	0.001 s
29	And click on notification icon in checker stage	SKIPPED	0.000 s
30	When checker click on notification icon record might be showed in notification area	SKIPPED	0.000 s


DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
31	And click on action button in checker stage	SKIPPED	0.001 s
32	Then click on approve in checker stage	SKIPPED	0.000 s
33	Then validate the updated budget record	SKIPPED	0.000 s
34	And Write remark in alert	SKIPPED	0.000 s
35	And Submit the record from checker	SKIPPED	0.000 s


EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --







EXPANDED SECTION -- 18 --




EXPANDED SECTION -- 19 --



EXPANDED SECTION -- 20 --





EXPANDED SECTION -- 22 --

