
Start: Feb 14, 3:18:45.349 AM End: Feb 14, 3:19:42.565 AM **Duration: 57.216 s** Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 4 SKIPPED - 0 SKIPPED - 0 SKIPPED - 11 16 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 25 % 100 100

FEATURES SUMMARY -- 2 --



| # | Feature Name           | T | P | F | S | Duration |
|---|------------------------|---|---|---|---|----------|
| 1 | BUSINESS PARTNER SETUP | 1 | 0 | 1 | 0 | 57.216 s |




| # | Feature Name           | Scenario Name                                   | T  | P | F | S  | Duration |
|---|------------------------|---|----|---|---|----|----------|
| 1 | BUSINESS PARTNER SETUP | Create a Vendor for the procurement of an asset | 16 | 4 | 1 | 11 | 57.210 s |

DETAILED SECTION -- 4 --

## (F)- BUSINESS PARTNER SETUP

| FAILED           | DURATION - 57.216 s   | Scenarios |   | Steps      |    |
|------------------|-----------------------|-----------|---|------------|----|
|                  |                       | Total - 1 |   | Total - 16 |    |
| / 3:18:45.349 AN | M // 3:19:42.565 AM / | Pass - 0  | 1 | Pass - 4   | 16 |
|                  |                       | Fail - 1  |   | Fail - 1   |    |
|                  |                       | Skip - 0  |   | Skip - 11  |    |

## (S)- Create a Vendor for the procurement of an asset




| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user  | PASSED | 21.811 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED | 1.371 s  |
|   | screenshot  |        |          |
|   | ■ © Maniferent Manife |        |          |
| 2 | And user should navigate to business partner setup menu   | PASSED | 0.402 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED | 0.291 s  |
|   | screenshot  |        |          |


| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | ■ State Annual Property State Annual Proper |        |          |
| 3 | When click on eye button of business partner  | PASSED | 1.873 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED | 0.486 s  |
|   | screenshot  | ]      |          |
|   | #   |        |          |
| 4 | And click on add button of business partner   | PASSED | 0.469 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED | 0.528 s  |
|   | Screenshot  |        |          |
| 5 | And Fill the required fields to create a vendor   | FAILED | 2.428 s  |
|   | org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of null (reading 'innerText') (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [12d54b1e749530e9d0c58883ff45fa4c, executeScript {script=return document.querySelector("ion-toast").shadowRoot. querySelector("div[class='toast-message"]").innerText, args=[]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:55173}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55173/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 12d54b1e749530e9d0c58883ff45fa4c  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:77)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)   |        |          |

| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
|    | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:481) at helper.JavascriptHelper.executeScript(JavascriptHelper.java:21) at stepdefinitions.BUSINESS_PARTNER_SETUP_BusinessPartner. fill_the_required_fields_to_create_a_vendor(BUSINESS_PARTNER_SETUP_BusinessPartner.java:85) at ?.Fill the required fields to create a vendor(file:///C://Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/ BUSINESS_PARTNER_SETUP_BusinessPartner.feature:11) * Not displayable characters are replaced by '?'. |         |          |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED  | 0.417 s  |
|    | screenshot  |         |          |
|    |   |         |          |
| 6  | Then Save and submit the record to create vendor  | SKIPPED | 0.003 s  |
| 7  | And User should go to the kubs url and login as a reviewer user   | SKIPPED | 0.000 s  |
| 8  | Then Click on notification button in reviewer   | SKIPPED | 0.001 s  |
| 9  | And approve the record by the reviewer user   | SKIPPED | 0.000 s  |
| 10 | Given User should go to the kubs url and login as a checker user  | SKIPPED | 0.000 s  |
| 11 | And Click on security management in checker   | SKIPPED | 0.000 s  |
| 12 | Then Click on open pool in checker  | SKIPPED | 0.000 s  |
| 13 | And Click on claim button in checker  | SKIPPED | 0.001 s  |
| 14 | And capture claimed status  | SKIPPED | 0.000 s  |
| 15 | Then click on notification in checker   | SKIPPED | 0.000 s  |
| 16 | Then checker should approved the contract record  | SKIPPED | 0.001 s  |

EXPANDED SECTION --- 7 -



EXPANDED SECTION -- 8 --



EXPANDED SECTION -- 9 --

