

# Cucumber Report

9 Jan 2023, 8:24:35 PM

**Start : Jan 09, 8:23:16.778 PM**

**End : Jan 09, 8:24:33.196 PM**

**Duration : 1 m 16.418 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 6**


**FAILED - 1**

**SKIPPED - 2**







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	1	0	1	0	1 m 16.418 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	<u>Unique Inventory item code should be created</u>	9	6	1	2	1 m 16.409 s




**(F)- Check the Functionality of Inventory**


<b>FAILED</b>	<b>DURATION - 1 m 16.418 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 9 Pass - 6 Fail - 1 Skip - 2	
/ 8:23:16.778 PM // 8:24:33.196 PM /					

**(S)- Unique Inventory item code should be created**


<b>FAILED</b>	<b>DURATION - 1 m 16.409 s</b>		Steps Total - 9 Pass - 6 Fail - 1 Skip - 2	
/ 8:23:16.787 PM // 8:24:33.196 PM /				
Check the Functionality of Inventory				
@KUBS_INV_MGMT_UAT_002_003_01 @Item_Code				


#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	46.784 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.092 s
	screenshot 		
2	Then Click on Inventory Maintenance	PASSED	0.923 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.283 s
	screenshot 		

#	Step / Hook Details	Status	Duration
3	Then Click on Inventory Item Master Eye Icon	PASSED	1.192 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.929 s
	screenshot 		
4	Then Click on Inventory Maintenance Add button	PASSED	0.749 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.024 s
	screenshot 		
5	And user update the data set ID for Inventory item code	PASSED	0.005 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.293 s
	screenshot 		
6	Then Fill Inventory Item Mandatory fields	PASSED	7.165 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.254 s
	screenshot 		
7	Then Click on Inventory Item Save button	FAILED	1.182 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1255, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session		

#	Step / Hook Details	Status	Duration
	<p>info: chrome=108.0.5359.125) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.146', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [baacad0dd6da3341954ba2074d6de58f, clickElement {id=a804e3c7-8ac7-4fb9-8737-ec3b6e3636fa}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.22 (ec46c90f5938..., userDataDir: C:\Users\ININDC~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:64445}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64445/devtoo..., se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (baacad0dd6da3341954ba2074d6de58f)] -&gt; xpath: (//ion-toolbar[1]/ion-buttons[2]/ion-button[1])[2]] Session ID: baacad0dd6da3341954ba2074d6de58f</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)  at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source)  at stepdefinitions.InventoryMaintenance.click_on_inventory_item_save_button(InventoryMaintenance.java:217)  at ?.Click on Inventory Item Save button(file:///C:/Users/ININDC00089/git/AzentioAutomationFramework/ArAp/AzentioAutomationFramework_ARAP_Excel/src/test/java/features/InventoryManagement_Testing.feature:46)  * Not displayable characters are replaced by '?'. </p>		
	<p><b>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</b></p> <p><b>screenshot</b></p> 	PASSED	0.249 s

#	Step / Hook Details	Status	Duration
8	Then Click on Inventory Item Notification	SKIPPED	0.000 s
9	And Select and Submit the record	SKIPPED	0.000 s

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Unique Inventory item code should be created</u></p>	
<p><u>(F) Check the Functionality of Inventory</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Unique Inventory item code should be created</u></p>	
<p><u>(F) Check the Functionality of Inventory</u></p>	



```
(Step) AFTER_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)
```

(S) Unique Inventory item code should be created

(F) Check the Functionality of Inventory

```
(Step) AFTER_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)
```

(S) Unique Inventory item code should be created

(F) Check the Functionality of Inventory

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Unique Inventory item code should be  
created

(F) Check the Functionality of Inventory

**AZENTIO**  
ONEBanking

- Business partner setup
- General ledger configuration
- Accounting setup
- Expense/AR & AP configurat...
- Budget configuration
- Fixed assets configuration
- Inventory maintenance
  - Instrument code master
  - Denomination master
  - Inventory item master**

22 Appro... 11 Mess...

11-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

### Inventory Item Master

* Branch Code	Item Code	* Item Description
* Item Short Description	* Instrument Code	* Currency Code
* Reorder Level	* Excess Level	* Reorder Qty
Current Balance Quantity	QC Required	Fill Indicator
0		

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Unique Inventory item code should be  
created

(F) Check the Functionality of Inventory

**AZENTIO**  
ONEBanking

- Business partner setup
- General ledger configuration
- Accounting setup
- Expense/AR & AP configurat...
- Budget configuration
- Fixed assets configuration
- Inventory maintenance
  - Instrument code master
  - Denomination master
  - Inventory item master**

22 Appro... 11 Mess...

11-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

### Inventory Item Master

* Branch Code	Item Code	* Item Description
AZENTMAIN-Azentio Main Branch	PEN1	Pen
* Item Short Description	* Instrument Code	* Currency Code
	INSTRUMENT01-instrument	INR
* Reorder Level	* Excess Level	* Reorder Qty
10	1	10
Current Balance Quantity	QC Required	Fill Indicator
0		

Item Short Description already exists!!!

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Unique Inventory item code should be created

(F) Check the Functionality of Inventory

**AZENTIO**  
ONEBanking

- Business partner setup
- General ledger configuration
- Accounting setup
- Expense/AR & AP configurat...
- Budget configuration
- Fixed assets configuration
- Inventory maintenance
  - Instrument code master ☒
  - Denomination master ☒
  - Inventory item master ☒**
- 22 Appro... ☒
- 11 Mess... ☒

## Inventory Item Master

* Branch Code	Item Code	* Item Description
AZENTMAIN-Azentio Main Branch	PEN1	Pen
* Item Short Description	* Instrument Code	* Currency Code
	INSTRUMENT01-instrument	INR
* Reorder Level	* Excess Level	* Reorder Qty
10	1	10
Current Balance Quantity	QC Required	Fill Indicator
0	<input type="checkbox"/>	<input type="checkbox"/>