


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the GL2 Module	1	0	1	0	22.884 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL2	Create a category for the accounting type based on the	32	12	1	19	22.879 s
	Module	base accounting book for Income					

DETAILED SECTION -- 4 --

(F)- Check the Functionality of the GL2 Module

FAILED	DURATION - 22.884 s	Scenarios		Steps	
		Total - 1		Total - 32	
/ 5:18:06.103 pm	n // 5:18:28.987 pm /	Pass - 0	1	Pass - 12	32
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 19	

(S)- Create a category for the accounting type based on the base accounting book for Income



#	Step / Hook Details	Status	Duration
1	Given Navigate to Azentio Kubs	PASSED	12.549 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot		
2	And Click on Accounting Setup module	PASSED	0.113 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.220 s
	screenshot		

AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot 4 And Click On Search Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot 5 When Give the type as Base Template AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot 4 And Give the type as Base Template AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) pASSED O.289 s 0.289 s 0.289 s 0.152 s 0.218 s 0.218 s 0.218 s 0.262 s 0.262 s 0.262 s 0.263 s 0.262 s 0.263 s 0.263 s 0.263 s 0.264 s 0.265 s 0.265 s 0.265 s 0.266 s 0.26	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot 4 And Click On Search Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot 5 When Give the type as Base Template AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot 6 And Get the Account Book Name AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.289 S O.289 S O.289 S O.289 S O.280 S				
screenshot And Click On Search Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.034 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.168 s	3	•	PASSED	0.391 s
4 And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 When Give the type as Base Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.034 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.168 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.289 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) When Give the type as Base Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.034 s PASSED 0.034 s PASSED 0.168 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 When Give the type as Base Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Get the Account Book Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.218 s 0.262 s 0.188 s		## 10 Million (1988) 10 Million (1988) 20 Million (1988) 10		
Screenshot When Give the type as Base Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Get the Account Book Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.262 s 0.188 s 0.188 s	4	And Click On Search Icon	PASSED	0.152 s
5 When Give the type as Base Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And Get the Account Book Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.262 s 0.188 s 0.188 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
5 When Give the type as Base Template PASSED 0.262 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Get the Account Book Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.034 s PASSED 0.034 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Get the Account Book Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.188 s PASSED 0.034 s PASSED 0.168 s				
Screenshot 6 And Get the Account Book Name AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.034 s 0.168 s	5	When Give the type as Base Template	PASSED	0.262 s
6 And Get the Account Book Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.168 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
6 And Get the Account Book Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.034 s 0.168 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.168 s		Provided g of the contrast of		
	6	And Get the Account Book Name	PASSED	0.034 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
		screenshot]	

7 Then click sub module Accounting Category AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 And enter the category code as Income AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 And enter the category code as Income AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 8		Section 1 and 1 an		
screenshot And Click on Add icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And enter the category code as Income AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.281 s 0.281 s 0.281 s 0.281 s 0.281 s	7	Then click sub module Accounting Category	PASSED	0.367 s
8 And Click on Add icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And enter the category code as Income AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And select the accounting book for Income AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.281 s 0.281 s 0.281 s 0.281 s 0.281 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
8 And Click on Add icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And enter the category code as Income AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) APSSED 0.209 s PASSED 0.146 s 0.146 s 0.357 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) APSSED 0.209 s 0.209 s 0.209 s 0.209 s 0.201 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And enter the category code as Income AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And select the accounting book for Income AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.281 s 0.281 s 0.281 s		-		
screenshot 9 And enter the category code as Income AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 10 And select the accounting book for Income AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.209 s 0.146 s 0.146 s	8	And Click on Add icon	PASSED	0.258 s
9 And enter the category code as Income AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And select the accounting book for Income AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.357 s 0.201 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.281 s
9 And enter the category code as Income AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And select the accounting book for Income AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.209 s 0.146 s PASSED 0.357 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.357 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And select the accounting book for Income AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.146 s PASSED 0.357 s PASSED 0.357 s PASSED 0.201 s		■ Contractions 10 10 10 10 10 10 10 1		
Screenshot 10 And select the accounting book for Income AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.357 s 0.201 s	9	And enter the category code as Income	PASSED	0.209 s
10 And select the accounting book for Income AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.357 s 0.201 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
10 And select the accounting book for Income AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.357 s 0.201 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.201 s		© pursante		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.201 s	10	And select the accounting book for Income	PASSED	0.357 s
screenshot			PASSED	0.201 s
		screenshot	1	


#	Step / Hook Details	Status	Duration
11	And enter the accounting category	PASSED	0.279 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.272 s
12	And select GI code generation	DACCED	0.351 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED PASSED	0.197 s
	Screenshot		
13	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" color="primary" disabled="" ng-reflect-color="primary" ng-reflect-disabled="true"></ion-button> is not clickable at point (1414, 88). Other element would receive the click: <ion-buttons class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated" slot="end"></ion-buttons> (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8dbd53b078138fbf66bfb6d31c799fa5, clickElement {id=bd368a92-3800-4bcc-80a9-ef7e1596d8c8}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:64671}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64671/devtoo, se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (8dbd53b078138fbf66bfb6d31c799fa5] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: 8dbd53b078138fbf66bfb6d31c799fa5] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(Native Method)	FAILED	1.218 s


#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.bttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:251) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.cick(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(Native Method) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/jdk.internal.reflect.DelegatingMethod.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy/2jdk.proxy/2.8proxy46.click(Unknown Source) at stepdefinitions.GL1_Accounting_Book_Definition.save_the_record(GL1_Accounting_Book_Definition.java:138) at ?:Save the Record(file://IC*JUsers/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ GL1		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	Screenshot **********************************		
14	Then Goto The Notification Icon	SKIPPED	0.000 s
15	And Store the Referance Id and Open the Record	SKIPPED	0.000 s
16	Then Click submit button and Enter Remark submit it	SKIPPED	0.000 s
17	Given Navigate as a Reviewer	SKIPPED	0.000 s
18	Then click on Notify icon	SKIPPED	0.000 s
19	And Click First record Action icon	SKIPPED	0.000 s
20	Then Approve the record in Reviewer	SKIPPED	0.000 s
21	And Give Remark and Submit	SKIPPED	0.000 s

DETAILED SECTION -- 9 --


#	Step / Hook Details	Status	Duration
22	Given Navigate as a Checker	SKIPPED	0.000 s
23	Then Click module security management	SKIPPED	0.000 s
24	And Claim the Record in Checker	SKIPPED	0.000 s
25	Then Goto the Checker notification Icon	SKIPPED	0.001 s
26	And Click the First Action Icon	SKIPPED	0.000 s
27	Then Approve the Record in checker stage	SKIPPED	0.001 s
28	And Give the Remark and Submit it	SKIPPED	0.000 s
29	Given Navigate to Azentio Kubs	SKIPPED	0.000 s
30	And Click on Accounting Setup module	SKIPPED	0.000 s
31	Then click sub module Accounting Category	SKIPPED	0.001 s
32	Then Click on Table Row First Eye Icon	SKIPPED	0.001 s

EXPANDED SECTION -- 10 --







EXPANDED SECTION --- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

