

# Cucumber Report

Feb 12, 2022, 2:45:31 PM

Start : Feb 12, 2:43:26.023 PM

End : Feb 12, 2:45:29.523 PM

Duration : 2 m 3.500 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 18  
FAILED - 1  
SKIPPED - 3







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of Fixed Asset</u>	1	0	1	0	2 m 3.500 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Fixed Asset	Create GRN for the generated PO No.s	22	18	1	3	2 m 3.496 s

**(F)- Check the Functionality of Fixed Asset**





<b>FAILED</b>	<b>DURATION - 2 m 3.500 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 22 Pass - 18 Fail - 1 Skip - 3	
/ 2:43:26.023 PM // 2:45:29.523 PM /					





**(S)- Create GRN for the generated PO No.s**





<div>FAILED</div>	<div>DURATION - 2 m 3.496 s</div>	<div></div>	<div>Steps</div> <div>Total - 22</div> <div>Pass - 18</div> <div>Fail - 1</div> <div>Skip - 3</div> <div></div>
<div>/ 2:43:26.027 PM // 2:45:29.523 PM /</div>			
<div>Check the Functionality of Fixed Asset</div>			
<div>@KUBS_FAT_UAT_001_004</div>			

#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	11.262 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.546 s
	screenshot		
			
2	Then Click on the Finance	PASSED	0.021 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.104 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	Then Click on the Direction	PASSED	0.341 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.234 s
	screenshot		
			
4	Then Click on Accounts Payable	PASSED	0.138 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
	screenshot		
			
5	Then Click on Good Recived Note GRN Eye buutton	PASSED	0.439 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
	screenshot		
			
6	Then Click on Add button	PASSED	0.331 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.332 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then Fill the form for GRN	PASSED	1.564 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot 		
8	Then Click on save button to save the record	PASSED	4.126 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.103 s
	screenshot 		
9	Then Click on notification & open record which we created for GRN	PASSED	4.149 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.364 s
	screenshot 		
10	Then Click on Item Details Tab	PASSED	0.303 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.386 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then Select PO Number	PASSED	5.349 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		
			
12	Then Add qty received qty approved	PASSED	1.257 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	screenshot		
			
13	Then Click on GRN item save button	PASSED	19.331 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.093 s
	screenshot		
			
14	Then Click on the Notification	PASSED	0.162 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.349 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	Then Select the record which we saved	PASSED	0.449 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.245 s
	screenshot		
			
16	Then Submit record	PASSED	10.162 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		
			
17	Then Open the Reviewer account	PASSED	12.990 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.296 s
	screenshot		
			
18	Then Click on the Notification	PASSED	0.316 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.387 s
	screenshot		



#	Step / Hook Details	Status	Duration
			
19	<p><b>Then Approve the record which we submitted from maker</b></p> <p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [38b0f633cb36d9f1d3a5a81620fb82c2, findElement {using=xpath, value=//span/ion-button[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:52745}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52745/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 38b0f633cb36d9f1d3a5a81620fb82c2</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) </pre>	FAILED	29.905 s


#	Step / Hook Details	Status	Duration
	at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.FixedAsset.approve_the_record_which_we_submitted_from_maker(FixedAsset.java:266) at ?.Approve the record which we submitted from maker(file:///C:/Users/inindc00082/git/repository2/Tushar_AzentioFramework/src/test/java/features/FixedAsset.feature:51) * Not displayable characters are replaced by '?'.		
	<b>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</b> org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVPD014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [38b0f633cb36d9f1d3a5a81620fb82c2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\Temporary Profiles\Profile 1\Default}, goog:chromeOptions: {debuggerAddress: localhost:52745}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52745/devtools, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 38b0f633cb36d9f1d3a5a81620fb82c2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)	FAILED	12.026 s
20	Then Go to Checker login	SKIPPED	0.000 s
21	Then Clam record	SKIPPED	0.001 s
22	Then Click on the notification and approve the record	SKIPPED	0.001 s
	<b>AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)</b> org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVPD014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [38b0f633cb36d9f1d3a5a81620fb82c2, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\Temporary Profiles\Profile 1\Default}, goog:chromeOptions: {debuggerAddress: localhost:52745}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52745/devtools, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts:	FAILED	0.243 s

#	Step / Hook Details	Status	Duration
	<pre>{implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 38b0f633cb36d9f1d3a5a81620fb82c2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)</pre>		

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create GRN for the generated PO No.  
S


(F) Check the Functionality of Fixed Asset



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create GRN for the generated PO No.  
S

(F) Check the Functionality of Fixed Asset




(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create GRN for the generated PO No.

S

(F) Check the Functionality of Fixed Asset




(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create GRN for the generated PO No.

S

(F) Check the Functionality of Fixed Asset



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create GRN for the generated PO No.

S

(F) Check the Functionality of Fixed Asset

Kastle Universal Banking (Beta)

04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Welcome, anant

General ledger transaction

Budget

Accounts payable

Vendor contracts

Vendor purchase orders

Goods received note (GRN)

Invoice booking

Payment settlement

Payment settlement cancellation

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create GRN for the generated PO No.

S

(F) Check the Functionality of Fixed Asset

Kastle Universal Banking (Beta)

04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

GRN

\*BP Name

GRN Number

\*Invoice Number

\*GRN Date 12-Feb-2022

GRN Amount

\*Delivery Location

Upload Delivery challan Choose File No file chosen

DOWNLOAD

GRN Status Active

TXT Status

Remark

22 Appro... 11 Messa...

Home Preference

(F) Check the Functionality of Fixed Asset

(F) Check the Functionality of Fixed Asset

Kastle Universal Banking (Beta)
04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

- General ledger transaction
- Budget
- Accounts payable
- Vendor contracts**
- Vendor purchase orders
- Goods received note (GRN)**
- Invoice booking
- Payment settlement
- Payment settlement cancellation

### ← GRN

Actions	Branch Code - Name	GRN Number	Business Partner	Date	GRN Status	Created By	Created Date
	AZENTMAIN - Azentio It		Bonton Agency	12-Feb-2022	ACTIVE	admin	12-Feb-2022
	AZENTMAIN - Azentio It		Bonton Agency	12-Feb-2022	ACTIVE	admin	12-Feb-2022
	AZENTMAIN - Azentio It		Bonton Agency	12-Feb-2022	ACTIVE	admin	12-Feb-2022
	AZENTMAIN - Azentio It		Bonton Agency	12-Feb-2022	ACTIVE	admin	12-Feb-2022
	AZENTMAIN - Azentio It		Bonton Agency	12-Feb-2022	ACTIVE	admin	12-Feb-2022
	AZENTMAIN - Azentio It		Bonton Agency	12-Feb-2022	ACTIVE	admin	12-Feb-2022
	AZENTMAIN - Azentio It		Bonton Agency	12-Feb-2022	ACTIVE	admin	12-Feb-2022
	AZENTMAIN - Azentio It		suvarana Pvt Ltd	12-Feb-2022	ACTIVE	admin	12-Feb-2022

151 total

1 2 3 4 5 >

Home
Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create GRN for the generated PO No.

S

(F) Check the Functionality of Fixed Asset

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction  
Budget  
Accounts payable

Vendor contracts  
Vendor purchase orders  
Goods received note (GRN)  
Invoice booking  
Payment settlement  
Payment settlement cancellation

22 Appro... 11 Messa...

Inbox

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
	330	GRN_EVENT	MAKER	MAKER	1002435
	329	GRN_EVENT	MAKER	MAKER	1002435
	319	GRN_EVENT	MAKER	MAKER	1002435
	146	BUSINESS_PARTNER	MAKER	MAKER	1002435
	145	BUSINESS_PARTNER	MAKER	MAKER	1002435

621 total

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create GRN for the generated PO No.

S

(F) Check the Functionality of Fixed Asset

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction  
Budget  
Accounts payable

Vendor contracts  
Vendor purchase orders  
Goods received note (GRN)  
Invoice booking  
Payment settlement  
Payment settlement cancellation

22 Appro... 11 Messa...

GRN Item Details

GRN

ViewSummary Submit Cancel

\* BP Name Bonton Agency x BP Branch Corporate Branch- Panvel x GRN Number

\* Invoice Number 66 \* GRN Date 12-Feb-2022 GRN Amount INR x

\* Delivery Location East Zone x Upload Delivery challan Choose File No file chosen

GRN Status Active TXT Status

Remark

DOWNLOAD



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create GRN for the generated PO No.

S

(F) Check the Functionality of Fixed Asset

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

GRN Item Details

ViewSummary Submit Cancel

\* Po Number  
3-Agency-8-PO-3

Remove Item	Sr	Expense Code	HSN Code/SAC Code	PO Qty	Pending Qty	Qty Received	Qty Approved	Unit	Rate per Unit	Approved Amount
	1	Laptop	8471- Laptop	70	70	<input type="text"/>	<input type="text"/>	Number	16000	
1 total										

22 Appro... 11 Messa...

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create GRN for the generated PO No.

S

(F) Check the Functionality of Fixed Asset

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

GRN Item Details

ViewSummary Submit Cancel

\* Po Number  
3-Agency-8-PO-3

Remove Item	Sr	Expense Code	HSN Code/SAC Code	PO Qty	Pending Qty	Qty Received	Qty Approved	Unit	Rate per Unit	Approved Amount
	1	Laptop	8471- Laptop	70	70	<input type="text"/>	<input type="text"/>	Number	16000	
1 total										

22 Appro... 11 Messa...

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create GRN for the generated PO No.

S

(F) Check the Functionality of Fixed Asset

Kastle Universal Banking (Beta)

04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

GRN Item Details

ViewSummary Submit Cancel

Po Number

3-Agency-8-PO-3

1 total

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create GRN for the generated PO No.

S

(F) Check the Functionality of Fixed Asset

Kastle Universal Banking (Beta)

04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

GRN Item Details

ViewSummary Submit Cancel

Po Number

3-Agency-8-PO-3

No data to display

0 total

1 total

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create GRN for the generated PO No.

S

(F) Check the Functionality of Fixed Asset

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Inbox

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✓	330	GRN_EVENT	MAKER	MAKER	1002435
✓	329	GRN_EVENT	MAKER	MAKER	1002435
✓	319	GRN_EVENT	MAKER	MAKER	1002435
✓	146	BUSINESS_PARTNER	MAKER	MAKER	1002435
✓	145	BUSINESS_PARTNER	MAKER	MAKER	1002435

621 total

22 Appro... 11 Messa...

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create GRN for the generated PO No.

S

(F) Check the Functionality of Fixed Asset

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Inbox

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✓	329	GRN_EVENT	MAKER	MAKER	1002435
✓	319	GRN_EVENT	MAKER	MAKER	1002435
✓	146	BUSINESS_PARTNER	MAKER	MAKER	1002435
✓	145	BUSINESS_PARTNER	MAKER	MAKER	1002435
✓	803	ASSET_CREATION	MAKER	MAKER	1002435

620 total

22 Appro... 11 Messa...

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create GRN for the generated PO No.

S

(F) Check the Functionality of Fixed Asset

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (BR0004) VISHWA

Configuration

Inbox

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✓	330	GRN_EVENT	REVIEWER	REVIEWER	in00027
✓	328	GRN_EVENT	REVIEWER	REVIEWER	in00027
✓	327	GRN_EVENT	REVIEWER	REVIEWER	in00027
✓	321	GRN_EVENT	REVIEWER	REVIEWER	in00027
✓	311	GRN_EVENT	REVIEWER	REVIEWER	in00027

53 total

22 Appro... 11 Messa...

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create GRN for the generated PO No.

S

(F) Check the Functionality of Fixed Asset

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (BR0004) VISHWA

Configuration

Inbox

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✓	330	GRN_EVENT	REVIEWER	REVIEWER	in00027
✓	328	GRN_EVENT	REVIEWER	REVIEWER	in00027
✓	327	GRN_EVENT	REVIEWER	REVIEWER	in00027
✓	321	GRN_EVENT	REVIEWER	REVIEWER	in00027
✓	311	GRN_EVENT	REVIEWER	REVIEWER	in00027

53 total

22 Appro... 11 Messa...