


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Asset Revaluation	1	0	1	0	40.357 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Asset	Alter the Value of an existing asset (de-allocation)	36	16	1	19	40.349 s
	Revaluation						

DETAILED SECTION -- 4 --

## (F)- Check the functionality of Asset Revaluation

FAILED	DURATION - 40.357 s	Scenarios		Steps	
		Total - 1		Total - 36	
/ 3:08:22.254 pm	n // 3:09:02.611 pm /	Pass - 0	1	Pass - 16	36
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 19	

## (S)- Alter the Value of an existing asset (de-allocation)



#	Step / Hook Details	Status	Duration
1	Given Navigate the Maker Url	PASSED	11.847 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
	■ Particular and the particular		
2	Then Choose Second Segmant Icon	PASSED	0.319 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		

#	Step / Hook Details	Status	Duration
	#		
3	And fixed Asset Module	PASSED	0.125 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		
	# © *** Analysis   **		
4	Then Asset deallocation submodule Eye Icon	PASSED	0.402 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
	Screenshot	_	
5	And Click Table first Eye Icon	PASSED	0.159 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot    The property of the property o	PASSED	0.384 s
6	Then Get the Referance No of Deallocation	PASSED	0.080 s
	screenshot		
6		PASSED PASSED	0.080 s 0.152 s

#	Step / Hook Details	Status	Duration
	PARTICIPATION NAME OF THE PARTICIPATION NAME		
7	Then Asset Revaluvation submodule Eye Icon	PASSED	0.179 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.276 s
	screenshot		
	O   Comment		
8	And Add Icon button	PASSED	0.225 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		
	* O tentionalization of the state of the sta		
9	Then Give Asset Deallocation Referance Number	PASSED	0.543 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.116 s
	screenshot		
	* ** O ADMINISTRATION AND ADMINISTRATION OF THE PROPERTY OF TH		
10	And Select Asset Item Number	PASSED	0.220 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot		
		-	

#	Step / Hook Details	Status	Duration
11 Then Alte	r the Book Value	PASSED	0.234 s
AFTER_S	TEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
screensho			
	The state of the s		
12 Then save	e the Revaluation record	PASSED	0.068 s
AFTER_S	TEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
screensho!	MANUFACTI LABORATIC CONTRACTION OF THE OWNER OWNER OF THE OWNER		
	Maker Notification	PASSED	0.201 s
AFTER_S screenshor	TEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.294 s
14 Then Sele	ect the first Action icon	PASSED	0.189 s
AFTER_S	TEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.293 s
screensho		]	

Step / Hook Details	Status	Duration
10   10   10   10   10   10   10   10		
And Submit Record in maker	PASSED	2.784 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
screenshot		
The state of the s		
Then Give Remark and Submit it	PASSED	1.582 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
screenshot		
The contract of the contract		
Given Launch Azentio Reviewer Url	FAILED	2.248 s
org.openqa.selenium.WebDriverException: unknown error: cannot determine loading status from disconnected: received Inspector.detached event (Session info: chrome=98.0.4758.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [c4d1ce595f99aba29d35e5462eb8097f, get {url=http://10.1.56.122:8680/kubs/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:59794}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59794/devtoo, se:cdpVersion: 98.0.4758.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c4d1ce595f99aba29d35e5462eb8097f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	And Submit Record in maker  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  Then Give Remark and Submit it  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  #### Given Launch Azentio Reviewer Url  org.openqa.selenium. WebDriverException: unknown error: cannot determine loading status from disconnected: received inspector.detached event (Session info: chrome-98.0.4758.82) Build info: version: '4.0.0-rc-1', revision: 'bc551.Lobda' System info: host: 'INNUVADPO14547', ip: '10.1.4.7.111', os.name: 'Windows 10', os. arch': 'amd64', os. version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. Chrome-Drover Commandi: (cald.cep59f99aba29d3654645eb997f, egt (uri-http://10.1.56.12.26680/NuSyl) Capabilities (apceptinsecureCerts: false, browserName: chrome, browserVersion: '90.4758.82, chrome: (chromedriverVersion: 98.0.4758.80, (Tol4898ba008, userplatabir: Culsers/NINDDD-11AppDatal), goog-chromeOptions: (debuggerAddress') (edbuggerAddress') (edbuggerA	And Submit Record in maker  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Give Remark and Submit it  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  ### ### ### ### ### ### ### ### ### #

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:326) at stepdefinitions.FIXEDASSET_AssetRevaluvation.launch_azentio_reviewer_url(FIXEDASSET_AssetRevaluvation.java:187) at ?.Launch Azentio Reviewer Url(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ FIXEDASSET_AssetRevaluation.feature:59) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	12.151 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=98.0.4758.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c4d1ce595f99aba29d35e5462eb8097f, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.82, chrome: {chromedriverVersion: 98.0.4758.88} (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L}), goog:chromeOptions: {debuggerAddress: localhost:59794}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platforn: WINDOWS, platformName: WINDOWS, proxy), Secotip: ws/10/calhost:59794/devtoo, secotip Version: 98.0.4758.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: c4d1ce595f99aba29d35e5462eb8097f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:230) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.comed.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:144) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(PriverCommandExecutor.java:		
18	And Reviewer Notification icon	SKIPPED	0.000 s
19	Then submitted record from maker	SKIPPED	0.000 s
20	And Approve icon from Reviewer End	SKIPPED	0.000 s
21	Then Enter remark and submit Record	SKIPPED	0.000 s


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
22	Given Launch Azentio Checker Url	SKIPPED	0.000 s
23	Then Click the Security management	SKIPPED	0.000 s
24	And Click the open pool Note icon	SKIPPED	0.000 s
25	Then Claim the record from Checker	SKIPPED	0.001 s
26	And Checker Notification icon	SKIPPED	0.000 s
27	Then Action Icon from claimed record	SKIPPED	0.001 s
28	And Press Approve icon	SKIPPED	0.000 s
29	Then Submit Record from Checker	SKIPPED	0.000 s
30	Given Navigate the Maker Url	SKIPPED	0.001 s
31	Then Choose Second Segmant Icon	SKIPPED	0.001 s
32	And fixed Asset Module	SKIPPED	0.001 s
33	Then Asset Revaluvation submodule Eye Icon	SKIPPED	0.000 s
34	And Click search icon button	SKIPPED	0.001 s
35	Then Give the Asset Referance Number	SKIPPED	0.000 s
36	When capture Asset Grid view List	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.270 s
	org.openga.selenium.WebDriverException: chrome not reachable (Session info: chrome=98.0.4758.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [c4d1ce595f99aba29d35e5462eb8097f, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\ININDC-1\AppData\L), goog:chromeOptions: {debuggerAddress: localhost:59794}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformMame: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59794/devtoo, se:cdpVersion: 98.0.4758.82, setWindowRect: true, strictFieleInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c4d1ce595f99aba29d35e5462eb8097f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openga.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:139) at org.openga.selenium.remote.service.DriverCommandExecutor.execute(PriverCommandExecutor.java:139) at org.openga.selenium.remote.Service.DriverCo		


DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)		
	at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		


EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --

