

## **Cucumber Report**




FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To create Bank Recon details	1	0	1	0	1 m 58.180 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To create Bank Recon details	De-activating an approved record	10	0	1	9	1 m 58.161 s

DETAILED SECTION -- 4 --

## (F)- To create Bank Recon details

FAILED	DURATION - 1 m 58.180 s	Scenarios		Steps	
		Total - 1		Total - 10	
/ 5:04:32.637 PN	Л // 5:06:30.817 PM /	Pass - 0	1	Pass - 0	10
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 9	

## (S)- De-activating an approved record



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	FAILED	1 m 40.195 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-select[@aria-label='Amlock']' (tried for 60 second(s) with 1 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:102) at stepdefinitions.KUBS_Login.loginToAzentioAppByMaker(KUBS_Login.java:51) at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts. user_should_go_to_the_kubs_url_and_login_as_a_maker_user(ACCOUNTSPAYABLE_VendorContracts.java:49) at ?.User should go to the kubs url and login as a maker user(file:///C:/Users/ININDC00075/git/Arshath_Excel_AzentioAutomationFramework/AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/BankRecon.feature:61)	FAILED	1 m 40.195 S
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//ionselect[@aria-label='Amlock']"} (Session info: chrome=108.0.5359.125) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.49', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [9fb2d03f2dc5d7b66631590980f4e972, findElement {using=xpath, value=//ion-select[@aria-label='Amlock']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:60889}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60889/devtoo, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts:		

#	Step / Hook Details	Status	Duration
	{implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9fb2d03f2dc5d7b66631590980f4e972		
	at jdk.internal.reflect.GeneratedConstructorAccessor37.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:102)		
	at stepdefinitions.KUBS_Login.loginToAzentioAppByMaker(KUBS_Login.java:51)		
	at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts.		
	user_should_go_to_the_kubs_url_and_login_as_a_maker_user(ACCOUNTSPAYABLE_VendorContracts.java:49)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		

Step / Hook Details	Status	Duration
at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
at org.testng.TestRunner.privateRun(TestRunner.java:794)		
at org.testng.TestRunner.run(TestRunner.java:596)		
at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
at org.testng.TestNG.runSuites(TestNG.java:1063)		
at org.testng.TestNG.run(TestNG.java:1031)		
at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
* Not displayable characters are replaced by '?'.		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.115 s
screenshot		

DETAILED SECTION --- 7 -

#	Step / Hook Details	Status	Duration
2	Then Click on Direction Left	SKIPPED	0.001 s
3	Then Click on Bank Recon	SKIPPED	0.000 s
4	Then click on Bank Recon format eye button	SKIPPED	0.003 s
5	Then user update the Excel sheet testdata for BankRecon1	SKIPPED	0.001 s
6	Then select the active record	SKIPPED	0.000 s
7	Then Inactivate the record	SKIPPED	0.000 s
8	Then Click on Inventory Item Save button	SKIPPED	0.000 s
9	Then Click on Inventory Item Notification	SKIPPED	0.000 s
10	And Select and Submit the records	SKIPPED	0.000 s

EXPANDED SECTION -- 8 --

