Cucumber Report

Start : Mar 28, 3:52:44.682 pm	End : Mar 28, 3:53:09.796 pm	Duration : 25.114 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 11 FAILED - 1 SKIPPED - 24
1	1	36
Pass % — 0 %	Pass % — 0 %	Pass % — 30 %

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Asset Revaluation	1	0	1	0	25.114 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Asset Revaluation	Alter the Value of an existing asset (Impared)	36	11	1	24	25.107 s

(F)- Check the functionality of Asset Revaluation

FAILED	DURATION - 25.114 s	Scenarios		Steps	
		Total - 1		Total - 36	
/ 3:52:44.682 pm // 3:53:09.796 pm /		Pass - 0	1	Pass - 11	36
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 24	

(S)- Alter the Value of an existing asset (Impared)

FAILED	DURATION - 25.107 s		Steps	
			Total - 36	
/ 3:52:44.689 pm // 3:53:09.796 pm /			Pass - 11	36
Check the functionality of Asset Revaluation			Fail - 1	
@KUBS_FAT_UAT_012_004			Skip - 24	

#	Step / Hook Details	Status	Duration
1	Given Navigate the Maker Url	PASSED	13.299 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		
2	Then Choose Second Segmant Icon	PASSED	0.336 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.330 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And fixed Asset Module	PASSED	0.121 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.235 s
	screenshot		
4	Then Asset Impairment submodule Eye Icon	PASSED	0.472 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.305 s
	screenshot		
5	And Click Table Row first Eye Icon	PASSED	0.145 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.359 s
	screenshot		
6	Then Store the Referance No	PASSED	0.111 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Asset Revaluvation submodule Eye Icon	PASSED	0.178 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.318 s
	screenshot		
8	And Add Icon button	PASSED	0.233 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.264 s
	screenshot		
9	Then Give Asset Impaired Referance Number	PASSED	0.694 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	screenshot		
10	And Select Asset Item Number	PASSED	0.262 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then Alter the Impaired Book Value	PASSED	0.236 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
	screenshot		
12	Then save the Revaluation record	FAILED	1.112 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" class="ion-color ion-color-primary md button button-clear in-toolbar ion-activatable ion-focusable hydrated button-disabled" ng-reflect-disabled="true" aria-disabled="true" disabled="">...</ion-button> is not clickable at point (1414, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cd3c28e054db9d00aea1a861558734a9, clickElement {id=a890c808-a18b-40c7-9c02-3326466300d2}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:62091}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62091/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (cd3c28e054db9d00aea1a861558734a9)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: cd3c28e054db9d00aea1a861558734a9
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.FIXEDASSET_AssetRevaluvation.save_the_revaluation_record(FIXEDASSET_AssetRevaluvation.java:129) at ?.save the Revaluation record(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/FIXEDASSET_AssetRevaluation.feature:134) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.117 s
13	And Go to Maker Notification	SKIPPED	0.000 s
14	Then Select the first Action icon	SKIPPED	0.001 s
15	And Submit Record in maker	SKIPPED	0.000 s
16	Then Give Remark and Submit it	SKIPPED	0.000 s
17	Given Launch Azentio Reviewer Url	SKIPPED	0.000 s
18	And Reviewer Notification icon	SKIPPED	0.001 s
19	Then submitted record from maker	SKIPPED	0.000 s
20	And Approve icon from Reviewer End	SKIPPED	0.000 s
21	Then Enter remark and submit Record	SKIPPED	0.000 s
22	Given Launch Azentio Checker Url	SKIPPED	0.000 s
23	Then Click the Security management	SKIPPED	0.000 s
24	And Click the open pool Note icon	SKIPPED	0.000 s
25	Then Claim the record from Checker	SKIPPED	0.000 s
26	And Checker Notification icon	SKIPPED	0.000 s
27	Then Action Icon from claimed record	SKIPPED	0.000 s
28	And Press Approve icon	SKIPPED	0.000 s
29	Then Submit Record from Checker	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
30	Given Navigate the Maker Url	SKIPPED	0.000 s
31	Then Choose Second Segmant Icon	SKIPPED	0.000 s
32	And fixed Asset Module	SKIPPED	0.000 s
33	Then Asset Revaluvation submodule Eye Icon	SKIPPED	0.000 s
34	And Click search icon button	SKIPPED	0.000 s
35	Then Give the Asset Referance Number	SKIPPED	0.000 s
36	When capture Asset Grid view List	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Alter the Value of an existing asset (Impared)	
(F) Check the functionality of Asset Revaluation	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Alter the Value of an existing asset (Impared)	
(F) Check the functionality of Asset Revaluation	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Alter the Value of an existing asset
(Impared)

(F) Check the functionality of Asset
Revaluation

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Alter the Value of an existing asset
(Impared)

(F) Check the functionality of Asset
Revaluation

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Alter the Value of an existing asset (Impared)	
(F) Check the functionality of Asset Revaluation	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Alter the Value of an existing asset (Impared)	
(F) Check the functionality of Asset Revaluation	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Alter the Value of an existing asset (Impared) (F) Check the functionality of Asset Revaluation	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Alter the Value of an existing asset (Impared) (F) Check the functionality of Asset Revaluation	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Alter the Value of an existing asset (Impared)	
(F) Check the functionality of Asset Revaluation	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Alter the Value of an existing asset (Impared)	
(F) Check the functionality of Asset Revaluation	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Alter the Value of an existing asset (Impared)	
(F) Check the functionality of Asset Revaluation	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Alter the Value of an existing asset (Impared)	
(F) Check the functionality of Asset Revaluation	