

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking the Supplementary Budget functionality	1	1	0	0	25.905 s

SCENARIOS SUMMARY -- 3 --




-	# Feature Name	Scenario Name	T	P	F	S	Duration
	Checking the Supplementary Budget	To verify Annually option is available on screen to raise	7	7	0	0	25.902 s
	functionality	Annually supplementary request					

DETAILED SECTION -- 4 --

(F)- Checking the Supplementary Budget functionality

PASSED	DURATION - 25.905 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 9:39:45.533 PM	1 // 9:40:11.438 PM /	Pass - 1	1	Pass - 7	7
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	


(S)- To verify Annually option is available on screen to raise Annually supplementary request




#	Step / Hook Details	Status	Duration
1	Given maker login to page	PASSED	8.942 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		
2	And maker click on segment	PASSED	0.085 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.094 s
	screenshot		


3 And maker go to Budget PASSED 6.742 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 Then maker click supplementary Eyebutton PASSED 0.146 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And click AddIcon PASSED 0.03 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then fill the input fields PASSED 0.279 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.468 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 Then maker click supplementary Eyebutton PASSED O.146 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And click Addicon PASSED O.083 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And click Addicon PASSED O.083 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then fill the input fields PASSED 0.466 s		Participation Participation (Participation (Partici		
Screenshot Scr	3	And maker go to Budget	PASSED	6.742 s
Then maker click supplementary Eyebutton ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And click Addicon ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ACTION TO THE STEP - stepde		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
4 Then maker click supplementary Eyebutton AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And click AddIcon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then maker click supplementary Eyebutton PASSED O.146 s PASSED O.30 s PASSED O.083 s PASSED O.279 s Then fill the input fields PASSED 4.668 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And click AddIcon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then fill the input fields PASSED 0.130 s 0.130 s 0.130 s PASSED 0.279 s 4.668 s		Paison age varieties and age varieties and age of the second of the seco		
screenshot And click AddIcon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then fill the input fields PASSED 0.083 s PASSED 0.279 s 4.668 s	4	Then maker click supplementary Eyebutton	PASSED	0.146 s
5 And click Addlcon PASSED 0.083 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then fill the input fields PASSED PASSED PASSED PASSED PASSED PASSED 4.668 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.130 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then fill the input fields PASSED 0.279 s 0.279 s		Prince type: Manifester Prince O	-	
Screenshot Then fill the input fields PASSED 4.668 s	5	And click AddIcon	PASSED	0.083 s
6 Then fill the input fields PASSED 4.668 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.279 s
6 Then fill the input fields PASSED 4.668 s		screenshot		
		Page		
	6	Then fill the input fields	PASSED	4.668 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.099 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.099 s
screenshot		screenshot		

DETAILED SECTION -- 6 --




EXPANDED SECTION -- 7





EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --

