
Cucumber Report




FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | user create login in to Budget and planning UAT files | 1 | 0 | 1 | 0 | 52.578 s |

SCENARIOS SUMMARY




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|------------------------------------|-----------------------|---|---|---|---|----------|
| 1 | user create login in to Budget and | user click on reviwer | 8 | 1 | 1 | 6 | 52.565 s |
| | planning UAT files | | | | | | |

DETAILED SECTION -- 4 --

(F)- user create login in to Budget and planning UAT files

| FAILED | DURATION - 52.578 s | Scenarios | | Steps | |
|------------------|-----------------------|-----------|---|-----------|-----|
| | | Total - 1 | | Total - 8 | |
| / 5:53:31.145 PI | M // 5:54:23.723 PM / | Pass - 0 | 1 | Pass - 1 | 8 📙 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 6 | |

(S)- user click on reviwer



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | And user update the Excel sheet testdata for Budget and planning Allocation4 | PASSED | 3.105 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.855 s |
| | screenshot | | |
| | + | | |
| | | | |
| | | | |
| | | | |
| 2 | And User should go to the kubs url and login as a reviewer users1 | FAILED | 32.645 s |
| | java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "id" is null | 1 | |
| | at stepdefinitions.KUBS_Login.logintoAzentioappReviewer(KUBS_Login.java:73) | | |
| | at stepdefinitions.Budgetandplanningsupplementary. user_should_go_to_the_kubs_url_and_login_as_a_reviewer_users1(Budgetandplanningsupplementary.java:350) | | |
| | at ?.User should go to the kubs url and login as a reviewer users1(file:///C:/Users/ININDC00075/git/ | | |
| | Arshath_Excel_AzentioAutomationFramework/AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/Budgetandplanning. | | |
| | feature:150) | | |
| | * Not displayable characters are replaced by '?'. | | |

DETAILED SECTION -- 5 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.760 s |
| | screenshot | | |
| | + AMOUTO | | |
| 3 | And click on notification in reviewer stage | SKIPPED | 0.000 s |
| 4 | And select the record in notification | SKIPPED | 0.000 s |
| 5 | And click on approve button in reviewer stage | SKIPPED | 0.001 s |
| 6 | And enter the alert remark in reviewer stage | SKIPPED | 0.000 s |
| 7 | And click on submit in reviewer alert pop up | SKIPPED | 0.000 s |
| 8 | Then verify record got approved in reviewer stage | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) user click on reviwer

(F) user create login in to Budget and planning UAT files

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) user click on reviwer

 $\frac{\text{(F) user create login in to Budget and}}{\text{planning UAT files}}$

