Cucumber Report

13 Jan 2023, 12:29:03 PM

Start : Jan 13, 12:27:40.099 PM	End : Jan 13, 12:29:00.513 PM	Duration : 1 m 20.414 s

Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 16 FAILED - 0 SKIPPED - 0









#	Feature Name	T	P	F	S	Duration
1	user create login in to Budget and planning UAT files	1	1	0	0	1 m 20.414 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	user create login in to Budget and planning UAT files	System should able to approve the supplimentary requested budget	16	16	0	0	1 m 20.406 s

(F)- user create login in to Budget and planning UAT files

PASSED	DURATION - 1 m 20.414 s	Scenarios		Steps	
/ 12:27:40.099 PM // 12:29:00.513 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 16 Pass - 16 Fail - 0 Skip - 0	

(S)- System should able to approve the supplimentary requested budget

PASSED	DURATION - 1 m 20.406 s		Steps	
/ 12:27:40.107 PM // 12:29:00.513 PM /			Total - 16 Pass - 16 Fail - 0 Skip - 0	
user create login in to Budget and planning UAT files				
@SupplementaryBudget_KUBS_BP_UAT_005_00-4				

#	Step / Hook Details	Status	Duration
1	Given navigate to given url and login with maker credentials	PASSED	41.864 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.630 s
	screenshot		
	 +		
2	And maker should navigate to the budget module UAT	PASSED	2.454 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.585 s
	screenshot		
	 +		

#	Step / Hook Details	Status	Duration
3	And maker click on budget field UAT	PASSED	0.200 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.337 s
	screenshot		
	 +		
4	When maker click on budget supplementary eye icon UAT	PASSED	0.325 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.834 s
	screenshot		
	 +		
5	And click on add button on budget supplementary view page UAT	PASSED	1.257 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
	screenshot		
	 +		
6	And user update the Excel sheet testdata for Budget and planning Allocation4	PASSED	0.006 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.426 s
	screenshot		
	 +		
7	Then fill the input fields UAT	PASSED	1.890 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.264 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	Then fill apportion amount and save the record UAT	PASSED	3.731 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.365 s
	screenshot		
			
9	And click notification button	PASSED	0.245 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.474 s
	screenshot		
			
10	Then click on the search button	PASSED	0.533 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.315 s
	screenshot		
			
11	And serach the budget supplimentory sub module name	PASSED	0.489 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.265 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
12	Then choose first record in the notification record4	PASSED	0.394 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.662 s
	screenshot		
			
13	And click on Submit button	PASSED	0.910 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.309 s
	screenshot		
			
14	Then enter remark in confirmation alertss	PASSED	0.902 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
	screenshot		
			
15	Then click on submit button in alert	PASSED	0.083 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.357 s
	screenshot		

#	Step / Hook Details	Status	Duration
	 +		
16	And capture the reviewer ID in pop up which is open when we submit our record in maker stagesss	PASSED	1.689 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.785 s
	screenshot		
	 +		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should able to approve the supplimentary requested budget	
(F) user create login in to Budget and planning UAT files	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should able to approve the supplimentary requested budget	
(F) user create login in to Budget and planning UAT files	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should able to approve the supplimentary requested budget	
(F) user create login in to Budget and planning UAT files	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should able to approve the supplimentary requested budget	
(F) user create login in to Budget and planning UAT files	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should able to approve the supplimentary requested budget

(F) user create login in to Budget and planning UAT files