


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check Budget Request and Allocation feature module	1	0	1	0	18.041 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check Budget Request and Allocation	To verify user is able to select previous year (past). System	7	6	1	0	18.032 s
	feature module	should not allow user to select past year in financial year *					


^{*} The feature name and/or scenario name has been cropped to fit in the available space.

DETAILED SECTION -- 4 --

(F)- Check Budget Request and Allocation feature module

FAILED	DURATION - 18.041 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 10:46:33.939 a	m // 10:46:51.980 am /	Pass - 0	1	Pass - 6	7
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- To verify user is able to select previous year (past). System should not allow user to select past year in financial year field



#	Step / Hook Details	Status	Duration
1	Given Navigate Azentio Maker Url	PASSED	12.713 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
	screenshot		
	■ © teachermanisms Particle System Particle System		
2	Then Click Transfer Icon	PASSED	0.267 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
	screenshot		


#	Step / Hook Details	Status	Duration
	Prince Space - Annich Address (A Compt () () () () () () () () () () () () ()		
3	And Click on Budget Module field	PASSED	0.104 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot		
	■ O TOTAL PROPERTY No. 100 Figure - No. 10.0 Figure - No. 10.		
4	Then Click on Budget Sub module Near Eye Icon button	PASSED	0.329 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.218 s
5	And Click on Add icon in Request and Allocation	PASSED	0.234 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Tex_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)* **Tex_stepdefinitions.HooksClass.addScreenshot(io.cu	PASSED	0.271 s
6	Then CLK current Budget Code	PASSED	0.290 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		


#	Step / Hook Details	Status	Duration
	Particularity Partic		
7	And Enter and capture the Previous Budget Year	FAILED	0.016 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath", "selector":"/loption(@class=ing-star-inserted*[1,1]") (Session info: chrome=97.0.4692.71) For documentation on this error, please visit: https://selenium.deviexceptions/#no_such_element Build info: version: "4.0.0-c-1; revision: "bc5511cbda" System info: host: "INMU/ADPO14547", ip: 10.14.7.111; os.name: Windows 10*, os.arch. 'amd64', os.version: '10.0", Java.version: '17.0.1' Driver info: org.openqa.selenium.chrome-ChromeDriver Command: [40e3dc083a64c94d075a013150417451, findElement (using=yath, value=/loption(@class=ing-star-inserted*[1])] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.71, chrome: (chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDatabir: C:UsersiNINDC-11AppDatabl), goog:chromeOptions: (debuggerAddress: localhost:55655); avascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, platformName: WINDOWS, platformName: WINDOWS, platformName: WINDOWS, platformName: windows, secuply-cision(plicit.), pageLoad: 300000, script: 30000), unhandfeldPromptEehavior: dismiss and notity, webnaminextension:redBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true) Session ID: 40e3dc083a64c94d075a013150417451 at java.base/jdk.internal.reflect.NativeConstructorAccessor/mpl.newInstance(MixiveConstructorAccessor/mpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessor/mpl.newInstance(DelegatingConstructorAccessor/mpl.java:45) at java.base/jdw.lang-reflect.Constructor.newInstance(Vinicaler(Constructor.java:49) at java.base/java.lang-reflect.Constructor.newInstance(Vinicaler(Constructor.java:49) at java.base/java.lang-reflect.Constructor.newInstance(Constructor.java:49) at java.base/java.lang-reflect.Constructor.newInstance(Constructor.java:49) at org.openqa.selenium.remote.codec.w3c.w3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:		
	1 2	DACCED	0.101.0
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	screenshot		
	# Descriptions of the Control of the		

EXPANDED SECTION --- 8 --





EXPANDED SECTION --- 10 --

