

Duration: 54.764 s Start: Jan 11, 11:44:41.863 AM End: Jan 11, 11:45:36.627 AM Scenarios Steps **Features** PASSED - 0 PASSED - 0 PASSED - 8 SKIPPED - 0 SKIPPED - 0 SKIPPED - 7 16 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 50 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR_AP Module	1	0	1	0	54.764 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR_AP Module	Login as Maker	16	8	1	7	<i>54.759</i> s


DETAILED SECTION

(F)- AR_AP Module

FAILED	DURATION - 54.764 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 11:44:41.863 A	M // 11:45:36.627 AM /	Pass - 0	1	Pass - 8	16
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 7	

-- 4 --

(S)- Login as Maker



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	33.545 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.133 s
	screenshot		
2	And click on arap configuration main menu	PASSED	0.970 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.329 s
	screenshot		
	ACTION THE SECOND STATE OF THE SECOND STATE O		


And click on payment file generation setup sub menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 And user update the Excel sheet testdata for online payment AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And verify payment file download format is in Bank wise wise AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.542 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.232 s
And user update the Excel sheet testdata for online payment AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And verify payment file download format is in Bank wise wise AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.542 s PASSED 0.232 s
4 And user update the Excel sheet testdata for online payment AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And verify payment file download format is in Bank wise wise AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.542 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.224 s PASSED 0.741 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And verify payment file download format is in Bank wise wise AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.542 s PASSED 0.741 s
screenshot 5 And verify payment file download format is in Bank wise wise AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.232 s
5 And verify payment file download format is in Bank wise wise AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.232 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.232 s
Scientific
A CAST
6 And click on accounts Payable module 2.777 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.295 s
screenshot
7 When click on eye button of manual payout PASSED 0.413 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.597 s
7.4 12.1_C121 Stephenintions. Tooleonics. added to the initial state of

#	Step / Hook Details	Status	Duration
8 Th	nen click on search	PASSED	0.832 s
AF	TER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
SC	reenshot	7	
		-	
2 mm			
9 Ar	nd search the transfer as payment mode	FAILED	2.144 s
gri ple 'D' op gri bro C: ne ws pa we	g.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath";"selector":"//app-data-d[1]//datatable-body-cell[2]//span[1]"} (Session info: chrome=108.0.5359.125) For documentation on this error, asse visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: '0.5511.046 System info: host: ESKTOP-PSK9T3U', ip: '10.200.4.150', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org. enqa.selenium.chrome.ChromeDriver Command: [ca9efdd3a081974b7af9c04feadcab08, findElement (using=xpath, value=//app-data-d[1]//datatable-row-wrapper[1]//datatable-body-cell[2]//span[1]) [Capabilities {acceptinsecureCerts: false, browserName: chrome, owserVersion: 108.0.5359.125, chrome: (chromedriverVersion: 108.0.5359.17 (1e0e3868ee06, userDataDir: Users\NINDC~1\AppData\L), goog:chromeOptions: {debuggerAddress: localhost:62254}, javascriptEnabled: true, tworkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: '://localhost:62254/devtoo, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, geLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: ca9efdd3a081974b7af9c04feadcab08 at jdk.internal.reflect.GeneratedConstructorAccessor39.newInstance(Unknown Source) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.dec.decWdCHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.dec.decWdCHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.Service.DriverCo		


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.getText(Unknown Source) at stepdefinitions.ACCOUNTSPAYBLE_PaymentFileDownload. search_the_transfer_as_payment_mode(ACCOUNTSPAYBLE_PaymentFileDownload.java:492) at ?.search the transfer as payment mode(file:///C:/Users/ININDC00075/git/Arshath_Excel_AzentioAutomationFramework/ AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/ArAp2.feature:850) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.268 s
	State Stat		
10	And goto payment file download module	SKIPPED	0.003 s
11	And enter branch name	SKIPPED	0.000 s
12	And click on calendar in the payment file download module	SKIPPED	0.000 s
13	And enter the payout date	SKIPPED	0.000 s
14	And click on go button	SKIPPED	0.000 s
15	And download the payment file	SKIPPED	0.000 s
16	Then logout from maker	SKIPPED	0.000 s


EXPANDED SECTION -- 8 --



EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --

