# Cucumber Report

Apr 12, 2022, 8:36:54 PM

| *Start : Apr 12, 8:36:17.138 PM* | *End : Apr 12, 8:36:53.058 PM* | *Duration : 35.920 s* |
|---|---|---|
| Features | Scenarios | Steps |
| *PASSED - 0* *FAILED - 1* *SKIPPED - 0* | *PASSED - 0* *FAILED - 1* *SKIPPED - 0* | *PASSED - 8* *FAILED - 1* *SKIPPED - 6* |

1

1

15

40 50 60
30 Pass % 70
20 80
10 90
0 % 
0 100

40 50 60
30 Pass % 70
20 80
10 90
0 % 
0 100

40 50 60
30 Pass % 70
20 80
10 90
53 %
0 100

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Checking the Legal Entity GL Config | 1 | 0 | 1 | 0 | 35.920 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | *Checking the Legal Entity GL Config* | *Create a ledger at entity level* | 15 | 8 | 1 | 6 | 35.917 s |

## (F)- Checking the Legal Entity GL Config

| FAILED | DURATION - 35.920 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 1 | | Total - 15 | |
| / 8:36:17.138 PM // 8:36:53.058 PM / | | Pass - 0 | 1 | Pass - 8 | 15 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 6 | |

## (S)- Create a ledger at entity level

| FAILED | DURATION - 35.917 s | | Steps | |
|---|---|---|---|---|
| | | | Total - 15 | |
| / 8:36:17.141 PM // 8:36:53.058 PM / | | | Pass - 8 | 15 |
| Checking the Legal Entity GL Config | | | Fail - 1 | |
| @MultiAuth @KUBS_GL2_UAT_001_001 | | | Skip - 6 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Maker Navigate to UAT URL login | PASSED | 10.943 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.148 s |
| | screenshot | | |
| |  | | |
| 2 | Then Click on Direction Left | PASSED | 0.128 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.334 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 3 | Then Click on General ledger configuration | PASSED | 0.137 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.129 s |
| | screenshot | | |
| |  | | |
| 4 | Then Click on Legal Entity GL Configuration Eye Icon | PASSED | 0.170 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.238 s |
| | screenshot | | |
| |  | | |
| 5 | Then Click on Legal Entity GL Configuration Add button | PASSED | 0.225 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.231 s |
| | screenshot | | |
| |  | | |
| 6 | Then Fill Legal Entity GL Configuration fields | PASSED | 4.643 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.140 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
|  |  |  |  |
| 7 | Then save the Legal Entity GL Configuration record | PASSED | 0.083 s |
|  | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.176 s |
| 8 | Then Click on Update Deposited Cheque Notification | PASSED | 0.163 s |
|  | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.226 s |
| 9 | And Select and Submit the Update Deposited Cheque record | FAILED | 10.696 s |
|  | org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c190a6370e033dc69b733e20ef194382, actions {actions=[org.openqa. selenium.interactions.Sequence@21e39b82]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:57787}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57787/devtoo..., se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c190a6370e033dc69b733e20ef194382<br>   at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:362)<br>   at org.openqa.selenium.json.JsonOutput.lambda$new$16(JsonOutput.java:154)<br>   at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)<br>   at org.openqa.selenium.json.JsonOutput.lambda$new$22(JsonOutput.java:169)<br>   at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:183)<br>   at java.base/java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:179) |  |  |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) | | |
| | at java.base/java.util.Spliterators$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) | | |
| | at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) | | |
| | at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) | | |
| | at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:150) | | |
| | at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:173) | | |
| | at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) | | |
| | at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$23(JsonOutput.java:169) | | |
| | at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$24(JsonOutput.java:182) | | |
| | at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:66) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$25(JsonOutput.java:177) | | |
| | at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) | | |
| | at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278) | | |
| | at org.openqa.selenium.json.Json.toJson(Json.java:42) | | |
| | at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:253) | | |
| | at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:615) | | |
| | at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:617) | | |
| | at org.openqa.selenium.interactions.Actions.perform(Actions.java:573) | | |
| | at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) | | |
| | at stepdefinitions.AccountReceivable_UpdateDepositedCheque. select_and_submit_the_update_deposited_cheque_record(AccountReceivable_UpdateDepositedCheque.java:169) | | |
| | at ?.Select and Submit the Update Deposited Cheque record(file:///C:/Users/inindc00089/git/AzentioAutomationFrameworkMasterNewfinal/ AzentioAutomationFramework/src/test/java/features/GL2_LegalEntityGLConfig.feature:15) | | |
| | Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.1' Driver info: driver.version: RemoteWebDriver          at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303)          at org.openqa.selenium.json.Json.toJson(Json.java:40)          at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec. encode(AbstractHttpCommandCodec.java:253)          at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec. encode(AbstractHttpCommandCodec.java:127)          at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor. java:172)          at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)          at org. openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)          at org.openqa.selenium.remote. RemoteWebDriver.execute(RemoteWebDriver.java:547)          at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver. java:615)          at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:617)          at org.openqa.selenium.interactions. Actions.perform(Actions.java:573)          at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36)          at stepdefiniti ons.AccountReceivable_UpdateDepositedCheque. select_and_submit_the_update_deposited_cheque_record(AccountReceivable_UpdateDepositedCheque.java:169)          at java.base/jdk. internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl. | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl. invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java. Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition. invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io. cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch. runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io. cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io. cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner. lambda$runScenario$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext. runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner. runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests. runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect. DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method. java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal. TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org. testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker$MethodInvocationAgent. invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal. TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker. java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng. SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng. SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng. SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng. TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG. java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG. initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect. InvocationTargetException<br><br>  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br>  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>  at java.base/java.lang.reflect.Method.invoke(Method.java:568)<br>  at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:358)<br>  at org.openqa.selenium.json.JsonOutput.lambda$new$16(JsonOutput.java:154)<br>  at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)<br>  at org.openqa.selenium.json.JsonOutput.lambda$new$22(JsonOutput.java:169)<br>  at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:183)<br>  at java.base/java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:179)<br>  at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)<br>  at java.base/java.util.Spliterators$IteratorSpliterator.forEachRemaining(Spliterators.java:1845)<br>  at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)<br>  at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)<br>  at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:150)<br>  at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:173) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) | | |
| | at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$23(JsonOutput.java:169) | | |
| | at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$24(JsonOutput.java:182) | | |
| | at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:66) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$25(JsonOutput.java:177) | | |
| | at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) | | |
| | at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278) | | |
| | at org.openqa.selenium.json.Json.toJson(Json.java:42) | | |
| | at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:253) | | |
| | at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:615) | | |
| | at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:617) | | |
| | at org.openqa.selenium.interactions.Actions.perform(Actions.java:573) | | |
| | at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) | | |
| | at stepdefinitions.AccountReceivable_UpdateDepositedCheque. select_and_submit_the_update_deposited_cheque_record(AccountReceivable_UpdateDepositedCheque.java:169) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:64) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:104) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$0(TestNGCucumberRunner.java:116) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) | | |
| | at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) | | |
| | at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) | | |
| | at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) | | |
| | at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) | | |
| | at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:794) | | |
| | at org.testng.TestRunner.run(TestRunner.java:596) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:276) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1063) | | |
| | at org.testng.TestNG.run(TestNG.java:1031) | | |
| | at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) | | |
| | at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) | | |
| | at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) | | |
| | Caused by: org.openqa.selenium.WebDriverException: chrome not reachable   (Session info: chrome=100.0.4896.60) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c190a6370e033dc69b733e20ef194382, findElement {using=xpath, value=//body/div/div/div/div[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:57787}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57787/devtoo..., se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c190a6370e033dc69b733e20ef194382 | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)<br>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>at jdk.proxy2/jdk.proxy2.$Proxy46.getWrappedElement(Unknown Source)<br>at org.openqa.selenium.interactions.PointerInput$Origin.asArg(PointerInput.java:201)<br>at org.openqa.selenium.interactions.PointerInput$Move.encode(PointerInput.java:152)<br>at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:73)<br>at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:82)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | FAILED | 4.012 s |
| | org.openqa.selenium.WebDriverException: chrome not reachable   (Session info: chrome=100.0.4896.60) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c190a6370e033dc69b733e20ef194382, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:57787}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57787/devtoo..., se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c190a6370e033dc69b733e20ef194382<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347)<br>at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42) | | |
| 10 | Then log in to the reviewer account | SKIPPED | 0.001 s |
| 11 | Then click on the Notification select the Cheque record and Approve | SKIPPED | 0.000 s |
| 12 | Then log in to the Checker Account | SKIPPED | 0.000 s |
| 13 | And then checker claim the record | SKIPPED | 0.000 s |
| 14 | Then click on the checker Notification | SKIPPED | 0.000 s |
| 15 | And select the Cheque record and Approve by checker | SKIPPED | 0.000 s |
| | AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario) | FAILED | 0.251 s |
| | org.openqa.selenium.WebDriverException: chrome not reachable   (Session info: chrome=100.0.4896.60) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c190a6370e033dc69b733e20ef194382, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:57787}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57787/devtoo..., se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c190a6370e033dc69b733e20ef194382<br>   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)<br>   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)<br>   at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)<br>   at stepdefinitions.HooksClass.TearDown(HooksClass.java:52) | | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Create a ledger at entity level

(F) Checking the Legal Entity GL Config

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Create a ledger at entity level

(F) Checking the Legal Entity GL Config

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a ledger at entity level

(F) Checking the Legal Entity GL Config



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a ledger at entity level

(F) Checking the Legal Entity GL Config

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Create a ledger at entity level

(F) Checking the Legal Entity GL Config

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Create a ledger at entity level

(F) Checking the Legal Entity GL Config

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a ledger at entity level

(F) Checking the Legal Entity GL Config



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a ledger at entity level

(F) Checking the Legal Entity GL Config