
## **Cucumber Report**




FEATURES SUMMARY -- 2 --



| # | Feature Name                             | T | P | F | S | Duration    |
|---|--|---|---|---|---|-------------|
| 1 | user create the patty cash login details | 1 | 0 | 1 | 0 | 1 m 5.173 s |

SCENARIOS SUMMARY

-- 3 --




| # | Feature Name                             | Scenario Name                     | T | P | F | S | Duration    |
|---|--|-----------------------------------|---|---|---|---|-------------|
| 1 | user create the patty cash login details | Check report for fund requisition | 8 | 7 | 1 | 0 | 1 m 5.165 s |

DETAILED SECTION -- 4 --

## (F)- user create the patty cash login details

| FAILED           | DURATION - 1 m 5.173 s  | Scenarios |   | Steps     |   |
|------------------|-------------------------|-----------|---|-----------|---|
|                  |                         | Total - 1 |   | Total - 8 |   |
| / 12:28:13.025 P | PM // 12:29:18.198 PM / | Pass - 0  | 1 | Pass - 7  | 8 |
|                  |                         | Fail - 1  |   | Fail - 1  |   |
|                  |                         | Skip - 0  |   | Skip - 0  |   |

## (S)- Check report for fund requisition




| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user  | PASSED | 50.504 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED | 1.764 s  |
|   | screenshot  |        |          |
|   | AND IN THE AND ADDRESS OF A DESCRIPTION |        |          |
| 2 | Then click on report icon   | PASSED | 3.165 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED | 0.273 s  |
|   | screenshot  |        |          |
|   | No. 10 (2) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1   |        |          |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 3 | And user should navigate to reports menu   | PASSED | 0.330 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.326 s  |
|   | screenshot   |        |          |
|   |  |        |          |
| 4 | Then user update the Excel sheet testdata for Pettycash  | PASSED | 0.006 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.305 s  |
|   | screenshot   |        |          |
|   |  |        |          |
| 5 | Then click on temp grid button of fund requisition report  | PASSED | 0.319 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.292 s  |
|   | screenshot   |        |          |
|   | ADDITION  The state of the stat |        |          |
| 6 | And select the date to check the fund requisition details are displaying   | PASSED | 1.140 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.233 s  |
|   | screenshot   |        |          |
|   | State the state of |        |          |
| 7 | Then click in the view button to check   | PASSED | 0.206 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.343 s  |
|   | screenshot   |        |          |
|   | I .  |        |          |


DETAILED SECTION -- 6 --

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | AND  |        |          |
| 8 | Then the report is displaying all fund requisition details   | FAILED | 0.007 s  |
|   | java.lang.NullPointerException: Cannot invoke "helper.BrowserHelper.SwitchToWindow(int)" because "this.browserHelper" is null at stepdefinitions.Pettycash.the_report_is_displaying_all_fund_requisition_details(Pettycash.java:111) at ?.the report is displaying all fund requisition details(file:///C:/Users/ININDC00075/git/Arshath_Excel_AzentioAutomationFramework/ AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/Pettycash.feature:11) * Not displayable characters are replaced by '?'.  |        |          |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.367 s  |
|   | screenshot   |        |          |
|   | State of the state |        |          |


EXPANDED SECTION -- 7



EXPANDED SECTION -- 8 --



EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --

