Cucumber Report

| Start : May 10, 12:56:18.448 pm	End : May 10, 12:56:47.978 pm	Duration : 29.530 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 0

Features

1

Pass %

0 %

Scenarios

1

Pass %

0 %

Steps

8

Pass %

87 %

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the GL1 Module	1	0	1	0	29.530 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL1 Module	Check the created already and trying to create same accounting book	8	7	1	0	29.520 s

(F)- Check the Functionality of the GL1 Module

FAILED	DURATION - 29.530 s	Scenarios		Steps	
/ 12:56:18.448 pm // 12:56:47.978 pm /		Total - 1		Total - 8	
		Pass - 0		Pass - 7	
		Fail - 1	1	Fail - 1	8
		Skip - 0		Skip - 0	

(S)- Check the created already and trying to create same accounting book

FAILED	DURATION - 29.520 s		Steps	
/ 12:56:18.458 pm // 12:56:47.978 pm /			Total - 8	
Check the Functionality of the GL1 Module			Pass - 7	8
@KUBS_GL_UAT_002_002			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Navigate to Azentio Kubs	PASSED	14.801 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot		
2	And Click on Accounting Setup module	PASSED	0.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	Then Click sub module Accounting book definition	PASSED	0.418 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.278 s
	screenshot		
4	And Click on Add icon	PASSED	0.300 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.467 s
	screenshot		
5	Then Choose the Template Type of Custom Template	PASSED	0.369 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot		
6	And Enter Another Book Name	PASSED	0.236 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.519 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Enter the Remark	PASSED	0.563 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.419 s
	screenshot		
8	Then Validate the Message we get	FAILED	0.035 s

	org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of null (reading 'shadowRoot') (Session info: chrome=101.0.4951.54) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1fe333de2bb9ef174479a94ac05f42f2, executeScript {script=return document.querySelector('ion-toast').shadowRoot. querySelector('div[class=toast-message]'), args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.54, chrome: {chromedriverVersion: 101.0.4951.41 (93c720db8323..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55302}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55302/devtoo..., se:cdpVersion: 101.0.4951.54, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1fe333de2bb9ef174479a94ac05f42f2
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:481)
	  at helper.JavascriptHelper.executeScript(JavascriptHelper.java:21)
	  at stepdefinitions.GL1_Accounting_Book_Definition.validate_the_message_we_get(GL1_Accounting_Book_Definition.java:180)		

#	Step / Hook Details	Status	Duration
	at ?.Validate the Message we get(file:///C:/Users/inindc00075/git/AzentioAutomationFramework/AzentioAutomationFramework/src/test/java/features/GL1_UAT.feature:87) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.887 s

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the created already and trying to create same accounting book	
(F) Check the Functionality of the GL1 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the created already and trying to create same accounting book	
(F) Check the Functionality of the GL1 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the created already and trying to create same accounting book

(F) Check the Functionality of the GL1 Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the created already and trying to create same accounting book

(F) Check the Functionality of the GL1 Module

Actions		Legal Entity Name	Accounting Book Name	Code	Book Type	Template Type	Txn Date	Created By
👁	✏	Azentio Software	Testing_46	ACCBOOK-061	IFRS Book	CUSTOM_TEMPLATE	02-May-2023	1002435
👁	✏	Azentio Software	Testing_32587	ACCBOOK-060	IFRS Book	Base Template	02-May-2023	1002435
👁	✏	Azentio Software	Testing_8837	ACCBOOK-059	IFRS Book	CUSTOM_TEMPLATE	02-Mar-2023	1002435
👁	✏	Azentio Software	Testing_32667	ACCBOOK-058	IFRS Book	Base Template	02-Mar-2023	1002435
👁	✏	Azentio Software	Testing_8944	ACCBOOK-057	IFRS Book	CUSTOM_TEMPLATE	02-Feb-2023	1002435
👁	✏	Azentio Software	Testing_32507	ACCBOOK-056	IFRS Book	Base Template	02-Feb-2023	1002435
👁	✏	Azentio Software	Testing_8731	ACCBOOK-055	IFRS Book	CUSTOM_TEMPLATE	02-Feb-2023	1002435
👁	✏	Azentio Software	Testing_32540	ACCBOOK-054	IFRS Book	Base Template	02-Feb-2023	1002435

67 total

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the created already and trying to create same accounting book	
(F) Check the Functionality of the GL1 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the created already and trying to create same accounting book	
(F) Check the Functionality of the GL1 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the created already and trying to create same accounting book

(F) Check the Functionality of the GL1 Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the created already and trying to create same accounting book

(F) Check the Functionality of the GL1 Module