
Cucumber Report




FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	1	0	1	0	58.188 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	Bill(invoice) Booking	9	7	1	1	58.174 s

(F)- Check the Functionality of Inventory

FAILED	DURATION - 58.188 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 3:52:51.380 K	PM // 3:53:49.568 PM /	Pass - 0	1	Pass - 7	9
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- Bill(invoice) Booking



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	34.339 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.485 s
	screenshot		
	ACENTO Canada Igani Anathania Anath		
2	Then select data set ID for bill booking	PASSED	0.735 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.492 s
	screenshot		
	ASENTO Outdoor light - functions - soften or		


AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) FASSED AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)	#	Step / Hook Details	Status	Duration
screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.461 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.370 s PASSED 0.435 s PASSED 0.435 s PASSED 1.461 s	3	And user should navigate to accounts payable menu	PASSED	2.893 s
4 Then click on po creation module AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And get the approved po number from approved po record for invoice booking AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 When click on the eye button of invoice booking AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.461 s AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.349 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.273 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And get the approved po number from approved po record for invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.461 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.370 s PASSED 0.411 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And get the approved po number from approved po record for invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.461 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.370 s PASSED 0.411 s		ASENTO PARENTO PARE		
screenshot After_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.411 s When click on the eye button of invoice booking After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED O.435 s After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED O.514 s T And click on add button for invoice booking After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.461 s After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.349 s	4	Then click on po creation module	PASSED	0.480 s
5 And get the approved po number from approved po record for invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 When click on the eye button of invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.411 s 6 When click on the eye button of invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.514 s 7 And click on add button for invoice booking PASSED 1.461 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.349 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.590 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot When click on the eye button of invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.411 s 0.411 s 0.411 s PASSED 0.435 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And click on add button for invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.461 s PASSED 0.349 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot When click on the eye button of invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.411 s 0.411 s 0.411 s PASSED 0.435 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And click on add button for invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.461 s PASSED 0.349 s				
Screenshot 6 When click on the eye button of invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 And click on add button for invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.461 s PASSED 0.349 s	5	And get the approved po number from approved po record for invoice booking	PASSED	0.370 s
6 When click on the eye button of invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And click on add button for invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.461 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.435 s 0.514 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.411 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 And click on add button for invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.461 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.514 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 And click on add button for invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.461 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.514 s				
7 And click on add button for invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.349 s	6	When click on the eye button of invoice booking	PASSED	0.435 s
7 And click on add button for invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.349 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.514 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.349 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.349 s		+ + + + + + + + + + + + + + + + + + +		
	7	And click on add button for invoice booking	PASSED	1.461 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.349 s
		screenshot		


Step / Hook Details	Status	Duration
# ACENTRO State Company Compa		
And Fill the required fields for invoice booking record	FAILED	10.537 s
org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <textarea aria-labelledby="ion-textarea-olb" autocapitalize="none" class="native-textarea-ond" name="remarks" placeholder="" spellcheck="falses">-classea-olb in autocapitalize="none" name="remarks" placeholder="" spellcheck="falses">-classea-olb in clickable at point (608, 510). Other element would receive the click cidv class="cidk-overlay-backdrop cdk-overlay-backdrop cdk-overlay-backdrop showing">-cliv)</td><td></td><td></td></tr></tbody></table></textarea>		

DETAILED SECTION --- 7 -


#	Step / Hook Details	Status	Duration
	ARAP_AzentioAutomationFramework_Excel/src/test/java/features/InventoryManagement_UAT.feature:230) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		
	ACCENTO CHARGE Equit - Association Control Co]	
	X D		
	10		
9	Then Save and submit the invoice billing	SKIPPED	0.000 s

EXPANDED SECTION --- 8 -





EXPANDED SECTION -- 10 --



EXPANDED SECTION

