

Cucumber Report

6 Feb 2023, 4:54:35 AM

Start : Feb 06, 4:53:36.078 AM

End : Feb 06, 4:54:33.323 AM

Duration : 57.245 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 6

FAILED - 1

SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	1	0	1	0	57.245 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	<u>Create instrument code</u>	8	6	1	1	57.240 s





(F)- Check the Functionality of Inventory

FAILED	DURATION - 57.245 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 8 Pass - 6 Fail - 1 Skip - 1	
/ 4:53:36.078 AM // 4:54:33.323 AM /					


(S)- Create instrument code


FAILED	DURATION - 57.240 s		Steps Total - 8 Pass - 6 Fail - 1 Skip - 1	
/ 4:53:36.083 AM // 4:54:33.323 AM /				
Check the Functionality of Inventory				
@KUBS_INV_MGMT_UAT_002_001_01				


#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	37.465 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.650 s
	screenshot		
			
2	Then Click on Inventory Maintenance	PASSED	0.798 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	Then Click on Instrument code master eye button	PASSED	1.004 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.854 s
	screenshot 		
4	Then Click on Add button of Instrument code	PASSED	1.901 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.479 s
	screenshot 		
5	And user update the data set ID for instrument code	PASSED	0.008 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.190 s
	screenshot 		
6	Then Fill all the details	PASSED	1.266 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.257 s
	screenshot 		
7	Then Click on save button on instrument code master	FAILED	1.169 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" class="ion-color ion-color-primary md button button-clear in-toolbar ion-activatable ion-focusable hydrated button-disabled" ng-reflect-disabled="true" aria-disabled="true" disabled="">...</ion-button> is not clickable at point (1255, 88). Other element would receive the click: <div class="ng-tns-c136-0 ng-star-inserted ng-trigger ng-trigger-flyInOut ngx-toastr toast-error" toast-component="" style="opacity:		

#	Step / Hook Details	Status	Duration
	<p>1;">...</div> (Session info: chrome=109.0.5414.74) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.122', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3d4acf7ab4ed9b74a11d6c4598fe11dd, clickElement {id=16bc5b49-83d5-4081-93c8-365c96b159e7}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.74, chrome: {chromedriverVersion: 108.0.5359.22 (ec46c90f5938..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:64417}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64417/devtoo..., se:cdpVersion: 109.0.5414.74, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (3d4acf7ab4ed9b74a11d6c4598fe11dd)] -> xpath: //page-inventory-access-master-update[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]]//page-instrument-code-master-update[1]/div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: 3d4acf7ab4ed9b74a11d6c4598fe11dd</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.InventoryInstrumentCode.click_on_save_button_on_instrument_code_master(InventoryInstrumentCode.java:105) at ?.Click on save button on instrument code master(file:///C:/Users/ININDC00089/git/AzentioAutomationFramework/ArAp/AzentioAutomationFramework_ARAP_Excel/src/test/java/features/InventoryManagement_Testing.feature:11) * Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.265 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	Then Save and submit the creation instrument code details	SKIPPED	0.001 s

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Create instrument code</u></p>	
<p><u>(F) Check the Functionality of Inventory</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Create instrument code</u></p>	
<p><u>(F) Check the Functionality of Inventory</u></p>	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create instrument code


(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create instrument code

(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create instrument code

(F) Check the Functionality of Inventory

AZENTIO
ONEBanking

Finance

- Business partner setup
- General ledger configuration
- Accounting setup
- Expense/AR & AP configurat...
- Budget configuration
- Fixed assets configuration
- Inventory maintenance
- Instrument code**

22 Appro... 11 Mess...

Instrument Code Master

* Instrument Code	Instrument Description *	
* Routing Mask	* Track Reorder Level	* Track Excess Level
NO	NO	NO
* Denomination Applied	* Auto Serial Number	
NO	NO	
Starting Serial Number *	Last Serial Number	0

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create instrument code

(F) Check the Functionality of Inventory

AZENTIO
ONEBanking

Finance

- Business partner setup
- General ledger configuration
- Accounting setup
- Expense/AR & AP configurat...
- Budget configuration
- Fixed assets configuration
- Inventory maintenance
- Instrument code**

22 Appro... 11 Mess...

Instrument Code Master

* Instrument Code	Instrument Description *	
* Routing Mask	* Track Reorder Level	* Track Excess Level
NO	NO	NO
* Denomination Applied	* Auto Serial Number	
NO	NO	
Starting Serial Number *	Last Serial Number	0

Instrument Code Master
Instrument Code already exists!!

(F) Check the Functionality of Inventory

AZENTIO™
ONEBanking

09-Dec-2022 English Azentio Software

Finance

- Business partner setup
- General ledger configuration
- Accounting setup
- Expense/AR & AP configurat...
- Budget configuration
- Fixed assets configuration
- Inventory maintenance
- Instrument code

22 Appro... ❌
11 Mess... ❌

Instrument Code Master

* Instrument Code

Instrument Description *

* Routing Mask
NO x ▾

* Track Reorder Level
NO x ▾

* Track Excess Level
NO x ▾

* Denomination Applied
NO x ▾

* Auto Serial Number
NO x ▾

Starting Serial Number *

101

Last Serial Number

0

❌ **Instrument Code Master**
Instrument Code already exists!!