Cucumber Report

| *Start : Apr 11, 2:13:36.951 PM*	*End : Apr 11, 2:14:07.827 PM*	*Duration : 30.876 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 3 FAILED - 1 SKIPPED - 6

1

1

10

0 %

0 %

30 %

#	Feature Name	T	P	F	S	Duration
1	Checking accountsPayable and accounts Receivable module	1	0	1	0	30.876 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking accountsPayable and accounts Receivable module	Check creating GRN against cancelled PO is not allowed	10	3	1	6	30.871 s

## (F)- Checking accountsPayable and accounts Receivable module

FAILED	*DURATION - 30.876 s*	**Scenarios** Total - 1 Pass - 0 Fail - 1 Skip - 0	1	**Steps** Total - 10 Pass - 3 Fail - 1 Skip - 6	10
/ 2:13:36.951 PM // 2:14:07.827 PM /				

(S)- Check creating GRN against cancelled PO is not allowed

FAILED	*DURATION - 30.871 s*		**Steps** Total - 10 Pass - 3 Fail - 1 Skip - 6	10
/ 2:13:36.956 PM // 2:14:07.827 PM /			
Checking accountsPayable and accounts Receivable module			
@KUBS_AR_AP_UAT_003_002_TC_03			

| #	Step / Hook Details	Status	Duration
1	Given Navigate to KUBS URL and login with maker credentials	PASSED	18.020 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		
2	And click on accounts Payable module	PASSED	1.050 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.278 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then click on po creation module	PASSED	0.656 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.351 s
4	And search for cancelled po	FAILED	1.389 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//datatable-row-wrapper[1]/datatable-body-row//datatable-body-cell[3]//span"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cbe633a50c16155b327cbd0360803ce2, findElement {using=xpath, value=//datatable-row-wrapper[1]/datatable-body-row//datatable-body-cell[3]//span}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:60061}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60061/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cbe633a50c16155b327cbd0360803ce2
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy46.getText(Unknown Source) at stepdefinitions.ACCOUNTSPAYABLE_GRNCreation.search_for_cancelled_po(ACCOUNTSPAYABLE_GRNCreation.java:81) at ?.search for cancelled po(file:///C:/Users/inindc00076/git/AzentioAutomationFrameworkAnandh/ Anandh_AzentioAutomationFramework1/src/test/java/features/ACCOUNTSPAYABLE_ACCOUNTSRECEIVABLE.feature:156) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.158 s
5	Then go to GRN module	SKIPPED	0.001 s
6	And click on Add Icon	SKIPPED	0.000 s
7	And check GRN can be created for that perticular po	SKIPPED	0.001 s
8	And click notification button	SKIPPED	0.000 s
9	Then choose first record in the notification record	SKIPPED	0.000 s
10	Then go to Item details and enter po number	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check creating GRN against cancelled PO is not allowed

(F) Checking accountsPayable and accounts Receivable module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check creating GRN against cancelled PO is not allowed

(F) Checking accountsPayable and accounts Receivable module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check creating GRN against cancelled PO is not allowed

(F) Checking accountsPayable and accounts Receivable module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check creating GRN against cancelled PO is not allowed

(F) Checking accountsPayable and accounts Receivable module