Cucumber Report

Start : Mar 22, 5:35:36.041 pm	*End : Mar 22, 5:36:03.768 pm*	*Duration : 27.727 s*
Features	Scenarios	Steps

PASSED - 1	PASSED - 1	PASSED - 12
FAILED - 0	FAILED - 0	FAILED - 0
SKIPPED - 0	SKIPPED - 0	SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Check The Azentio UAT Budget Request and Allocation functionaliy	1	1	0	0	27.727 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The Azentio UAT Budget Request and Allocation functionaliy	Check the budget request in the report	12	12	0	0	27.716 s

## (F)- Check The Azentio UAT Budget Request and Allocation functionaliy

PASSED	DURATION - 27.727 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 5:35:36.041 pm // 5:36:03.768 pm /		Pass - 1	1	Pass - 12	12
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Check the budget request in the report

PASSED	DURATION - 27.716 s		Steps	
/ 5:35:36.052 pm // 5:36:03.768 pm /			Total - 12	
Check The Azentio UAT Budget Request and Allocation functionaliy			Pass - 12	12
			Fail - 0	
@KUBS_UAT_KUBS_BP_UAT_004_002			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Navigate to the Azentio Url	PASSED	12.839 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		
2	Then click the Two Direction Icon	PASSED	0.387 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And click to the Budget	PASSED	1.117 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.116 s
	screenshot		
4	Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon	PASSED	0.364 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
	screenshot		
5	And Get Budget type	PASSED	0.076 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		
6	Then Third Segment report Icon	PASSED	0.447 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And Click main module Reports	PASSED	0.079 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.210 s
	screenshot		
8	And Click on sub module Budget creation Reports	PASSED	0.195 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot		
9	Then Give the Getted budget type	PASSED	0.422 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		
10	Then Give Current business Date	PASSED	1.253 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then Click on View button	PASSED	2.251 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.226 s
	screenshot 		
12	And Verify the Budget creation Report	PASSED	2.311 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.223 s
	screenshot 		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the budget request in the report

(F) Check The Azentio UAT Budget
Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the budget request in the report

(F) Check The Azentio UAT Budget
Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the budget request in the report

(F) Check The Azentio UAT Budget
Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the budget request in the report

(F) Check The Azentio UAT Budget
Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the budget request in the report

(F) Check The Azentio UAT Budget
Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the budget request in the report

(F) Check The Azentio UAT Budget
Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the budget request in the report

(F) Check The Azentio UAT Budget
Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the budget request in the report

(F) Check The Azentio UAT Budget
Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) Check the budget request in the report

(F) Check The Azentio UAT Budget
Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) Check the budget request in the report

(F) Check The Azentio UAT Budget
Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the budget request in the report

(F) Check The Azentio UAT Budget
Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the budget request in the report

(F) Check The Azentio UAT Budget
Request and Allocation functionaliy