
Start: Jan 13, 5:35:39.000 am End: Jan 13, 5:36:23.560 am **Duration: 44.560 s** Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 2 SKIPPED - 0 SKIPPED - 0 SKIPPED - 17 20 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check Budget Request and Allocation feature module	1	0	1	0	44.560 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check Budget Request and Allocation	System should follow the flow as Record Rejecting in	20	2	1	17	44.554 s
	feature module	Reviewer					

DETAILED SECTION -- 4 --

(F)- Check Budget Request and Allocation feature module

FAILED	DURATION - 44.560 s	Scenarios		Steps	
		Total - 1		Total - 20	
\ \ 5:35:39.000 &	am // 5:36:23.560 am /	Pass - 0	1	Pass - 2	20
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 17	

(S)- System should follow the flow as Record Rejecting in Reviewer



#	Step / Hook Details	Status	Duration
1	Given Navigate the Azentio Maker Url and Click Finance option in Maker	PASSED	11.020 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		
	There was a substant of the su		
2	Then Click Transfer Icon	PASSED	0.086 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.295 s
	screenshot		

#	Step / Hook Details	Status	Duration
	■ ② ***********************************		
3	And Click on Budget module	FAILED	17.996 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=97.0.4692.71) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a1d46c31750166799106bcf1ee137072, findElement {using=xpath, value=//ion-label[text()=' Budget ']]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.71, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:53042}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53042/devtoo, se:cdpVersion: 97.0.4692.71, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a1d46c31750166799106bcf1ee137072		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		

#	Step / Hook Details	Status	Duration
	at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.KUBS_Requestandallocation_Reviewer_Reject.click_on_budget_module(KUBS_Requestandallocation_Reviewer_Reject.java:68) at ?.Click on Budget module(file:///C:/Users/inindc00075/eclipse-workspace/AzentioFramework/AzentioAutomationFramework/src/test/java/features/KUBS_BudgetRequestandAllocation.feature:82) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	12.115 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=97.0.4692.71) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [al.d46c31750166799106bcf1ee137072, screenshot {} Capabilities [acceptinsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.71, chrome: (chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\ININDC-1\AppData\L\}, goog:chromeOptions: {debuggerAddress: localhost:53042}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), sec.dp: ws:I/localhost:53042/devtoo, sec.dp\version: 97.0.4692.71, set\/hindowRect: true, strictFileInteractability; false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ald46c31750166799106bcf1ee137072 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(ChativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa		
4	Then Click on Budget module Budget Request and Allocation Near Eye Icon	SKIPPED	0.001 s
5	And Click on Add icon button	SKIPPED	0.003 s
6	Then Select New Budget Code	SKIPPED	0.001 s
7	And Select Current Budget Year	SKIPPED	0.000 s
8	Then Click on Branch field	SKIPPED	0.000 s
9	And Select on one Branch	SKIPPED	0.000 s
10	Then Click Branch ok button	SKIPPED	0.000 s
11	Then Select currency we need	SKIPPED	0.000 s

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
12	And Enter Amount which Budget Type Show in Budget type field	SKIPPED	0.000 s
13	And click save button in Budget allocation	SKIPPED	0.001 s
14	Then Click on Maker Notify Action button in budget allocation	SKIPPED	0.000 s
15	And Click on Record submit in Budget allocation	SKIPPED	0.000 s
16	Given Navigate the Azentio Url login as Reviewer for Rejection	SKIPPED	0.000 s
17	Then Click Notification icon	SKIPPED	0.000 s
18	And Click Reviewer Action button	SKIPPED	0.000 s
19	Then Click on Reject button in Reviewer	SKIPPED	0.000 s
20	And Submit the reviewer Rejecting Record	SKIPPED	0.001 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.213 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=97.0.4692.71) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [add46c31750166799106bcf1ee137072, close {}] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.71, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:UsersiNININDC—1NapDataN}, goog:chromeOptions: (debuggerAddress: localhost:53042); javascripIEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53042/devtoo, se:cdpVersion: 97.0.4692.71, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ald46c31750166799106bcf1ee137072 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(PriverCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(PriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(Re		

EXPANDED SECTION -- 8 --

