

# Cucumber Report

Feb 4, 2022, 12:16:20 AM

Start : Feb 04, 12:15:56.139 AM

End : Feb 04, 12:16:19.336 AM

Duration : 23.197 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 6  
FAILED - 1  
SKIPPED - 8







#	Feature Name	T	P	F	S	Duration
1	Checking the Inventory Maintenance functionality	1	0	1	0	23.197 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking the Inventory Maintenance functionality</u>	<u>Unique Inventory item code should be created</u>	15	6	1	8	23.195 s




**(F)- Checking the Inventory Maintenance functionality**


<b>FAILED</b>	<b>DURATION - 23.197 s</b>	Scenarios		Steps	
/ 12:15:56.139 AM // 12:16:19.336 AM /		Total - 1		Total - 15	
		Pass - 0		Pass - 6	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 8	


**(S)- Unique Inventory item code should be created**

<div>FAILED</div> <div>DURATION - 23.195 s</div>			<div>Steps</div> <div>Total - 15</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 8</div>	
/ 12:15:56.141 AM // 12:16:19.336 AM /				
Checking the Inventory Maintenance functionality				
@KUBS_INV_MGMT_UAT_002_003 @MultiAuth				

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	10.606 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.273 s
	screenshot		
			
2	Then Click on Direction icon for Inventory Maintenance	PASSED	0.096 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Click on Inventory Maintenance	PASSED	0.085 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
	screenshot 		
4	Then Click on Inventory Item Master Eye Icon	PASSED	0.135 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.320 s
	screenshot 		
5	Then Click on Inventory Item Add button	PASSED	0.206 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot 		
6	Then Fill Inventory Item Mandatory fields	PASSED	7.273 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.113 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	<p><b>Then Click on Inventory Item Save button</b></p> <p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled=""&gt;...&lt;/ion-button&gt; is not clickable at point (1413, 88). Other element would receive the click: &lt;ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated"&gt;...&lt;/ion-buttons&gt; (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [70b0c0d24c3bc407f175480a334714a5, clickElement {id=c89f1f0c-2dd9-4b2a-a27b-1a92b237f1fd}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:62887}}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:62887/devtoo..., se.cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (70b0c0d24c3bc407f175480a334714a5)] -&gt; xpath: (//ion-toolbar[1]/ion-buttons[2]/ion-button[1])[2]] Session ID: 70b0c0d24c3bc407f175480a334714a5</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) atjdk.internal.reflect.GeneratedMethodAccessor6.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) atjdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.InventoryMaintenance_InventoryItem.click_on_inventory_item_save_button(InventoryMaintenance_InventoryItem.java:173) at ?.Click on Inventory Item Save button(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/ </pre>	FAILED	1.102 s

#	Step / Hook Details	Status	Duration
	features/InventoryMaintenance.feature:12) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.094 s
8	Then Click on Inventory Item Notification	SKIPPED	0.000 s
9	And Select Inventory Item and Submit the record	SKIPPED	0.000 s
10	Then log in to the reviewer account	SKIPPED	0.000 s
11	Then click on the Notification select the record and Approve	SKIPPED	0.000 s
12	Then log in to Checker Account	SKIPPED	0.000 s
13	And checker claim the record	SKIPPED	0.000 s
14	Then click on checker Notification	SKIPPED	0.000 s
15	And select the record and Approve by checker	SKIPPED	0.001 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Unique Inventory item code should be created


(F) Checking the Inventory Maintenance functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality





(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Unique Inventory item code should be  
created

(F) Checking the Inventory Maintenance  
functionality

Kastle Universal Banking (Beta)

03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Welcome, anant

Business partner setup

General ledger configurat...

Accounting setup

Expense/AR & AP configu...

Budget configuration

Fixed assets configuration

Inventory maintenance

Instrument code master

Denomination master

Inventory item master

Inventory access

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Unique Inventory item code should be  
created

(F) Checking the Inventory Maintenance  
functionality

Kastle Universal Banking (Beta)

03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Inventory Item View Grid

Actions	Branch Code	Branch Name	Currency Code	Transaction Date	Current Balance	Quantity	Reorder Level	Item Description
	BRO003	East Zone	INR	13-Jan-2022	100	10		Savings Bank
	AZENTMAIN	Azentio Main Branch	INR	22-Dec-2021	10	1		WHITE BOAR
	AZENTMAIN	Azentio Main Branch	INR	09-Dec-2021	200	1		Pay Order
	HO0001	Corporate Branch	INR	26-Nov-2021	479	1		STAPLERS
	AZENTMAIN	Azentio Main Branch	INR	26-Nov-2021	20	1		ENVELOPS
	AZENTMAIN	Azentio Main Branch	INR	25-Nov-2021	24	1		Fixed Depos
	AZENTMAIN	Azentio Main Branch	INR	23-Nov-2021	50	1		White boad M
	BRO003	East Zone	INR	23-Nov-2021	70	1		ATM Cards

11 total

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Unique Inventory item code should be  
created

(F) Checking the Inventory Maintenance  
functionality

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Inventory Item Master

\* Branch Code

Item Code

\* Item Description

\* Item Short Description

\* Instrument Code

Instrument Description

\* Currency Code

\* Reorder Level

\* Excess Level

\* Reorder Qty

\* Current Balance Quantity

QC Required

Fill Indicator

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Unique Inventory item code should be  
created

(F) Checking the Inventory Maintenance  
functionality

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Inventory Item Master

\* Branch Code

AZENTMAIN-Azentio Main Branch

Item Code

\* Item Description

\* Item Short Description

\* Instrument Code

INV004-Traveller Check

Instrument Description

Traveller Check

\* Currency Code

INR

\* Reorder Level

1

\* Excess Level

10

\* Reorder Qty

1

\* Current Balance Quantity

50

QC Required

Fill Indicator

Item Short Description already exists!!!

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Inventory Item Master

* Branch Code	AZENTMAIN-Azentio Main Branch	* Item Code		* Item Description	
* Item Short Description		* Instrument Code	INV004-Traveller Check	Instrument Description	Traveller Check
* Currency Code	INR	* Reorder Level	1	* Excess Level	10
* Reorder Qty	1	* Current Balance Quantity	50	QC Required	<input checked="" type="checkbox"/>
Fill Indicator	<input checked="" type="checkbox"/>				

Instrument code master  
Denomination master  
Inventory item master

22 Appro... 11 Messa...

Item Short Description already exists!!!  
Home Preference