

Cucumber Report

Feb 11, 2022, 4:23:28 AM

Start : Feb 11, 4:20:12.620 AM

End : Feb 11, 4:23:19.563 AM

Duration : 3 m 6.943 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 5
FAILED - 1
SKIPPED - 15







| # | Feature Name | T | P | F | S | Duration |
|---|---------------------|---|---|---|---|-------------|
| 1 | <u>FIXED ASSETS</u> | 1 | 0 | 1 | 0 | 3 m 6.943 s |






| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---------------------|---|----|---|---|----|-------------|
| 1 | <u>FIXED ASSETS</u> | <u>Check if the given asset is sold at higher price</u> | 21 | 5 | 1 | 15 | 3 m 6.936 s |





(F)- FIXED ASSETS

| | | | | | |
|--------------------------------------|-------------------------------|-----------|---|------------|---|
| FAILED | DURATION - 3 m 6.943 s | Scenarios |  | Steps |  |
| / 4:20:12.620 AM // 4:23:19.563 AM / | | Total - 1 | 1 | Total - 21 | 21 |
| | | Pass - 0 | | Pass - 5 | |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 15 | |

(S)- Check if the given asset is sold at higher price

| | | | | | |
|---|--|--|------------|--|---|
| <div>FAILED</div> <div>DURATION - 3 m 6.936 s</div> | |  | Steps | |  |
| / 4:20:12.627 AM // 4:23:19.563 AM / | | | Total - 21 | | |
| FIXED ASSETS | | | Pass - 5 | | |
| @KUBS_FAT_UAT_004_001 | | | Fail - 1 | | |
| | | | Skip - 15 | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user | PASSED | 45.107 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 3.275 s |
| | screenshot | | |
| |  | | |
| 2 | And user should navigate to fixed asset menu | PASSED | 2.137 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.581 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| |  | | |
| 3 | When click on eye button of asset sale | PASSED | 0.445 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 2.458 s |
| | screenshot  | | |
| 4 | And click on add button to create sale asset record | PASSED | 2.502 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.973 s |
| | screenshot  | | |
| 5 | And Fill the required fields to sale asset | PASSED | 3.160 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 1.162 s |
| | screenshot  | | |
| 6 | Then Save and submit the asset sale record | FAILED | 45.007 s |
| | org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [78a0ec0287d6b608b10f9e94855a59b0, findElement {using=xpath, value=//ion-col[17]/ion-item/ion-input/input}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\... | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>goog:chromeOptions: {debuggerAddress: localhost:56447}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:56447/devtoo..., se.cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 78a0ec0287d6b608b10fbe94855a59b0</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.FIXEDASSETS_AssetSale.save_and_submit_the_asset_sale_record(FIXEDASSETS_AssetSale.java:161) at ?. Save and submit the asset sale record(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/FIXEDASSETS_AssetSale.feature:11) * Not displayable characters are replaced by '?'. </p> | | |
| | <p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [78a0ec0287d6b608b10fbe94855a59b0, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:56447}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:</p> | FAILED | 14.025 s |


| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | Proxy(), se:cdp: ws://localhost:56447/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 78a0ec0287d6b608b10fbe94855a59b0 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42) | | |
| 7 | And User should go to the kubs url and login as a reviewer user | SKIPPED | 0.001 s |
| 8 | Then Click on notification button in reviewer | SKIPPED | 0.001 s |
| 9 | And approve the record by reviewer user | SKIPPED | 0.000 s |
| 10 | Given User should go to the kubs url and login as a checker user | SKIPPED | 0.000 s |
| 11 | And Click on security management in checker | SKIPPED | 0.000 s |
| 12 | Then Click on open pool in checker | SKIPPED | 0.000 s |
| 13 | And Click on claim button in checker | SKIPPED | 0.000 s |
| 14 | And capture claimed status | SKIPPED | 0.000 s |
| 15 | Then click on notification in checker | SKIPPED | 0.000 s |
| 16 | Then checker should approved the asset sale | SKIPPED | 0.001 s |
| 17 | Given User should go to the kubs url and login as a maker user | SKIPPED | 0.001 s |
| 18 | And user should navigate to fixed asset menu | SKIPPED | 0.001 s |
| 19 | When click on eye button of asset sale | SKIPPED | 0.001 s |
| 20 | Then click on first eye button to get the profit earned | SKIPPED | 0.000 s |
| 21 | And maker should logout | SKIPPED | 0.000 s |
| | AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario) | FAILED | 4.011 s |
| | org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [78a0ec0287d6b608b10fbe94855a59b0, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>(76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:56447}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56447/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 78a0ec0287d6b608b10fbe94855a59b0</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)</p> <p>at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)</p> | | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if the given asset is sold at
higher price


(F) FIXED ASSETS



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if the given asset is sold at
higher price

(F) FIXED ASSETS



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if the given asset is sold at
higher price

(F) FIXED ASSETS

The screenshot shows the Kastle Universal Banking (Beta) interface. The top navigation bar includes the date 04-Oct-2022, language English, and user information for ANANT. The left sidebar contains a Finance menu with options like General ledger transaction, Budget, Accounts payable, Adjustments (AR and AP), Accounts receivable, and Fixed assets. The main content area displays a 'Welcome, anant' message. The bottom navigation bar has 'Home' and 'Preference' buttons.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if the given asset is sold at
higher price

(F) FIXED ASSETS

The screenshot shows the Kastle Universal Banking (Beta) interface with the 'Asset Sale View' table. The table lists various assets for sale, including 'adjustable table', 'MACHINERY-GENERAT', 'AIRCOND', and 'plastic chair'. The table columns are Actions, Entity, Branch Code - Name, Asset Code, Asset Ref No, Asset Value, Asset Dep Value, and Book Value. The bottom navigation bar has 'Home' and 'Preference' buttons.

| Actions | Entity | Branch Code - Name | Asset Code | Asset Ref No | Asset Value | Asset Dep Value | Book Value |
|---------|------------------|-----------------------|-------------------------|-------------------------|-------------|-----------------|------------|
| | Azentio Software | BR0003 - East Zone | 01-001-adjustable table | 01-001-adjustable table | 600000 | 298596.85 | 281403.15 |
| | Azentio Software | AZENTMAIN - Azentio N | MACHINERY-GENERAT | MACHINERY-GENERAT | 1000000 | 118427.468 | 881572.532 |
| | Azentio Software | BR0003 - East Zone | 01-001-adjustable table | 01-001-adjustable table | 5000 | 0 | 4000 |
| | Azentio Software | BR0003 - East Zone | 01-001-adjustable table | 01-001-adjustable table | 60000 | 26854.926 | 33145.074 |
| | Azentio Software | BR0003 - East Zone | MACHINERY-AIRCOND | MACHINERY-AIRCOND | 1000000 | 58635.42 | 941364.58 |
| | Azentio Software | AZENTMAIN - Azentio N | 01-001-adjustable table | 01-001-adjustable table | 50000 | 3987.5 | 16012.5 |
| | Azentio Software | BR0003 - East Zone | ELECTRONICS-LAP001 | ELECTRONICS-LAP001 | 1000000 | 129440.356 | 857669.316 |
| | Azentio Software | BR0003 - East Zone | 01-001-plastic chair | 01-001-plastic chair_BR | 4000 | 2333.452 | 1066.548 |

14 total

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if the given asset is sold at
higher price

(F) FIXED ASSETS

Finance

General ledger transaction

Budget

Accounts payable

Adjustments (AR and AP)

Accounts receivable

Fixed assets

Asset creation

Asset transfer

Asset undertaking

Asset sale

Asset allocation

22 Appro...

11 Messa...

Kastle Universal Banking (Beta)

04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Fixed Asset Sale

* Asset Reference Number

ELECTRONICS-LAP001-ASUS Laptops_AZENT...

Asset code

ELECTRONICS-LAP001-ASUS Laptops

Asset Description

ASUS Laptops for Office

* Item Number

ASUS LAPTOPS 01

Asset Value

2,500,000.000 INR

Total Asset Value

2,500,000.000 INR

Depreciation Amount

132,466.290 INR

Book Value

2,367,533.710 INR

Tax Rate

* Sale Value

3,000,000.00 INR

Profit On Sale GL

632,466.290 INR

Loss On Sale GL

0.000 INR

* Actionable By

anant

Username

1002435

* Remark

ok

Home

Preference