Cucumber Report

Start : Feb 04, 1:33:57.573 AM	*End : Feb 04, 1:34:36.872 AM*	*Duration : 39.299 s*
Features	Scenarios	Steps

PASSED - 0	PASSED - 0	PASSED - 12
FAILED - 1	FAILED - 1	FAILED - 1
SKIPPED - 0	SKIPPED - 0	SKIPPED - 2

Features: 1

Scenarios: 1

Steps: 15

Pass % (Features): 0 %

Pass % (Scenarios): 0 %

Pass % (Steps): 80 %

#	Feature Name	T	P	F	S	Duration
1	Checking the Inventory Maintenance functionality	1	0	1	0	39.299 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Inventory Maintenance functionality	Unique Inventory item code should be created	15	12	1	2	39.295 s

(F)- Checking the Inventory Maintenance functionality

FAILED	DURATION - 39.299 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 1:33:57.573 AM // 1:34:36.872 AM /		Pass - 0	1	Pass - 12	15
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- Unique Inventory item code should be created

FAILED	DURATION - 39.295 s		Steps	
/ 1:33:57.577 AM // 1:34:36.872 AM /			Total - 15	
Checking the Inventory Maintenance functionality			Pass - 12	15
@KUBS_INV_MGMT_UAT_002_003 @MultiAuth			Fail - 1	
			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.155 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.295 s
	screenshot		
2	Then Click on Direction icon for Inventory Maintenance	PASSED	0.097 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click on Inventory Maintenance	PASSED	0.101 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
	screenshot		
4	Then Click on Inventory Item Master Eye Icon	PASSED	0.267 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
	screenshot		
5	Then Click on Inventory Item Add button	PASSED	0.187 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		
6	Then Fill Inventory Item Mandatory fields	PASSED	2.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		

| #	Step / Hook Details	Status	Duration
7	Then Click on Inventory Item Save button	PASSED	2.095 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.089 s
	screenshot		
8	Then Click on Inventory Item Notification	PASSED	0.105 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		
9	And Select Inventory Item and Submit the record	PASSED	9.339 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.079 s
	screenshot		
10	Then log in to the reviewer account	PASSED	4.721 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.070 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then click on the Notification select the record and Approve	PASSED	1.870 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	screenshot 		
12	Then log in to Checker Account	PASSED	4.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.094 s
	screenshot 		
13	And checker claim the record	FAILED	1.183 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text()),'39')]/parent::div/parent::datatable-body-cell/preceding-sibling::datatable-body-cell[2]/div/ion-buttons/ion-button"} (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [283dbf4751193ac90a14060d7f9ce8ce, findElement {using=xpath, value=//span[contains(text(),'39')]/parent::div/parent::datatable-body-cell/preceding-sibling::datatable-body-cell[2]/div/ion-buttons/ion-button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:63909}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63909/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 283dbf4751193ac90a14060d7f9ce8ce
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.AccountPayable_VendorPurchaseOrder.checker_claim_the_record(AccountPayable_VendorPurchaseOrder.java:333) at ?.checker claim the record(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/InventoryMaintenance.feature:19) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.076 s
14	Then click on checker Notification	SKIPPED	0.000 s
15	And select the record and Approve by checker	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be
created

(F) Checking the Inventory Maintenance
functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be
created

(F) Checking the Inventory Maintenance
functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

☰ 🌐 Kastle Universal Banking (Beta)	03-Oct-2022 English ▾ Azentio Software ▾ (AZENTMAIN) 🔔 ⌨ 👤 REVIEWER

No Module Mapped

🔧 ⇄ 📋

← Inventory Item Master   ⓘ ViewSummary ✅ Approve 🔄 Return ❌ Reject

* Branch Code   Item Code   * Item Description
AZENTMAIN-Azentio Main Branch   × ▾   BOOKK   Bookk

* Item Short Description ⊞   * Instrument Code   Instrument Description
Bookk   INV004-Traveller Check × ▾   Traveller Check

* Currency Code   * Reorder Level   * Excess Level
INR   × ▾   1   10

* Reorder Qty   * Current Balance Quantity   QC Required   ☑
                                 1   50

Fill Indicator   ☑   Status
                                       ACTIVE   × ▾

22 Appro... ✕   11 Messa... ✕   ▦ Home   ➤ Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

☰ 🌐 Kastle Universal Banking (Beta)	03-Oct-2022 English ▾ Azentio Software ▾ (AZENTMAIN) 🔔 ⌨ 👤 CHECKER

Configuration

🔧 ⇄ 📋

Welcome, Checker

22 Appro... ✕   11 Messa... ✕   ▦ Home   ➤ Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

☰ 🌐 Kastle Universal Banking (Beta)   03-Oct-2022 English ▾   Azentio Software ▾ (AZENTMAIN) 🔔 ⌨ 👤 CHECKER

Configuration   ← Open Pool

🔧 🚏 📋

⊙ Security management

▶ Open pool   ✏ 👁

Actions	ibxhdrid	referenceId	eventCode	stageCode	employeeName	eventDesc	workflowDesc

No data to display

0 total

22 Appro... ✕   11 Messa... ✕