

FEATURES SUMMARY -- 2 --



| # | Feature Name                                    | T | P | F | S | Duration    |
|---|---|---|---|---|---|-------------|
| 1 | Checking the Bank Reconcilliation functionality | 1 | 0 | 1 | 0 | 1 m 4.416 s |




| # | Feature Name                      | Scenario Name   | T | P | F | S | Duration    |
|---|-----------------------------------|---|---|---|---|---|-------------|
| 1 | Checking the Bank Reconcilliation | Click on a match record which matches with multiple records | 8 | 7 | 1 | 0 | 1 m 4.407 s |
|   | functionality                     | from Book   |   |   |   |   |             |

DETAILED SECTION -- 4 --

## (F)- Checking the Bank Reconcilliation functionality

| FAILED           | DURATION - 1 m 4.416 s  | Scenarios |   | Steps     |   |
|------------------|-------------------------|-----------|---|-----------|---|
|                  |                         | Total - 1 |   | Total - 8 |   |
| / 10:54:05.745 A | AM // 10:55:10.161 AM / | Pass - 0  | 1 | Pass - 7  | 8 |
|                  |                         | Fail - 1  |   | Fail - 1  |   |
|                  |                         | Skip - 0  |   | Skip - 0  |   |

## (S)- Click on a match record which matches with multiple records from Book



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user   | PASSED | 39.661 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.400 s  |
|   | screenshot   |        |          |
|   | PARTY OF THE STATE |        |          |
| 2 | Then select data set ID for clicking on match record and check it matches with multiple record from Book   | PASSED | 0.464 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.581 s  |
|   | screenshot   |        |          |
|   | ALEXTIC MARKET SQR* - SANCHARD ADDRESS C Q AND   |        |          |


| After Step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)   | # | Step / Hook Details  | Status | Duration |
|--|---|--|--------|----------|
| 4 When click on eye button of bank reconciliation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And click on add button for bank reconciliation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  6 And Fill the required fields and upload bank statement for bank reconciliation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | 3 | And user should navigate to bank recon menu  | PASSED | 0.959 s  |
| 4 When click on eye button of bank reconciliation PASSED 0.294 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.411 s  5 And click on add button for bank reconciliation PASSED 1.280 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.350 s  5 Creenshot PASSED 0.294 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.350 s  6 And Fill the required fields and upload bank statement for bank reconciliation PASSED 5.824 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.279 s  |   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.241 s  |
| 4 When click on eye button of bank reconciliation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And click on add button for bank reconciliation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And Fill the required fields and upload bank statement for bank reconciliation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  5.824 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.279 s   |   | screenshot   |        |          |
| AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4  And click on add button for bank reconciliation  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  6  And Fill the required fields and upload bank statement for bank reconciliation  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)   |   | SEASON SQUARE SQ |        |          |
| Screenshot  And click on add button for bank reconciliation  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)   | 4 | When click on eye button of bank reconciliation  | PASSED | 0.294 s  |
| 5 And click on add button for bank reconciliation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And Fill the required fields and upload bank statement for bank reconciliation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.279 s   |   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.411 s  |
| 5 And click on add button for bank reconciliation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And Fill the required fields and upload bank statement for bank reconciliation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  |   | screenshot   |        |          |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And Fill the required fields and upload bank statement for bank reconciliation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  PASSED  5.824 s  0.279 s   |   | Manufacture and the state of th |        |          |
| Screenshot  6 And Fill the required fields and upload bank statement for bank reconciliation  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  ###################################   | 5 | And click on add button for bank reconciliation  | PASSED | 1.280 s  |
| 6 And Fill the required fields and upload bank statement for bank reconciliation PASSED 5.824 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  ### PASSED 0.279 s  |   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.350 s  |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  ### Comparison of Co |   | screenshot   |        |          |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  ### Comparison of Co |   | Secretary   Secr   |        |          |
| SCREENShot    ACTIVE   Martin light - Control of the Control of th | 6 | And Fill the required fields and upload bank statement for bank reconciliation   | PASSED | 5.824 s  |
| A SECULD DE LOS  |   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.279 s  |
| To ACHTO  The Control of the Control |   | screenshot   |        |          |
| 7 71 0   |   | # 10 # 20 # 20 # 20 # 20 # 20 # 20 # 20  |        |          |
| 7 Then Save and click on process 2.887 s   | 7 | Then Save and click on process   | PASSED | 2.887 s  |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.434 s  |   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.434 s  |
| screenshot   |   | screenshot   |        |          |

| Then verify after clicking on a match record it matches with multiple records from book  org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath", "selector":"//app-kub-lov/ion-select") (Session info: chrome=111.0.5563.147) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element_Build info: version: '4.0.0-rc-1', revision: 'bc551.1cbda' System info: host: 'DeSKYTSU', ip: '10.200.4.46', os.name: Windows 10', os.ach': 'amd64', os.version: '10.0', java.version: |  |
|--|--|
| org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//app-kub-lov/ion-select"} (Session info: chrome=111.0.5563.147) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-c-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.48', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7e4e8e5b514db8be2/t4a0902/t28e2c0e, findElement (using=xpath, value=//app-kub-lov/ion-select)] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.147, chrome: {chromedriverVersion: 111.0.5563.46 (c710e93d5b63, userDataDir: C:\Users\NININDC-1\AppData\L), goog:chromeOptions: {debuggerAddress: localhost:57543}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57543/devtoo, se:cdpVersion: 111.0.5563.147, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7e4e8e5b514db8be2f4a0902f28e2c0e  at jdk.internal.reflect.GeneratedConstructorAccessor38.newInstance(Unknown Source)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  |  |
| seleci") (Session info: chrome=111.0.5563.147) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK8T3U', jp: '10.200.4.48', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [7e4e8e5b514db8be2f4a0902f28e2c0e, findElement {using=xpath, value=//app-kub-lov/ion-select}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.147, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\ININDC-1\AppDataL\}, goog:chromeOptions: {debuggerAddress: localhost:57543}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57543/devtoo, se:cdpVersion: 111.0.5563.147, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:reredBlob: true, webauthn:extension:largeBlob: true, webauthmextension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7e4e8e5b514db8be2f4a0902f28e2c0e at jdk.internal.reflect.GeneratedConstructorAccessorImpRewInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpRewInstance(DelegatingConstructorAccessorImpLjava:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.e           |  |
| at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$Element(Element(ElementLocation.java:162) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:499) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)  |  |


DETAILED SECTION -- 7 --


| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:478) at helper.JavascriptHelper.executeScript(JavascriptHelper.java:26) at helper.JavascriptHelper.scrollIntoView(JavascriptHelper.java:48) at stepdefinitions.BankRecon_BankReconciliation. verify_after_clicking_on_a_match_record_it_matches_with_multiple_records_from_book(BankRecon_BankReconciliation.java:501) at ?.verify after clicking on a match record it matches with multiple records from book(file:///C:/Users/ININDC00091/git/AzentioAutomationFramework/DeveshFW_Excel/ARAP_AzentioAutomationFramework_Excel/src/test/java/features/BankRecon_BankReconciliation.feature:104) * Not displayable characters are replaced by '?'.  |        |          |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  | PASSED | 0.267 s  |
|   | Discretification of the control of t |        |          |

EXPANDED SECTION -- 8 --




EXPANDED SECTION -- 9 --





EXPANDED SECTION --- 10 --



EXPANDED SECTION --- 11 --

