Cucumber Report

Start : May 10, 12:50:36.866 pm	End : May 10, 12:51:06.678 pm	Duration : 29.812 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 9 FAILED - 1 SKIPPED - 30

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the GL1 Module	1	0	1	0	29.812 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL1 Module	Creation of Accounting Books for custom templet	40	9	1	30	29.806 s

(F)- Check the Functionality of the GL1 Module

FAILED	DURATION - 29.812 s	Scenarios		Steps	
/ 12:50:36.866 pm // 12:51:06.678 pm /		Total - 1		Total - 40	
		Pass - 0	1	Pass - 9	40
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 30	

(S)- Creation of Accounting Books for custom templet

FAILED	DURATION - 29.806 s		Steps	
/ 12:50:36.872 pm // 12:51:06.678 pm /			Total - 40	
Check the Functionality of the GL1 Module			Pass - 9	40
			Fail - 1	
@KUBS_GL_UAT_002_001			Skip - 30	

#	Step / Hook Details	Status	Duration
1	Given Navigate to Azentio Kubs	PASSED	14.495 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.758 s
	screenshot		
2	And Click on Accounting Setup module	PASSED	0.096 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click sub module Accounting book definition	PASSED	0.220 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.890 s
	screenshot		
4	And Click on Add icon	PASSED	0.352 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
	screenshot		
5	Then Choose the Template Type of Custom Template	PASSED	0.516 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		
6	And Enter Another Book Name	PASSED	0.252 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.260 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Select system date as Effective date	PASSED	1.708 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		
8	And Choose the Book Type what you Need	PASSED	0.434 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	screenshot		
9	Then Enter the Remark	PASSED	0.215 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		
10	And Save the Record	FAILED	1.176 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1414, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=101.0.4951.54) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.		

#	Step / Hook Details	Status	Duration

	name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bd587cb30d5c7621801007d6e9d03053, clickElement {id=446747ef-bbba-4df6-ac13-7287e1117e54}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.54, chrome: {chromedriverVersion: 101.0.4951.41 (93c720db8323..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:54879}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54879/devtoo..., se:cdpVersion: 101.0.4951.54, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (bd587cb30d5c7621801007d6e9d03053)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: bd587cb30d5c7621801007d6e9d03053
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	    at stepdefinitions.GL1_Accounting_Book_Definition.save_the_record(GL1_Accounting_Book_Definition.java:141)
	    at ?.Save the Record(file:///C:/Users/inindc00075/git/AzentioAutomationFramework/AzentioAutomationFramework/src/test/java/features/GL1_UAT.feature:46)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.203 s

#	Step / Hook Details	Status	Duration
11	And click notification button	SKIPPED	0.000 s
12	Then choose first record in the notification record	SKIPPED	0.000 s
13	And click on Submit button	SKIPPED	0.000 s
14	Then enter remark in confirmation alert	SKIPPED	0.000 s
15	Then click on submit button in alert	SKIPPED	0.000 s
16	And capture the reviewer ID in pop up which is open when we submit our record in maker stage	SKIPPED	0.000 s
17	Then logout from maker	SKIPPED	0.001 s
18	And login with reviewer credentials	SKIPPED	0.000 s
19	Then click on notification button	SKIPPED	0.001 s
20	And select our record in notification records using reference ID	SKIPPED	0.000 s
21	Then Approve the record from reviewer	SKIPPED	0.000 s
22	And enter the remark in alert	SKIPPED	0.000 s
23	Then click on submit in alert	SKIPPED	0.000 s
24	Then verify the approval status of the record	SKIPPED	0.000 s
25	And logout from reviewer	SKIPPED	0.000 s
26	Then login as a checker	SKIPPED	0.000 s
27	And click on security management menu in checker	SKIPPED	0.000 s
28	Then click on action button under security management menu	SKIPPED	0.000 s
29	And select our record and clime using reference ID	SKIPPED	0.000 s
30	Then click on Notification button	SKIPPED	0.000 s
31	Then select our record in notification records by the help of reference ID	SKIPPED	0.000 s
32	And click on approve button in checker stage	SKIPPED	0.000 s
33	Then give alert remark	SKIPPED	0.001 s
34	Then click on submit button on alert	SKIPPED	0.000 s
35	And verify the record got approved from checker	SKIPPED	0.000 s
36	Given Navigate to Azentio Kubs	SKIPPED	0.000 s
37	And Click on Accounting Setup module	SKIPPED	0.000 s
38	Then Click sub module Accounting book definition	SKIPPED	0.000 s
39	Then Click on Table Row First Eye Icon	SKIPPED	0.000 s
40	And System should Generate unique code	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Creation of Accounting Books for custom templet (F) Check the Functionality of the GL1 Module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Creation of Accounting Books for custom templet (F) Check the Functionality of the GL1 Module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Accounting Books for custom templet

(F) Check the Functionality of the GL1 Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Accounting Books for custom templet

(F) Check the Functionality of the GL1 Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Accounting Books for custom templet	
(F) Check the Functionality of the GL1 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Accounting Books for custom templet	
(F) Check the Functionality of the GL1 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Accounting Books for custom templet	
(F) Check the Functionality of the GL1 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Accounting Books for custom templet	
(F) Check the Functionality of the GL1 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Accounting Books for custom templet	
(F) Check the Functionality of the GL1 Module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Accounting Books for custom templet	
(F) Check the Functionality of the GL1 Module	