

Cucumber Report

Nov 24, 2022, 5:41:01 PM

Start : Nov 24, 5:40:22.831 PM

End : Nov 24, 5:40:59.859 PM

Duration : 37.028 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 7
FAILED - 1
SKIPPED - 4







#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	37.028 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Create Advance against PO	12	7	1	4	37.024 s





(F)- AR/AP Module


FAILED	DURATION - 37.028 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 12 Pass - 7 Fail - 1 Skip - 4	
/ 5:40:22.831 PM // 5:40:59.859 PM /					


(S)- Create Advance against PO

<div>FAILED</div> <div>DURATION - 37.024 s</div>		<div></div>	<div>Steps</div> <div>Total - 12</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
<div>/ 5:40:22.835 PM // 5:40:59.859 PM /</div>				
<div>AR/AP Module</div>				
<div>@KUBS_AR/AP_UAT_002_004_TC_01_01</div>				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	11.502 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.255 s
	screenshot		
			
2	Then Click on the Direction	PASSED	1.716 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.246 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	Then Click on Account Recivable button	PASSED	0.272 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
	screenshot		
			
4	Then Click on Account Recivable Advances eye button	PASSED	0.169 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.316 s
	screenshot		
			
5	Then Click to add record in Account Recivable	PASSED	1.371 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
	screenshot		
			
6	And user update the data set ID for Advance against PO	PASSED	0.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
	screenshot		
			
7	Then Fill the form for Account Recivable Advance against PO	PASSED	11.356 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
8	<p>Then Click on save button to save the Record for Account Recivable</p> <pre>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1895, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c0a270df9f1203a4f96d94094833c0e8, clickElement {id=12d9fc61-669e-4ed5-b46e-a17c9b9d506c}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:59261}}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59261/devtools..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (c0a270df9f1203a4f96d94094833c0e8)] -> xpath: (/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1])[2]] Session ID: c0a270df9f1203a4f96d94094833c0e8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor5.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.AccountReceivable_AccountReceivableAdvances.click_on_save_button_to_save_the_record_for_account_recivable(AccountReceivable_AccountReceivableAdvances.java:133) at ?.Click on save button to save the Record for Account Recivable(file:///C:/Users/inindc00089/eclipse-workspace/</pre>	FAILED	1.159 s

#	Step / Hook Details	Status	Duration
	AzentioAutomationFramework_ARAP/src/test/java/features/ArAp1.feature:245) * Not displayable characters are replaced by '?'. AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		
	screenshot 	PASSED	0.191 s
9	Then click on the Notification icon	SKIPPED	0.000 s
10	Then Search Advance against PO record in List	SKIPPED	0.001 s
11	Then store the Reference ID and open the Advance against PO record	SKIPPED	0.000 s
12	Then click submit and enter remark for Advance against PO	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Advance against PO


(F) AR/AP Module




(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Advance against PO


(F) AR/AP Module



(F) AR/AP Module



(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Advance against PO

(F) AR/AP Module

AZENTIO

ONEBanking

Finance

⚙️

🔍

🕒

General ledger transaction

Budget

Accounts payable

Adjustments (AR and AP)

Accounts receivable

Accounts receivable (Debit notes)

Credit notes on invoice

Accounts receivable (Advances)

Receipts

Receipts reversal

Cheque deposit

Update cheque status

Appropriation

22 Appro...

11 Mess...

← Advances

* Entity Branch

Adavance Number

* Payment Mode

* Description

* Receivable Name

*Date
31-Dec-2023

* Amount

* Status

Business Partner/Employee Name

Po Number

Cost Center

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Advance against PO

(F) AR/AP Module

AZENTIO

ONEBanking

Finance

⚙️

🔍

🕒

General ledger transaction

Budget

Accounts payable

Adjustments (AR and AP)

Accounts receivable

Accounts receivable (Debit notes)

Credit notes on invoice

Accounts receivable (Advances)

Receipts

Receipts reversal

Cheque deposit

Update cheque status

Appropriation

22 Appro...

11 Mess...

← Advances

* Entity Branch

Adavance Number

* Payment Mode

* Description

* Receivable Name

*Date
31-Dec-2023

* Amount

* Status

Business Partner/Employee Name

Po Number

Cost Center

Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Advance against PO

(F) AR/AP Module

AZENTIO
ONEBanking

31-Dec-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

← Advances

* Entity Branch	* Receivable Name		Business Partner/Employee Name	
Azentio Main Branch				
Advance Number	* Date	Po Number		
	31-Dec-2023			
* Payment Mode	* Amount	*	Cost Center	
Cheque	20.00	INR	FINANCE	
* Description	* Status			
ADV PQ	Active			

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Advance against PO

(F) AR/AP Module

AZENTIO
ONEBanking

31-Dec-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

← Advances

* Entity Branch	* Receivable Name		Business Partner/Employee Name	
Azentio Main Branch				
Advance Number	* Date	Po Number		
	31-Dec-2023			
* Payment Mode	* Amount	*	Cost Center	
Cheque	20.00	INR	FINANCE	
* Description	* Status			
ADV PQ	Active			