Cucumber Report

Start : Jan 12, 5:41:25.454 PM	End : Jan 12, 5:42:00.584 PM	Duration : 35.130 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 21 FAILED - 1 SKIPPED - 13

#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	0	1	0	35.130 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	To Verify Checker can approve the record which is approved by reviewer	35	21	1	13	35.125 s

(F)- To check BudgetDefinition moduel feature

| FAILED	DURATION - 35.130 s	Scenarios		Steps	
		Total - 1		Total - 35	
/ 5:41:25.454 PM // 5:42:00.584 PM /		Pass - 0	1	Pass - 21	35
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 13	

(S)- To Verify Checker can approve the record which is approved by reviewer

FAILED	DURATION - 35.125 s		Steps	
/ 5:41:25.459 PM // 5:42:00.584 PM /			Total - 35	
To check BudgetDefinition moduel feature			Pass - 21	35
@Updated_Budget_Approved_By_Checker_submited_by_reviwer			Fail - 1	
			Skip - 13	

#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	10.109 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.530 s
	screenshot		
	+		
2	Then click on budget configuration Menu	PASSED	0.096 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And click on budget definition sub menu and click on eye icon	PASSED	0.176 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.425 s
	screenshot		
4	Then search the budget code want to update	PASSED	0.782 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		
5	And select the budget code	PASSED	0.095 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.270 s
	screenshot		
6	And update the budget code	PASSED	3.194 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		

| #	Step / Hook Details	Status	Duration
7	Then update the budget budget type	PASSED	0.295 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	screenshot		
8	Then update warning percentage	PASSED	0.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot		
9	Then update budget name	PASSED	0.232 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
10	Then update remark	PASSED	0.225 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	And click on save after update all the details	PASSED	3.171 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		
12	Then Click on notification icon	PASSED	0.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.260 s
	screenshot		
13	And select the first record	PASSED	0.644 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.225 s
	screenshot		
14	Then click on submit button	PASSED	0.691 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	And enter remark in alert tab	PASSED	0.204 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.252 s
	screenshot		
16	And click on submit	PASSED	0.082 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		
17	When click on submit button save the reviewer id	PASSED	0.605 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		
18	Given navigate to URL and login as a reviewer	PASSED	6.456 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		

| #	Step / Hook Details	Status	Duration
19	Then click on notification icon	PASSED	0.161 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.309 s
	screenshot		
20	When click on notification icon to check reviewer can get a record which is submited by maker	PASSED	0.082 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		
21	And click on action button	PASSED	0.056 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
	screenshot		
22	Then verify the updated budget record is matched with maker submitted record	FAILED	0.074 s
	org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of undefined (reading 'value') (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5ea2b84b88599306e400062151b6902, executeScript {script=return document.getElementsByClassName('native-input sc-ion-input-md')[1].value, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome:		

#	Step / Hook Details	Status	Duration

	{chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:53843}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53843/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e5ea2b84b88599306e400062151b6902
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:481)
	  at helper.JavascriptHelper.executeScript(JavascriptHelper.java:21)
	  at stepdefinitions.KUBS_reviewer.verify_the_updated_budget_record_is_matched_with_maker_submited_record(KUBS_reviewer.java:145)
	  at ?.verify the updated budget record is matched with maker submited record(file:///C:/Users/inindc00076/git/AzentioAutomationFramework2/AzentioAutomationFramework/src/test/java/features/KUBS_BudgetDefinition.feature:367)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.191 s
23	And approve the record in reviewer stage	SKIPPED	0.000 s
24	Then enter remark then submit	SKIPPED	0.000 s
25	Given navigate to URL and login as a checker	SKIPPED	0.000 s
26	Then click on security management menu	SKIPPED	0.000 s
27	And click on Action icon in security management	SKIPPED	0.000 s
28	Then clime the record	SKIPPED	0.000 s
29	And click on notification icon in checker stage	SKIPPED	0.000 s
30	When checker click on notification icon record might be showed in notification area	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
31	And click on action button in checker stage	SKIPPED	0.000 s
32	Then click on approve in checker stage	SKIPPED	0.001 s
33	Then validate the updated budget record	SKIPPED	0.000 s
34	And Write remark in alert	SKIPPED	0.000 s
35	And Submit the record from checker	SKIPPED	0.000 s

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To Verify Checker can approve the record which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To Verify Checker can approve the record which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To Verify Checker can approve the
record which is approved by reviewer

(F) To check BudgetDefinition moduel
feature

☰ 🌐 Kastle Universal Banking				21-Oct-2021 English ▾ Azentio Software ▾ (AZENT-MAIN) 🔔 🖥 👤 ANANT

Finance ▾

← Budget Definition View   🔍

Actions	Budget Code	Budget Name	Budget Type	Status	Created By	Create date	Modified By
👁 ✏	BUDC4020	Office Expense	MONTHLY	Active	1002435	12-Jan-2022	1002437
👁 ✏	BUDG411	Test	YEARLY	Active	1002437	12-Jan-2022	1002437
👁 ✏	BUDG410	Test	YEARLY	Active	1002437	12-Jan-2022	1002437
👁 ✏	BUDGET4540	Education	MONTHLY	Active	1002437	12-Jan-2022	1002437
👁 ✏	BUDG0090	Test	YEARLY	Active	1002437	12-Jan-2022	1002437
👁 ✏	BUD9870981	Test	YEARLY	Active	1002437	11-Jan-2022	1002437
👁 ✏	BDG0	Test	YEARLY	Active	1002437	11-Jan-2022	1002437
👁 ✏	BUDAR001	TEAM	HALFYEARLY	Active	1002435	11-Jan-2022	1002435

Finance menu:
- Business partner setup
- Accounting setup
- General ledger configuration
- Expense/AR & AP configurati...
- Budget configuration
- ▶ Budget definition ✏ 👁
- Fixed assets configuration
- Inventory maintenance
- Bank recon
- Petty cash configuration

70 total |◀ < **1** 2 3 4 5 > ▶|

22 Appro... ✕   11 Messa... ✕   Home   Preference   +

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To Verify Checker can approve the
record which is approved by reviewer

(F) To check BudgetDefinition moduel
feature

☰ 🌐 Kastle Universal Banking				21-Oct-2021 English ▾ Azentio Software ▾ (AZENT-MAIN) 🔔 🖥 👤 ANANT

Finance ▾

← Budget Definition View   ✕

Actions	Budget Code	Budget Name	Budget Type	Status	Created By	Create date	Modified By
	BUDC4020	Search Budget Na	Search Budget Typ	Search Status	Search Created By	Search Create dat	Search Mod
👁 ✏	BUDC4020	Office Expense	MONTHLY	Active	1002435	12-Jan-2022	1002437

Finance menu:
- Business partner setup
- Accounting setup
- General ledger configuration
- Expense/AR & AP configurati...
- Budget configuration
- ▶ Budget definition ✏ 👁
- Fixed assets configuration
- Inventory maintenance
- Bank recon
- Petty cash configuration

1 total

22 Appro... ✕   11 Messa... ✕   Home   Preference   +

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To Verify Checker can approve the record which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To Verify Checker can approve the record which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To Verify Checker can approve the
record which is approved by reviewer

(F) To check BudgetDefinition moduel
feature

☰ 🌐 Kastle Universal Banking	21-Oct-2021 English ⌄ Azentio Software ⌄ (AZENT-MAIN) 🔔 ▣ 👤 ANANT

Finance

🔧   ⇄   📋

⊙ Business partner setup
⊙ Accounting setup
⊙ General ledger configuration
⊙ Expense/AR & AP configurati...
⊙ Budget configuration
▶ Budget definition   ✎   👁
⊙ Fixed assets configuration
⊙ Inventory maintenance
⊙ Bank recon
⊙ Petty cash configuration

← Budget Definition

* Budget Code
BUDC4021

* Budget Type
MONTHLY   × ⌄

* Warning Percentage
25

* Budget Name
Office Expense

Remark
Budget Code Updated

Status
ACTIVE   × ⌄

22 Appro... ⊗   11 Messa... ⊗

Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To Verify Checker can approve the
record which is approved by reviewer

(F) To check BudgetDefinition moduel
feature

☰ 🌐 Kastle Universal Banking	21-Oct-2021 English ⌄ Azentio Software ⌄ (AZENT-MAIN) 🔔 ▣ 👤 ANANT

Finance

🔧   ⇄   📋

⊙ Business partner setup
⊙ Accounting setup
⊙ General ledger configuration
⊙ Expense/AR & AP configurati...
⊙ Budget configuration
▶ Budget definition   ✎   👁
⊙ Fixed assets configuration
⊙ Inventory maintenance
⊙ Bank recon
⊙ Petty cash configuration

← Budget Definition

* Budget Code
BUDC4021

* Budget Type
MONTHLY   × ⌄

* Warning Percentage
25

* Budget Name
Office Expense

Remark
Budget Code Updated

Status
ACTIVE   × ⌄

22 Appro... ⊗   11 Messa... ⊗

Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To Verify Checker can approve the
record which is approved by reviewer

(F) To check BudgetDefinition moduel
feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To Verify Checker can approve the
record which is approved by reviewer

(F) To check BudgetDefinition moduel
feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To Verify Checker can approve the record which is approved by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To Verify Checker can approve the record which is approved by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To Verify Checker can approve the record which is approved by reviewer

(F) To check BudgetDefinition moduel feature

Actions	referenceId	eventCode	stageCode	roleCode	employeeName	eventDesc	workflowDesc
✏	407	BUDGET_REGISTER	MAKER	MAKER	1002435	Budget Defination	LIMIT
✏	377	BUDGET_CREATION	Test01	MAKER	1002435		
✏	373	BUDGET_SUPPLIMENT	Test01	MAKER	1002435		
✏	406	BUDGET_REGISTER	MAKER	MAKER	1002435	Budget Defination	LIMIT
✏	371	BUDGET_SUPPLIMENT	MAKER	MAKER	1002435		Legal entity w

981 total

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To Verify Checker can approve the record which is approved by reviewer

(F) To check BudgetDefinition moduel feature

Budget Definition

* Budget Code: BUDC4021
* Budget Type: MONTHLY
* Warning Percentage: 25
* Budget Name: Office Expense
Remark: Budget Code Updated
Status: ACTIVE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To Verify Checker can approve the record which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To Verify Checker can approve the record which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To Verify Checker can approve the record which is approved by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To Verify Checker can approve the record which is approved by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To Verify Checker can approve the record which is approved by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To Verify Checker can approve the record which is approved by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To Verify Checker can approve the
record which is approved by reviewer

(F) To check BudgetDefinition moduel
feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To Verify Checker can approve the
record which is approved by reviewer

(F) To check BudgetDefinition moduel
feature