

# Cucumber Report

Feb 14, 2022, 10:45:53 PM

Start : Feb 14, 10:11:00.802 PM

End : Feb 14, 10:45:34.310 PM

Duration : 34 m 33.508 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 4  
FAILED - 1  
SKIPPED - 4







#	Feature Name	T	P	F	S	Duration
1	<u>FIXED ASSETS</u>	1	0	1	0	34 m 33.508 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>FIXED ASSETS</u>	<u>Check if the given asset is transferred to a pre decided centre</u>	9	4	1	4	34 m 33.501 s




**(F)- FIXED ASSETS**

<b>FAILED</b>	<b>DURATION - 34 m 33.508 s</b>	Scenarios		Steps	
/ 10:11:00.802 PM // 10:45:34.310 PM /		Total - 1		Total - 9	
		Pass - 0		Pass - 4	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	

**(S)- Check if the given asset is transferred to a pre decided centre**

<b>FAILED</b>	<b>DURATION - 34 m 33.501 s</b>		Steps	
/ 10:11:00.809 PM // 10:45:34.310 PM /			Total - 9	
FIXED ASSETS			Pass - 4	
@KUBS_FAT_UAT_005_001			Fail - 1	
		Skip - 4		

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	21.080 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.090 s
	screenshot		
			
2	And user should navigate to fixed assets menu	PASSED	2.355 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.475 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	When click on eye button of asset transfer	PASSED	1.903 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.781 s
	screenshot		
			
4	And click on add button for asset transfer	PASSED	0.955 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.659 s
	screenshot		
			
5	And Fill the required fields for asset transfer	FAILED	33 m 30.707 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f97c192e9bc1734bc7565e640425759b, findElement {using=xpath, value=//datatable-body-cell/div/app-kub-lov/ion-select}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppDataL..., goog:chromeOptions: {debuggerAddress: localhost:56020}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:56020/devtoo..., se.cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f97c192e9bc1734bc7565e640425759b</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:169) at org.openqa.selenium.support.ui.ExpectedConditions\$23.toString(ExpectedConditions.java:673) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:169) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.FIXEDASSETS_AssetUndertaking.fill_the_required_fields_for_asset_transfer(FIXEDASSETS_AssetUndertaking.java:83) at ?.Fill the required fields for asset transfer(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/FIXEDASSETS_AssetTransfer.feature:10) * Not displayable characters are replaced by '?'. </pre>		
	<p><b>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</b></p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f97c192e9bc1734bc7565e640425759b, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L ..}, goog:chromeOptions: {debuggerAddress: localhost:56020}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56020/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f97c192e9bc1734bc7565e640425759b at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) </pre>	FAILED	1.060 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
6	Then Save and submit the asset transfer	SKIPPED	0.001 s
7	And User should go to the kubs url and login as a reviewer user	SKIPPED	0.001 s
8	Then Click on notification button in reviewer	SKIPPED	0.001 s
9	And approve the record by the final checker user	SKIPPED	0.005 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	4.988 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f97c192e9bc1734bc7565e640425759b, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:56020}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56020/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f97c192e9bc1734bc7565e640425759b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the given asset is transferred  
to a pre decided centre


(F) FIXED ASSETS



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the given asset is transferred  
to a pre decided centre

(F) FIXED ASSETS





(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the given asset is transferred  
to a pre decided centre

(F) FIXED ASSETS

Finance

General ledger transaction

Budget

Accounts payable

Adjustments ( AR and AP)

Accounts receivable

Fixed assets

Asset creation

Asset transfer

Asset undertaking

Asset sale

Asset allocation

22 Appro...11 Messa...

Asset Transfer View

Actions	Entity	Branch Code - Name	Asset Code	Reference Number	Status	Flag
	Azentio Software	AZENTMAIN - Azentio Ma	ELECTRONICS-LAP001-L	ELECTRONICS-LAP001-L	Active	TR
	Azentio Software	AZENTMAIN - Azentio Ma	ELECTRONICS-LAP001-L	ELECTRONICS-LAP001-L	Active	TR
	Azentio Software	AZENTMAIN - Azentio Ma	MACHINARY-AIRCONDIT	MACHINARY-AIRCONDIT	Active	TR
	Azentio Software	AZENTMAIN - Azentio Ma	MACHINARY-AIRCONDIT	MACHINARY-AIRCONDIT	Active	TR
	Azentio Software	AZENTMAIN - Azentio Ma	01-001-plastic chair	01-001-plastic chair_AZEI	Active	TR
	Azentio Software	AZENTMAIN - Azentio Ma	01-001-plastic chair	01-001-plastic chair_AZEI	Active	TR
	Azentio Software	AZENTMAIN - Azentio Ma	01-001-plastic chair	01-001-plastic chair_AZEI	Active	TR
	Azentio Software	AZENTMAIN - Azentio Ma	01-001-plastic chair	01-001-plastic chair_AZEI	Active	TR
	Azentio Software	AZENTMAIN - Azentio Ma	01-ASTSBCTGRY001-Loc	01-ASTSBCTGRY001-Loc	Active	TR

27 total

Home

Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the given asset is transferred  
to a pre decided centre

(F) FIXED ASSETS

Finance

General ledger transaction

Budget

Accounts payable

Adjustments ( AR and AP)

Accounts receivable

Fixed assets

Asset creation

Asset transfer

Asset undertaking

Asset sale

Asset allocation

22 Appro...11 Messa...

Asset Transfer View

Actions	Entity	Branch Code - Name	Asset Code	Reference Number	Status	Flag
	Azentio Software	AZENTMAIN - Azentio Ma	ELECTRONICS-LAP001-L	ELECTRONICS-LAP001-L	Active	TR
	Azentio Software	AZENTMAIN - Azentio Ma	ELECTRONICS-LAP001-L	ELECTRONICS-LAP001-L	Active	TR
	Azentio Software	AZENTMAIN - Azentio Ma	MACHINARY-AIRCONDIT	MACHINARY-AIRCONDIT	Active	TR
	Azentio Software	AZENTMAIN - Azentio Ma	MACHINARY-AIRCONDIT	MACHINARY-AIRCONDIT	Active	TR
	Azentio Software	AZENTMAIN - Azentio Ma	01-001-plastic chair	01-001-plastic chair_AZEI	Active	TR
	Azentio Software	AZENTMAIN - Azentio Ma	01-001-plastic chair	01-001-plastic chair_AZEI	Active	TR
	Azentio Software	AZENTMAIN - Azentio Ma	01-001-plastic chair	01-001-plastic chair_AZEI	Active	TR
	Azentio Software	AZENTMAIN - Azentio Ma	01-001-plastic chair	01-001-plastic chair_AZEI	Active	TR
	Azentio Software	AZENTMAIN - Azentio Ma	01-ASTSBCTGRY001-Loc	01-ASTSBCTGRY001-Loc	Active	TR

27 total

Home

Preference