


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check Budget Request and Allocation feature module	1	1	0	0	20.777 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check Budget Request and Allocation	To verify the impact if user enters all the valid details and	19	19	0	0	20.774 s
	feature module	clicking on save button					

DETAILED SECTION -- 4 --

(F)- Check Budget Request and Allocation feature module

PASSED	DURATION - 20.777 s	Scenarios		Steps	
		Total - 1		Total - 19	
/ 1:11:26.601 pm) // 1:11:47.378 pm /	Pass - 1	1	Pass - 19	19
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- To verify the impact if user enters all the valid details and clicking on save button



#	Step / Hook Details	Status	Duration
1	Given Navigate The url	PASSED	10.807 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.491 s
	screenshot		
	# On the land of		
2	Then Transfer icon	PASSED	0.258 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		

A And Budget module field PASSED 0.155 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot 4 Then Budget module Budget Request and Allocation clk Eye Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot 5 And the Budget Code fields AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 5 And the Budget Code fields AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot creenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scena		The Continue of the Continue o		
Screenshot Scr	3	And Budget module field	PASSED	0.155 s
Then Budget module Budget Request and Allocation clk Eye Icon ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And the Budget Code fields ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And the Budget Code fields ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ACE ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ACE A		·	PASSED	0.176 s
Then Budget module Budget Request and Allocation clk Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And the Budget Code fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And the Budget Code fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then the Budget Name Fields PASSED 0.237 s 0.237 s 0.237 s 0.237 s		© monteman © monteman © monteman		
screenshot And the Budget Code fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then the Budget Name Fields PASSED 0.025 s 0.178 s 0.178 s PASSED 0.178 s	4	Then Budget module Budget Request and Allocation clk Eye Icon	PASSED	0.395 s
5 And the Budget Code fields PASSED 0.025 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then the Budget Name Fields PASSED 0.023 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
5 And the Budget Code fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ### The Property of the Budget Name Fields PASSED 0.025 s 0.178 s PASSED 0.178 s PASSED 0.178 s PASSED 0.023 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then the Budget Name Fields PASSED 0.178 s PASSED 0.178 s PASSED 0.178 s		Participations		
Screenshot Then the Budget Name Fields PASSED 0.023 s	5	And the Budget Code fields	PASSED	0.025 s
6 Then the Budget Name Fields		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
6 Then the Budget Name Fields PASSED 0.023 s		screenshot		
		Particular Par		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.153 s	6	Then the Budget Name Fields	PASSED	0.023 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
	## O THE PROPERTY OF THE PROPE		
7	And the Budget Year fields	PASSED	0.022 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
	screenshot		
	Part Sept		
8	Then the Budget Type fields	PASSED	0.020 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		
	Part		
9	And the Budget Budget Amount fields	PASSED	0.023 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.104 s
	screenshot		
	Prince Special Spe		
10	Then the Budget Status fields	PASSED	0.025 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.114 s
	screenshot	1	
		•	


#	Step / Hook Details	Status	Duration
	## OF THE PROPERTY OF THE PROP		
11	And Add icon Request and Allocation	PASSED	0.185 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
	screenshot		
12	Then choose current Budget Code	PASSED	0.258 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		
	PARTICIPATION STATE OF THE PARTICIPATION STATE O		
13	And Clk current Budget Year	PASSED	0.303 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.234 s
	screenshot		
	Parameter Para		
14	Then Clk on Branch fields	PASSED	0.102 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot		


15 And Clk one Branch in branch field AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.141 s 0.220 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.182 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.210 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.182 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.182 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.182 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.183 s 0.184 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 16 Then Clk on Branch ok button in pop up AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 17 Then Clk Need currency AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 18 And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 18 And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Passed 1.291 s				
screenshot 16 Then Clk on Branch ok button in pop up AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 17 Then Clk Need currency AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.291 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.106 s	15	And Clk one Branch in branch field	PASSED	0.098 s
16 Then Clk on Branch ok button in pop up AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 17 Then Clk Need currency AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.220 s PASSED 0.240 s 0.240 s 0.210 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
16 Then Clk on Branch ok button in pop up AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 17 Then Clk Need currency AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.240 s 0.240 s 0.240 s 0.210 s 18 And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.291 s PASSED 0.106 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.240 s 17 Then Clk Need currency AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 18 And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.291 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.182 s 0.210 s		O		
screenshot 17 Then Clk Need currency AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 18 And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.291 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.106 s	16	Then Clk on Branch ok button in pop up	PASSED	0.220 s
17 Then Clk Need currency AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 18 And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.291 s PASSED 0.106 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.240 s
17 Then Clk Need currency AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 18 And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.291 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.182 s 0.210 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 18 And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.291 s PASSED 0.106 s		O Marie Section Sect		
Screenshot Screenshot	17	Then Clk Need currency	PASSED	0.182 s
18 And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.106 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.210 s
18 And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.106 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.106 s				
	18	And Select Amount for which Budget Type Show in Budget type	PASSED	1.291 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.106 s
		screenshot		

DETAILED SECTION -- 9 --


#	Step / Hook Details	Status	Duration
19	And Clk on save icon	PASSED	0.050 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.103 s
	screenshot		
	# Of Control		

EXPANDED SECTION -- 10 --







EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --

