Cucumber Report

Start : Mar 30, 1:17:35.063 AM	End : Mar 30, 1:18:05.239 AM	Duration : 30.176 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 9 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Checking the Supplementary Budget UAT functionality	1	1	0	0	30.176 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Supplementary Budget UAT functionality	System should allow to modify the supplimentary request budget before approval	9	9	0	0	30.172 s

(F)- Checking the Supplementary Budget UAT functionality

PASSED	DURATION - 30.176 s	Scenarios		Steps	
/ 1:17:35.063 AM // 1:18:05.239 AM /		Total - 1	1	Total - 9	9
		Pass - 1		Pass - 9	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- System should allow to modify the supplimentary request budget before approval

PASSED	DURATION - 30.172 s		Steps	
/ 1:17:35.067 AM // 1:18:05.239 AM /			Total - 9	9
Checking the Supplementary Budget UAT functionality			Pass - 9	
@SupplementaryBudget_KUBS_BP_UAT_005_00-3			Fail - 0	
			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given maker should navigate to the url and login with valid credentials UAT	PASSED	10.179 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.288 s
	screenshot		
2	And maker should navigate to the budget module UAT	PASSED	2.304 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.116 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And maker click on budget field UAT	PASSED	0.094 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.130 s
	screenshot		
4	When maker click on budget supplementary eye icon UAT	PASSED	0.157 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.286 s
	screenshot		
5	And click on add button on budget supplementary view page UAT	PASSED	2.202 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		
6	Then fill the input fields UAT	PASSED	1.595 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.116 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then fill apportion amount and save the record UAT	PASSED	2.447 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.106 s
	screenshot 		
8	Then Select the Supplementary record from notification	PASSED	2.897 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.094 s
	screenshot 		
9	Then fill apportion amount and save the record UAT	PASSED	2.410 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.106 s
	screenshot 		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should allow to modify the supplimentary request budget before approval	
(F) Checking the Supplementary Budget UAT functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should allow to modify the supplimentary request budget before approval	
(F) Checking the Supplementary Budget UAT functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should allow to modify the supplimentary request budget before approval

(F) Checking the Supplementary Budget UAT functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should allow to modify the supplimentary request budget before approval

(F) Checking the Supplementary Budget UAT functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) System should allow to modify the supplimentary request budget before approval (F) Checking the Supplementary Budget UAT functionality	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) System should allow to modify the supplimentary request budget before approval (F) Checking the Supplementary Budget UAT functionality	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should allow to modify the supplimentary request budget before approval

(F) Checking the Supplementary Budget UAT functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should allow to modify the supplimentary request budget before approval

(F) Checking the Supplementary Budget UAT functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should allow to modify the supplimentary request budget before approval

(F) Checking the Supplementary Budget UAT functionality