

Cucumber Report

28-Feb-2022, 10:39:16 am

Start : Feb 28, 10:38:51.043 am

End : Feb 28, 10:39:14.638 am

Duration : 23.595 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 13
FAILED - 1
SKIPPED - 30







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of AR/AP Module</u>	1	0	1	0	23.595 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	Approving advance against PO	44	13	1	30	23.589 s


(F)- Check the Functionality of AR/AP Module

FAILED	DURATION - 23.595 s	Scenarios		Steps	
/ 10:38:51.043 am // 10:39:14.638 am /		Total - 1	1	Total - 44	44
		Pass - 0		Pass - 13	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 30	





(S)- Approving advance against PO


FAILED	DURATION - 23.589 s		
/ 10:38:51.049 am // 10:39:14.638 am /			
Check the Functionality of AR/AP Module			
@KUBS_AR_AP_UAT_004_003_TC_01			
		Total - 44	44
		Pass - 13	
		Fail - 1	
		Skip - 30	

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	12.341 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		
			
2	Then Choose the second Tab Segment	PASSED	0.325 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And Click On Main module Accounts Receivable	PASSED	0.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
	screenshot		
			
4	Then Click on Accounts Receive Advances Eye Icon	PASSED	0.412 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.258 s
	screenshot		
			
5	And Click Add icon button	PASSED	0.320 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.354 s
	screenshot		
			
6	Then Enter the Receivable Name	PASSED	0.419 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And Enter Business partner Value	PASSED	0.343 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		
			
8	Then Enter the PO Number	PASSED	0.409 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		
			
9	And Enter Payment mode	PASSED	0.299 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		
			
10	Then Enter Amount value	PASSED	0.188 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	And Choose Needed Currancy	PASSED	0.259 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
			
12	Then Choose cost center	PASSED	0.302 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
	screenshot		
			
13	And Enter Description value	PASSED	0.219 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	screenshot		
			
14	Then Save the Advance Record	FAILED	1.131 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1414, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDAP014547', ip: '10.1.47.111', os:		


#	Step / Hook Details	Status	Duration
	<p>name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0753b1f0042fe529e2a7f56712ba2f1b, clickElement {id=f10dcf85-ee5c-48ce-8ad7-e2d5874d84de}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:52583}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52583/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (0753b1f0042fe529e2a7f56712ba2f1b)] -> xpath: (//ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1])[2]] Session ID: 0753b1f0042fe529e2a7f56712ba2f1b</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.ARAP_CancellationOfGRN.save_the_advance_record(ARAP_CancellationOfGRN.java:1001) at ?.Save the Advance Record(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ARAP_GrnCancellation.feature:183) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.110 s

#	Step / Hook Details	Status	Duration
15	Then Goto The Notification Icon	SKIPPED	0.001 s
16	And Store the Referance Id and Open the Record	SKIPPED	0.000 s
17	Then Click submit button and Enter Remark submit it	SKIPPED	0.001 s
18	Given Navigate as a Reviewer	SKIPPED	0.000 s
19	Then click on Notify icon	SKIPPED	0.000 s
20	And Click First record Action icon	SKIPPED	0.000 s
21	Then Approve the record in Reviewer	SKIPPED	0.000 s
22	And Give Remark and Submit	SKIPPED	0.000 s
23	Given Navigate as a Checker	SKIPPED	0.000 s
24	Then Click module security management	SKIPPED	0.000 s
25	And Claim the Record in Checker	SKIPPED	0.001 s
26	Then Goto the Checker notification Icon	SKIPPED	0.000 s
27	And Click the First Action Icon	SKIPPED	0.001 s
28	Then Approve the Record in checker stage	SKIPPED	0.000 s
29	And Give the Remark and Submit it	SKIPPED	0.000 s
30	Given Navigate The Azentio Url	SKIPPED	0.000 s
31	Then Choose the second Tab Segment	SKIPPED	0.000 s
32	And Click On Main module Accounts Receivable	SKIPPED	0.000 s
33	Then Click on Accounts Receive Advances Eye Icon	SKIPPED	0.000 s
34	And Click On Search Icon	SKIPPED	0.000 s
35	Then Enter Active Value In Advance Status	SKIPPED	0.000 s
36	Then Click on Table Row First Eye Icon	SKIPPED	0.000 s
37	And Get The Business Partner and Advance Number	SKIPPED	0.000 s
38	And Click On Main module Accounts payable	SKIPPED	0.000 s
39	Then Click sub module Payment settlement Eye Icon	SKIPPED	0.000 s
40	And Click Add icon button	SKIPPED	0.000 s
41	Then Enter payment option	SKIPPED	0.000 s
42	And Give stored Business partner Name	SKIPPED	0.000 s
43	Then Choose value date as System current date	SKIPPED	0.000 s
44	And find the Advance reference number for Active Advances is availabe at the billing queue	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Approving advance against PO


(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Approving advance against PO

(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Approving advance against PO

(F) Check the Functionality of AR/AP
Module

The screenshot shows the Kastle Universal Banking (Beta) interface. The top navigation bar includes the date (19-Oct-2022), language (English), software version (Azentio Software - (AZENTMAIN)), and user profile (ANANT). The left sidebar shows the Finance menu with options: General ledger transaction, Budget, Accounts payable, Adjustments (AR and AP), and Accounts receivable. The Accounts receivable option is selected, and a sub-menu is displayed with options: Accounts receivable (Debit notes), Credit notes on invoice, Accounts receivable (Advances), and Receipts. The main content area shows a welcome message "Welcome, anant". The bottom navigation bar includes Home and Preference icons.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Approving advance against PO

(F) Check the Functionality of AR/AP
Module

The screenshot shows the Kastle Universal Banking (Beta) interface with the Advances table displayed. The top navigation bar is the same as the previous screenshot. The left sidebar shows the Finance menu with Accounts receivable selected. The main content area shows the Advances table with the following data:

Actions	Branch Code - Name	Receivable Name	ADV Number	BP Name	Amount	Date	ADV Status
	AZENTMAIN - Azentio N.	Advance To Employee	ADV_60_2422022	Swapnil Gore	1000	19-Oct-2022	Closed
	AZENTMAIN - Azentio N.	Advance Against PO	ADV_59_2422022	PAUL MCADAMS & Co.	100	19-Oct-2022	Closed
	AZENTMAIN - Azentio N.	Advance To Employee	ADV_58_2422022	Swapnil Gore	1000	19-Oct-2022	Closed
	AZENTMAIN - Azentio N.	Advance To Employee	ADV_57_2422022	Swapnil Gore	1000	19-Oct-2022	Active
	AZENTMAIN - Azentio N.	Advance To Employee	ADV_56_2422022	Swapnil Gore	1000	19-Oct-2022	Active
	AZENTMAIN - Azentio N.	Advance To Employee	ADV_55_2422022	Swapnil Gore	1000	19-Oct-2022	Active
	AZENTMAIN - Azentio N.	Advance To Employee	ADV_54_2422022	Swapnil Gore	1000	19-Oct-2022	Active
	AZENTMAIN - Azentio N.	Advance To Employee	ADV_53_2422022	Swapnil Gore	1000	19-Oct-2022	Active

The table shows 60 total records. The bottom navigation bar includes Home and Preference icons, and a blue circular button with a plus sign is visible in the bottom right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Approving advance against PO

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Adavaces

* Entity Branch	* Receivable Name	Business Partner/Employee Name
x		
Adavace Number	* Date 19-Oct-2022	Po Number
* Payment Mode	* Amount	Cost Center
* Description	* Status Active	

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Approving advance against PO

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Adavaces

* Entity Branch	* Receivable Name	* Business Partner/Employee Name
Azentio Main Branch	x	Advance Against PO
Adavace Number	* Date 19-Oct-2022	Po Number
* Payment Mode	* Amount	Cost Center
* Description	* Status Active	

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Approving advance against PO

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction
Budget
Accounts payable
Adjustments (AR and AP)
Accounts receivable

Accounts receivable (Debit notes)
Credit notes on invoice
Accounts receivable (Advances)
Receipts

22 Appro... 11 Messa...

Home Preference

← Advaces

* Entity Branch	* Receivable Name	* Business Partner/Employee Name
Azentio Main Branch x	Advance Against PO x	DELUXE 001 x
Advace Number	* Date 19-Oct-2022	Po Number
* Payment Mode	* Amount	Cost Center
* Description	* Status Active	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Approving advance against PO

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction
Budget
Accounts payable
Adjustments (AR and AP)
Accounts receivable

Accounts receivable (Debit notes)
Credit notes on invoice
Accounts receivable (Advances)
Receipts

22 Appro... 11 Messa...

Home Preference

← Advaces

* Entity Branch	* Receivable Name	* Business Partner/Employee Name
Azentio Main Branch x	Advance Against PO x	DELUXE 001 x
Advace Number	* Date 19-Oct-2022	Po Number 3-Agency-15-PO-2 x
* Payment Mode	* Amount	Cost Center x
* Description	* Status Active	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Approving advance against PO

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Adavaces

* Entity Branch	* Receivable Name	* Business Partner/Employee Name
Azentio Main Branch x	Advance Against PO x	DELUXE 001 x
Adavace Number	* Date 19-Oct-2022	Po Number 3-Agency-15-PO-2 x
* Payment Mode Cheque x	* Amount	Cost Center FINANCE x
* Description	* Status Active	

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Approving advance against PO

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Adavaces

* Entity Branch	* Receivable Name	* Business Partner/Employee Name
Azentio Main Branch x	Advance Against PO x	DELUXE 001 x
Adavace Number	* Date 19-Oct-2022	Po Number 3-Agency-15-PO-2 x
* Payment Mode Cheque x	* Amount 5,000.00	Cost Center FINANCE x
* Description	* Status Active	

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Approving advance against PO

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Adavaces

* Entity Branch	* Receivable Name	* Business Partner/Employee Name
Azentio Main Branch	Advance Against PO	DELUXE 001
Adavace Number	* Date	Po Number
	19-Oct-2022	3-Agency-15-PO-2
* Payment Mode	* Amount	Cost Center
Cheque	5,000.00	FINANCE
* Description	* Status	
	Active	

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Approving advance against PO

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Adavaces

* Entity Branch	* Receivable Name	* Business Partner/Employee Name
Azentio Main Branch	Advance Against PO	DELUXE 001
Adavace Number	* Date	Po Number
	19-Oct-2022	3-Agency-15-PO-2
* Payment Mode	* Amount	Cost Center
Cheque	5,000.00	FINANCE
* Description	* Status	
	Active	

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Approving advance against PO

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Adavaces

* Entity Branch	* Receivable Name	* Business Partner/Employee Name
Azentio Main Branch x	Advance Against PO x	DELUXE 001 x
Adavace Number	* Date 19-Oct-2022	Po Number 3-Agency-15-PO-2 x
* Payment Mode	* Amount 5,000.00	Cost Center FINANCE x
Cheque x		
* Description Advance	* Status Active	

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Approving advance against PO

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Adavaces

* Entity Branch	* Receivable Name	* Business Partner/Employee Name
Azentio Main Branch x	Advance Against PO x	DELUXE 001 x
Adavace Number	* Date 19-Oct-2022	Po Number 3-Agency-15-PO-2 x
* Payment Mode	* Amount 5,000.00	Cost Center FINANCE x
Cheque x		
* Description Advance	* Status Active	

22 Appro... 11 Messa...

Home Preference