Cucumber Report

Start : Mar 10, 12:49:48.074 PM	End : Mar 10, 12:50:15.845 PM	Duration : 27.771 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 9 FAILED - 1 SKIPPED - 89

Features: 1

Scenarios: 1

Steps: 99

Pass % — 0 %

Pass % — 0 %

Pass % — 9 %

#	Feature Name	T	P	F	S	Duration
1	To check the asset impairement module in fixed asset module	1	0	1	0	27.771 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check the asset impairement module in fixed asset module	Check the Write Off for an undertaken asset from other branch (usage life exhausted)	99	9	1	89	27.766 s

(F)- To check the asset impairement module in fixed asset module

FAILED	DURATION - 27.771 s	Scenarios		Steps	
		Total - 1		Total - 99	
/ 12:49:48.074 PM // 12:50:15.845 PM /		Pass - 0	1	Pass - 9	99
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 89	

(S)- Check the Write Off for an undertaken asset from other branch (usage life exhausted)

FAILED	DURATION - 27.766 s		Steps	
/ 12:49:48.079 PM // 12:50:15.845 PM /			Total - 99	
To check the asset impairement module in fixed asset module			Pass - 9	99
			Fail - 1	
@KUBS_FAT_UAT_010_009			Skip - 89	

#	Step / Hook Details	Status	Duration
1	Given Navigate to KUBS URL and login with maker credentials	PASSED	15.861 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		
2	And click on fixed asset main module	PASSED	0.581 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And goto asset creation module	PASSED	0.271 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.458 s
4	Then search the asset reference number which we going to do undertaking	PASSED	1.603 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.176 s
5	Then check if the asset life is exhausted	PASSED	1.439 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.133 s
6	And Goto Asset Transfer	PASSED	0.185 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.505 s

#	Step / Hook Details	Status	Duration
7	And click on Add Icon	PASSED	0.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s
	screenshot		
8	And enter asset reerence Number	PASSED	0.681 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	screenshot		
9	And enter new ranch	PASSED	0.266 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
10	And enter transfer as yes and save the record	FAILED	0.023 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//datatable-body-cell/div/app-kub-lov/ion-select"} (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b5d73adb454d0edd6f0540c2d402fd24, findElement {using=xpath, value=//datatable-body-cell/div/app-kub-lov/ion-select}]		

#	Step / Hook Details	Status	Duration
	Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:49463}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49463/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b5d73adb454d0edd6f0540c2d402fd24 　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) 　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) 　at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) 　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) 　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) 　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) 　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) 　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) 　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) 　at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) 　at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) 　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) 　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) 　at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) 　at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) 　at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) 　at stepdefinitions.FIXEDASSET_AssetImpairement.enter_transfer_as_yes_and_save_the_record(FIXEDASSET_AssetImpairement.java:776) 　at ?.enter transfer as yes and save the record(file:///C:/Users/inindc00076/git/repository4/Anandh_AzentioAutomationFramework1/src/test/java/features/FIXEDASSET_AssetImpairement.feature:926) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.141 s
11	Then click on notification button	SKIPPED	0.000 s
12	Then choose first record in the notification record	SKIPPED	0.000 s
13	And click on Submit button	SKIPPED	0.000 s

| #	Step / Hook Details	Status	Duration
14	Then enter remark in confirmation alert	SKIPPED	0.001 s
15	Then click on submit button in alert	SKIPPED	0.000 s
16	And capture the reviewer ID in pop up which is open when we submit our record in Transfer maker stage	SKIPPED	0.000 s
17	Then logout from maker	SKIPPED	0.000 s
18	And login with reviewer credentials	SKIPPED	0.000 s
19	Then click on notification button	SKIPPED	0.001 s
20	And select our record in notification records using reference ID	SKIPPED	0.000 s
21	Then Approve the record from reviewer	SKIPPED	0.000 s
22	And enter the remark in alert	SKIPPED	0.001 s
23	Then click on submit in alert	SKIPPED	0.000 s
24	And capture the reviewer ID in pop up which is open when we submit our record in Transfer maker stage	SKIPPED	0.001 s
25	Then verify the approval status of the record	SKIPPED	0.000 s
26	And logout from reviewer	SKIPPED	0.000 s
27	And login with reviewer credentials	SKIPPED	0.000 s
28	Then click on notification button	SKIPPED	0.001 s
29	And select our record in notification records using reference ID	SKIPPED	0.000 s
30	And enter transfer as yes and save the record in second reviewer	SKIPPED	0.000 s
31	Then click on notification button	SKIPPED	0.000 s
32	And select our record in notification records using reference ID	SKIPPED	0.000 s
33	And click on Submit button	SKIPPED	0.000 s
34	And enter the remark in alert	SKIPPED	0.000 s
35	Then click on submit in alert	SKIPPED	0.000 s
36	And capture the reviewer ID in pop up which is open when we submit our record in Transfer maker stage	SKIPPED	0.000 s
37	And logout from reviewer	SKIPPED	0.000 s
38	And login with reviewer credentials	SKIPPED	0.000 s
39	Then click on notification button	SKIPPED	0.000 s
40	And select our record in notification records using reference ID	SKIPPED	0.000 s
41	Then Approve the record from reviewer	SKIPPED	0.000 s
42	And enter the remark in alert	SKIPPED	0.000 s
43	Then click on submit in alert	SKIPPED	0.000 s
44	And verify the record got approved from checker	SKIPPED	0.000 s
45	And logout from reviewer	SKIPPED	0.000 s
46	And login with Maker ID	SKIPPED	0.000 s
47	And click on fixed asset main module	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
48	And go to asset undertaking module	SKIPPED	0.000 s
49	And click on search	SKIPPED	0.000 s
50	And check the asset reference number is available in the undertaking module	SKIPPED	0.001 s
51	And get the text of asset code and transfered branch name	SKIPPED	0.000 s
52	And choose configuration option	SKIPPED	0.000 s
53	And click on entity maintenece	SKIPPED	0.000 s
54	And click on view button near by legal entity branches	SKIPPED	0.000 s
55	And click on search	SKIPPED	0.000 s
56	And search the brach name and get the branch code	SKIPPED	0.000 s
57	And choose finance option	SKIPPED	0.000 s
58	And click on fixed asset configuration	SKIPPED	0.000 s
59	And the click on view button near by serail number setup	SKIPPED	0.000 s
60	And click on search	SKIPPED	0.000 s
61	And serach the asset code and get the last serail number	SKIPPED	0.001 s
62	And click on fixed asset main Module	SKIPPED	0.000 s
63	And click on view button near by asset impairement module	SKIPPED	0.000 s
64	And click on Add Icon	SKIPPED	0.000 s
65	Then Check System shuld display the input fields	SKIPPED	0.000 s
66	And select asset reference number of undertaking assset in write off	SKIPPED	0.000 s
67	And choose the asset Item no	SKIPPED	0.000 s
68	And choose the transcation type as writeOff	SKIPPED	0.000 s
69	Then click on Save Button	SKIPPED	0.001 s
70	Then click on notification button	SKIPPED	0.000 s
71	Then choose first record in the notification record	SKIPPED	0.000 s
72	And click on Submit button	SKIPPED	0.001 s
73	Then enter remark in confirmation alert	SKIPPED	0.000 s
74	Then click on submit button in alert	SKIPPED	0.000 s
75	And capture the reviewer ID in pop up which is open when we submit our record in maker stage	SKIPPED	0.000 s
76	Then logout from maker	SKIPPED	0.000 s
77	And login with reviewer credentials	SKIPPED	0.000 s
78	Then click on notification button	SKIPPED	0.000 s
79	And select our record in notification records using reference ID	SKIPPED	0.001 s
80	Then Approve the record from reviewer	SKIPPED	0.000 s
81	And enter the remark in alert	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
82	Then click on submit in alert	SKIPPED	0.000 s
83	Then verify the approval status of the record	SKIPPED	0.000 s
84	And logout from reviewer	SKIPPED	0.000 s
85	Then login as a checker	SKIPPED	0.000 s
86	And click on security management menu in checker	SKIPPED	0.000 s
87	Then click on action button under security management menu	SKIPPED	0.000 s
88	And select our record and clime using reference ID	SKIPPED	0.000 s
89	Then click on Notification button	SKIPPED	0.000 s
90	Then select our record in notification records by the help of reference ID	SKIPPED	0.000 s
91	And click on approve button in checker stage	SKIPPED	0.000 s
92	Then give alert remark	SKIPPED	0.000 s
93	Then click on submit button on alert	SKIPPED	0.001 s
94	And verify the record got approved from checker	SKIPPED	0.000 s
95	Then logout from checker	SKIPPED	0.002 s
96	And login with Maker ID	SKIPPED	0.000 s
97	And click on fixed asset main module	SKIPPED	0.001 s
98	And click on view button near by asset impairement module	SKIPPED	0.000 s
99	Then check the approved record is displayed in appeared in maker list view stage	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the Write Off for an undertaken asset from other branch (usage life exhausted)

(F) To check the asset impairement module in fixed asset module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the Write Off for an undertaken asset from other branch (usage life exhausted)

(F) To check the asset impairement module in fixed asset module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the Write Off for an undertaken asset from other branch (usage life exhausted)

(F) To check the asset impairement module in fixed asset module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the Write Off for an undertaken asset from other branch (usage life exhausted)

(F) To check the asset impairement module in fixed asset module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the Write Off for an undertaken asset from other branch (usage life exhausted)	
(F) To check the asset impairement module in fixed asset module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the Write Off for an undertaken asset from other branch (usage life exhausted)	
(F) To check the asset impairement module in fixed asset module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check the Write Off for an undertaken asset from other branch (usage life exhausted) (F) To check the asset impairement module in fixed asset module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check the Write Off for an undertaken asset from other branch (usage life exhausted) (F) To check the asset impairement module in fixed asset module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the Write Off for an undertaken asset from other branch (usage life exhausted)	
(F) To check the asset impairement module in fixed asset module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the Write Off for an undertaken asset from other branch (usage life exhausted)	
(F) To check the asset impairement module in fixed asset module	